

7401-81

6-7-76

✓ 1041

**DIRECTIONS FOR USE**

Sevin insecticide will not control insects if used with lime or other highly alkaline materials. Apply when air is calm, using ground equipment, aircraft or hand duster. Unless otherwise specified, apply at first sign of insect infestation and repeat at 7-10 day intervals when needed to maintain control. For disease control, begin applications before diseases appear. All dosages are given in pounds per acre. Observe use limits given for specific crops.

**BEANS:** Use 10 lbs. for Mexican bean beetle. Use 10 lbs. for bean leaf beetles, cucumber beetles, fleabeetles, Japanese beetle, leafhoppers, powdery mildew, rust, velvetbean caterpillar and Western bean cutworm. Use 10-15 lbs. for armyworms and tarnished plant bugs; 20 lbs. for corn earworm, lima bean pod borer, lygus and stink bugs. May be applied up to and including the day of harvest.

**COTTON:** Early season control of: Cotton leafworm, cotton leafhopper, fleabeetles, striped blister beetle, thrips. Apply 10 lbs. per acre. Mid and late season control of: Boll weevil, bollworm, fall armyworm, cotton leaf perforator, leaf rollers, leafhoppers, lygus bugs (light to moderate infestations in Western irrigated cotton), tarnished plant bugs, aphids, (Population will be suppressed by repeated applications of this insecticide). Apply 10-20 lbs. For pink bollworm — apply 15-25 lbs. on a 5-7 day schedule depending on the size of the cotton and degree of infestation. For salt-marsh caterpillar, stink bugs, apply 20 lbs. For grasshoppers—Apply 10-15 lbs. The higher dosage should be used when grasshoppers are mature or material is applied on partly defoliated plants. Allow 7 days between last application and grazing treated fields or harvesting crop residue for use as feed or bedding for dairy or meat animals.

**CAUTION:** Harmful if swallowed or inhaled. Do not take internally. Avoid breathing dust. Avoid contact with skin. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of feed and foodstuffs. Do not reuse empty container. Destroy container by burying with waste or burning. If burned, stay away from smoke or fumes.

Do not apply during bloom when honey bees or other pollinators are active. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application. Avoid drift to adjoining food and forage crops.

Sulfur will cause severe fruit and leaf injury to sulfur-sensitive crops. Do not use sulfur on any crop unless local use has proved safe. Sulfur may burn foliage and fruit during periods of high temperature and under certain other climatic conditions. Do not apply sulfur to sensitive crops when shade temperatures exceed or are likely to exceed 90 degrees F. The Federal Food and Drug Administration has set official tolerances for certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates, and do not apply closer to harvest than specified. Consult State Agricultural Extension Service for additional information, as the timing, number, and rate of applications needed will vary with local conditions.

**NON-WARRANTY:** Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

50-1-46

EPA Reg. No. 7407-81-AA



ferti·lome



# Sevin\* Sulfur 10-40 Dust

ACCEPTED  
JUN 7 1976  
The Federal Insecticide,  
Fungicide, and Rodenticide Act,  
passed, for the pesticide  
labeled under  
EPA Reg. No. 7401-81

**ACTIVE INGREDIENTS:**

Carbaryl (1-naphthyl  
N-Methylcarbamate) ..... 10.0%

Sulfur ..... 40.0%

**INERT INGREDIENTS:** ..... 50.0%

Total ..... 100.0%

Sulfur Fineness: 93% Passing No. 325 U.S.S. Sieve.

\*Trade-Mark of Union Carbide Corporation for the active ingredient, Carbaryl (1-naphthyl N-Methylcarbamate).

EPA Est. 7401-TX-1

**CAUTION:** ::::

**KEEP OUT OF REACH OF CHILDREN:** ::::

See Side Panel for Additional Cautions. ::::

**VOLUNTARY PURCHASING GROUPS, INC.**

Bonham, Texas. ::::

NET WEIGHT 50 LBS. ::::