



03/21/2003

1/4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

MAR 21 2003

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Mary Beth Endres
Agent for
Voluntary Purchasing Group
Brazos Associates, Inc.
2001 Diamond Ridge Drive
Carrollton, TX 75010-4509

Subject: Label Amendment: First Aid, Note to Physician, Disposal Statement, etc.
Ferti lome Carbaryl Sulfur 10-40 dust
EPA Reg. No. 7401-81
Submissions dated October 18, 2001.

Dear Ms. Endres:

The labeling referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following comments:

1) Revise the Precautionary Statements to read "Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse".

A stamped copy "accepted with comments" of the label is enclosed for your records.

Please submit two (2) copies of the final printed for our records. If you have any questions please call me at (703) 308-8328.

Sincerely yours,

Akiva Abramovitch, Ph.D.

Chemist

Insecticide-Rodenticide Branch
Registration Division (7505C)

[FRONT LABEL PANEL]

ferti•lome

Carbaryl - Sulfur

10 - 40

Dust

**ACCEPTED
with COMMENTS
In EPA Letter Dated:
MAR 21 2003
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
7401-81**

- For Home Garden Use on Beans

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-Methylcarbamate)	10.0%
Sulfur	40.0%

INERT INGREDIENTS: 50.0%

TOTAL: 100.0%

Sulfur fineness: 93% Passing No. 325 U.S.S. Sieve

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back/Side Label Panel For Additional Precautionary Statements

NET WEIGHT _____ LBS.

[BACK/SIDE LABEL PANEL]

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if inhaled. Avoid breathing dust. Remove contaminated clothing and wash clothing before reuse. Causes moderate eye irritation. Keep out of reach of children and pets.

FIRST AID	
This product is an N-methyl carbamate and is a cholinesterase inhibitor.	
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is an antidote. DO NOT use 2-PAM, opiates or cholinesterase-inhibiting drugs.	

ENVIRONMENTAL HAZARDS

Toxic to honey bees. Do not apply during bloom when honey bees or other pollinators are active. When necessary to use during such periods, warn bee keepers well in advance to locate hives at a safe distance until one week after application. Avoid drift to adjoining food and forage crops.

[BACK/SIDE LABEL PANEL CONTINUED]

The Federal Food and Drug Administration has set official tolerances for certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates, and do not apply closer to harvest than specified. Consult local agriculture authorities for additional information, as timing, number, and rate of applications needed will vary with local conditions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEANS – Use 10 lbs. for Mexican bean beetle. Use 10 lbs. for bean leaf beetles, cucumber beetles, fleabeetles, Japanese beetle, leafhoppers, powdery mildew, rust, velvetbean caterpillar and Western bean cutworm. Use 10-15 lbs. for armyworms and tarnished plant bugs; 20 lbs. for corn earworm, lima bean pod borer, lygus and stink bugs.
Allow 3 days between dusting and harvesting of Beans.

STORAGE AND DISPOSAL

STORAGE: Keep out of reach of children and pets. Store in original containers only. Store in cool, dry place and avoid excess heat.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the user or buyer.

VOLUNTARY PURCHASING GROUPS, INC.

P.O. Box 460

BONHAM, TEXAS 75418

EPA Registration No. 7401-81

EPA Establishment No. 7401-TX-1

REVISED: 10-15-01

S:\MAIN\VOLUNTARY PURCHASING GROUPS\LABELS\FERTI-LOME CARBARYL-SULFUR 10-40 DUST