ENJOY EASY APPLICATION WITH FERTILIZER SPREADER

This product must not be used on golf courses and sod farmis. 93

LAWN COVERAGY:

All grasses (including Blue grasses and Dichondra) St. Augustine

2500 sq. ft 1660 sq. ft

ACCEPTED

MAY 1 .7 1988

Under the Paderal Insecticide. Pangloide, and Rodenticide Act.

ferti-lome

LAWN INSECT KILLER GRANULES

Containing DIAZINON®

- * Provides positive control of lawn insects such as CHINCH LAWN MOTHS (SOD WEBWORMS), ARMYWORMS, CUTWORMS, ALTS, CH GCLES TICKS, CRICKETS, EARWIGS, FLEAS, LEAFHOPPERS. BERFUDA AND CLOVER MITES, PÍLLBUGS, SPRINGTÁILS AND BROWN DOG TICKS IN 18
- ideal for use on ST. AUGUSTINE, BERMUDA, BLUUGRASS, BENT 1 180 MERION AND DICHONDRA.
- KILLS ANTS HE HILLS AND DIGGER WASPS IN JOUGH RESTS.

CAUTION (18 Point)

KEEP OUT OF REACH OF CHILDREN - (12 Point)

See Back Panel For Additional Caulions

ACTIVE INGREDIENT:

0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl)

phosphorothicate

INERT INGREDIENTS:

DIAZINON® Trademark CIBA-GEIGY AGRICULTURAL CHEMICARS

NET WEIGHT 13 LBS.

(Back Panel)

NET WEIGHT 13 LBS.

ferti-lome

LAWN INSECT KILLER GRANULES

Containing DIAZINON®

MAUTION: KEEP OUT OF REACH OF CHILDREN. Barmful if swalle medici. avoid breathing dust. May be absorbed through the skin. . Loi"

BEST AVAILABLE COPY

(Back Panel)

contact with skin, eyes and clothing. Avoid contamination of feed and foodstuffs. Wash thoroughly after handling. Treat lawns in late afternoon. Keep children and pets off treated areas until the following afternoon.

Do not apply by hand.


This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. not apply when weather condition favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not re-use container for any purpose. Destroy empty container.

EPA Reg. No. 7401-96

VOLUNTARY PURCHASING GROUPS, INC. BONHAM, TEXAS 75418

ferti-lome



DIRECTIONS:

Dear Folks:

We mecommend this new ferti-lome product because our years of experience have proven it to be an effective way to kill lawn insects.

- WEAT IS THIS PACKAGE FOR? This package provides a convenient and economical way to kill the more damaging listed lawn insects.
- 2. HOW DO YOU USE IT? To kill CHINCH BUGS, LAWN MOTHS (SOD WEBWORMS), ARMYWORMS, CUTWORMS, ANTS, CHIGGERS, TICKS, CRICKETS, EARWIGS, FLEAS, LEAFHOPPERS, BERMUDA AND CLOVER MITES, PILLBUGS, SPRINGTAILS, AND BROWN DOG TICKS, apply 5 lbs. on 1000 sq. ft. of your. lawn with a fertilizer spreader at the rates shown in the following table:

NOTE: For lawns of thicker growth such as St. Augustine, increase teta to 7 lbs. per 1000 sq. ft.

DAVE APPLICATION DURECTIONS: SPREADER SETTINGS* REGULAR UN DICHONDRA ST. AUGUSTIAL

STREATER LAWNS LAWNS 5 lbs.per 1000 sq. ft., 7 lbs.per 1000 sq. ft.

rerti-Lome Cyclone recti-lome Deluxe

(Back Panel)

Jackson	4	5
Lawn Beauty	4	5
Scotts	6	7
Sears	5	6
Central	5	6

*These settings for spreaders can only be taken as approximate. Our products have been thoroughly tested on new spreaders only. Age and condition of spreader, speed of pushing, roughness of lawns, all affect application. Operator should carefully observe: rate of application at beginning of job and make corrective adjustments of spreader opening if necessary.

SPOT TREATMENT DIRECTIONS:

Apply 1 tablespoon of ferti-lome LAWN INSECT KILLER GRANULES Containing DIAZINON over and around each individual ant hill.

DIGGER WASPS: Apply 1 tablespoon of ferti-1:me LAWN INSECT KILLER GRANULES Containing DIAZINON in and around each individual ground nest opening. Make the application about dusk when the wasps

are not active.

BAND TREATMENT AROUND FOUNDATIONS: To kill ANTS, FLEAS, BROWN DOG TICKS, CRICKETS, PILLBUGS, EARWIGS, CLOVER MITES, MILLIPED 33 AND SPRINGTAILS (insects commonly found around or near the foundations of houses as well as in the lawns) apply ferti-less LAWN INSECT KILLER GRANULES Containing DIAZINON in a five foot band up to the foundation of the house. Distribute the granules uniformly using a rate of 9 ozs. for each 5' by 20' (100 sq. ft... area to be treated.

HERE ARE THE RESULTS YOU MAY EXPECT! This outstanding formulation, when used according to directly will kill the listed damaging and nuisance insects in your to and around the foundation of your home.

> Sincerely, the ferti-lome people

Buyer assumes all risks of use, storage or handling of this mater. not in strict accordance with directions given herewith.

