

1. WHAT IS THIS FOR? (EACH BOX)
See the control of evergreen pests and diseases on the back panel for more information.

2. HOW DO YOU USE IT?
EVERGREENS AND OTHER ORNAMENTAL PLANTS Apply to the foliage of evergreens and other ornamental plants. The spray is effective against many common pests and diseases.

3. HERE ARE THE RESULTS YOU MAY EXPECT

APPLES AND PEARS	Control of scale, aphids, and other pests.
LEMONS AND ORANGES	Control of scale, aphids, and other pests.
ROSES	Control of scale, aphids, and other pests.
AZALEAS	Control of scale, aphids, and other pests.
CAMELLIAS	Control of scale, aphids, and other pests.
PLUMS	Control of scale, aphids, and other pests.
PEACHES	Control of scale, aphids, and other pests.
CHERRY TREES	Control of scale, aphids, and other pests.
PEAR TREES	Control of scale, aphids, and other pests.
ORANGE TREES	Control of scale, aphids, and other pests.
LEMON TREES	Control of scale, aphids, and other pests.
YEW TREES	Control of scale, aphids, and other pests.
REDWOOD TREES	Control of scale, aphids, and other pests.
CECILIAR TREES	Control of scale, aphids, and other pests.
HEMLOCK TREES	Control of scale, aphids, and other pests.
ROSES	Control of scale, aphids, and other pests.
AZALEAS	Control of scale, aphids, and other pests.
GARDENIAS	Control of scale, aphids, and other pests.
CAMELLIAS	Control of scale, aphids, and other pests.
PLUMS	Control of scale, aphids, and other pests.
PEACHES	Control of scale, aphids, and other pests.
CHERRY TREES	Control of scale, aphids, and other pests.
PEAR TREES	Control of scale, aphids, and other pests.
ORANGE TREES	Control of scale, aphids, and other pests.
LEMON TREES	Control of scale, aphids, and other pests.
YEW TREES	Control of scale, aphids, and other pests.
REDWOOD TREES	Control of scale, aphids, and other pests.
CECILIAR TREES	Control of scale, aphids, and other pests.
HEMLOCK TREES	Control of scale, aphids, and other pests.

CAUTION: Do not use on plants listed in the "Do Not Use" section. Do not use on plants listed in the "Do Not Use" section.

DO NOT USE: POOL SPA OR STORE NEAR HEAT OR OPEN FLAME

TO PHYSICIAN: This product may cause drowsiness or dizziness. Avoid alcohol and other sedatives.

NON WARRANTY: This product is not a warranty. It is a statement of fact.

VOLUNTARY PURCHASING GROUPS, INC.
DALLAS, TEXAS



Systemic
EVERGREEN SPRAY

- CONTAINS NEW TRIPLE-ACTION INSECTICIDE-MITICIDE GIVING SYSTEMIC, CONTACT AND RESIDUAL INSECT CONTROL
- KILLS BAGWORMS, MITES, AND APHIDS ON ARBORVITAEAS, JUNIPERS AND OTHER LISTED SHRUBS AND ORNAMENTALS
- IDEAL FOR USE ON ROSES, AZALEAS, CAMELLIAS, GARDENIAS, OTHER EVERGREENS, FLOWERS AND ORNAMENTALS AND LISTED FRUIT TREES
- CONTAINS SPREADER-STICKER
- 2 TABLESPOONS MAKE 1 GALLON OF SPRAY FOR EVERGREENS


ACTIVE INGREDIENT:

Dimethoate (0,0-dimethyl S-(N-methylcarbamoylmethyl) phosphorodithioate)*	8.0%
INERT INGREDIENTS:	92.0%
Total	100.0%

NET CONTENTS 16 FL. OZS (ONE PINT)

CAUTION KEEP OUT OF REACH OF CHILD. SEE BACK PANEL FOR ADDITIONAL CAUTION.

ACCEPTED
AUG 2 1972
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC JOINT REGISTERED UNDER NO. 4401-97-0000



1 WHAT IS THIS PACKAGE FOR?

Special control of evergreen and ornamental plants is now available with this new fertilizer.

2 HOW DO YOU USE IT?

EVERGREENS AND OTHER ORNAMENTAL PLANTS This fertilizer should be used in the following manner: dilute with water and spray when pests appear or when damage is first observed. Do not overuse or over spray. Do not use on ornamental plants not listed. The uses listed below are foliar sprays unless otherwise indicated.

- **ARBORVITAE** Bagworms, Mites and Aphids
- **JUNIPER** Bagworms, Mites, Aphids and Midge
- **EUONYMUS** Aphids and Scale
- **HOLLY** (English and American and Burford variety) Leaf Miners, Mites and Soft Scales. For leaf miners apply in spring when leaf miner flies first appear or in early summer for the control of larvae in infested areas.
- **PINES** Bagworms, Aphids, European and American Pine Tip Moth and Zimmerman Pine Moth
- **YEW** Mites, Mites, Mitey Bugs and Flea Beetles
- **BOXWOOD** Leaf Miners, Mites and Mitey Bugs. For Leaf Miners apply as for **HOLLY**.
- **CEDAR** Mites
- **HEMLOCK** Mites and Scale
- **ROSES** Aphids, Leafhoppers, Mites and Flea
- **AZALEAS** Mites, Tea Scale, Leaf Miners, Mitey Bugs and White Flies
- **GARDENIAS** Tea Scale and White Flies
- **CAMELLIAS** Aphids, Camellia and Tea Scale and Mites. Foliar Spray. Apply 2 sprays a week, starting the first week in May and continue application soon after first snow begins in the spring. Soft Scales. Apply as a soil dressing around the base of the plant in May, using at the rate of 10 tablespoons per gallon of water. Increase the rate of application as the plant grows.
- **POINSETTIAS** Leafhoppers, Aphids, Mites, Mitey Bugs and White Flies
- **HYPERUS** Aphids and Flea
- **BIRCH** Aphids and Mites
- **OAK** Scale and Soft
- **GLADIOLUS AND DAY LILLIES** Aphids and Flea
- **IRIS** Aphids, Mites, Mitey Bugs and Flea. Apply as a soil dressing around the base of the plant in May, using at the rate of 10 tablespoons per gallon of water. Increase the rate of application as the plant grows.
- **GERBERAS** Flea
- **FRUIT TREES** This fertilizer should be used in the following manner: dilute with water and spray when pests appear or when damage is first observed. Do not overuse or over spray. Do not use on fruit trees not listed. The uses listed below are foliar sprays unless otherwise indicated.

APPLES AND PEARS
LEMONS AND ORANGES

3 HERE ARE THE
 This new fertilizer is...
CAUTION KEEP...
DO NOT USE POU...
TO PHYSICIAN...
NON-WARRANTY...

ACCEP

APPLES AND PEARS	Aphids, Leafhoppers, Pear psylla and fruiters, leaf-roller moths. Do not apply within 30 days of harvest. Apply as a thorough distribution cover crop spray.
LEMONS AND ORANGES	Aphids. Do not apply within 45 days of harvest. Apply as a thorough distribution cover crop spray.
	Mites (except spider mites). Do not apply within 45 days of harvest. Apply as a thorough distribution cover crop spray.
	Scale (except bark and snow). Do not apply within 45 days of harvest. Apply as a thorough cover crop spray.
	Trips. Do not apply within 45 days of harvest. Apply as a mist spray.
	White Flies. Do not apply within 45 days of harvest. Apply as a thorough distribution cover crop spray.

3 HERE ARE THE RESULTS YOU MAY EXPECT!

This new triple-action product is designed to destroy and control all insects, with special killing and smothering control of listed insects that attack your evergreen shrubs, ornamentals, flowers and trees, peaches and orange trees.

CAUTION: KEEP OUT OF REACH OF CHILDREN. VAPOR HARMFUL. HARMFUL TO SMALL ANIMALS. TREATED MATERIALS AVOID EYE IRRITATION.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Do not use indoors. Avoid contact with skin, eyes and clothing. In case of contact with eyes, flush with plenty of water for at least 15 minutes, get medical attention. Do not breathe vapors or spray mist. Avoid contact with food and feed crops. Wash thoroughly after handling. Do not use or store near heat or open flame.

For use on trees, use as a foliage or ornamental spray. Do not be used for food or ornamental use with pesticides.

TO PHYSICIAN: This product may cause moderate irritation. Allow 24 hours for absorption.

This product is toxic to water birds. Birds feeding on treated areas may be killed. Keep out of range of water. Do not use on water birds. Do not use on water birds.

Do not use on any plants listed on the label.

NON WARRANTY: Foliage and fruit may be damaged with this product. Do not use on plants listed on the label. Do not use on plants listed on the label. Do not use on plants listed on the label. Do not use on plants listed on the label.

© 1970, Evergreen Chemical Company, Inc.

VOLUNTARY PURCHASING GROUPS, INC.
BONHAM, TEXAS

EPA Reg. No. 14-1127



ferti-lome



Systemic

EVERGREEN SPRAY

- CONTAINS NEW TRIPLE-ACTION INSECTICIDE-MITICIDE GIVING SYSTEMIC, CONTACT AND RESIDUAL INSECT CONTROL
- KILLS BAGWORMS, MITES, AND APHIDS ON ARBORVITAE, JUNIPERS AND OTHER LISTED SHRUBS AND ORNAMENTALS
- IDEAL FOR USE ON ROSES, AZALEAS, CAMELLIAS, GARDENIAS, OTHER EVERGREENS, FLOWERS AND ORNAMENTALS AND LISTED FRUIT TREES
- CONTAINS SPREADER-STICKER
- 2 TABLESPOONS MAKE 1 GALLON OF SPRAY FOR EVERGREENS

ACTIVE INGREDIENT:


Dimethoate (0,0-dimethyl S-(N-methylcarbamoylmethyl) phosphorodithioate)* 8.0%

INERT INGREDIENTS: 92.0%

Total 100.0%

NET CONTENTS 16 FL. OZS. (ONE PINT)

**CAUTION KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTION.**



ACCEPTED