

17 242

**Euonymus, Cottony-Cushion, Lecanium, Pine Needle and Oak Pit Scale Crawlers, Thrips, Lace Bugs, Flea Beetles, Cutworms, Juniper and Mimosa Webworms, European Pine Shoot Moths and Holly Bud Moths, apply as pests appear, repeating application as required. For Mimosa Webworms apply when adults appear, repeating twice at 4-5 week intervals.**

**LAWNS:**

**ST. AUGUSTINE, BERMUDA, BLUE GRASS, DICHONDRA, BENT, FESCUS AND**

To kill Sod Webworms, Chinch Bugs, Billbugs, Armyworms, Ants, Ant-eaters, Fleas, Flea Beetles, Crickets,

**BEST AVAILABLE COPY**

**NUISANCE PESTS:** (in outside areas) To kill Ants, Roaches, Crickets, Flies, Chiggers, Clover Mites, Earwigs, Fleas, Millipedes, Scorpions, Pillbugs, and Spiders, mix 2 cups in 5 gallons of water. Spray a 5 ft. band of soil around the foundation and on the foundation of house to a height of 2-3 feet. Thoroughly spray window and door screens, sills, eaves, and patio walls and ceilings, entrance ways, walks, garbage cans and into cracks and other places where insects hide. Do not treat plants or animals.

**3. HERE ARE THE RESULTS YOU MAY EXPECT:**

You will find this product, used as directed will rapidly kill crickets and other listed insects and give you long lasting residual control.

**WARNING:** May be fatal if swallowed or absorbed through the skin.

Avoid contact with skin, eyes, and mouth. Wash hands thoroughly after handling. Wear protective clothing.

Keep children and pets off treated areas until residue has dried. Do not allow children or pets to go onto treated areas until residue has completely dried.

Residue will last for several weeks. Do not re-treat until residue has dried.

For more information, contact your local health department or the manufacturer.

Keep this product out of the reach of children. Do not use if the seal is broken.

Use only as directed. Do not use on lawns, lawns, or other areas where children or pets play.


Do not use on lawns, lawns, or other areas where children or pets play.

Do not use on lawns, lawns, or other areas where children or pets play.

Do not use on lawns, lawns, or other areas where children or pets play.

Do not use on lawns, lawns, or other areas where children or pets play.

Do not use on lawns, lawns, or other areas where children or pets play.



7401-104

PM 5 1971 of 4

THIS PRODUCT MUST NOT BE USED ON GOLF COURSES OR SOD FARMS

NEW!

(Front Panel)

ferti-lome

VEGETABLE SPRAY

\* KILLS ARMYWORMS, LISTED BEETLES, APHIDS, LEAF MINERS AND OTHER LISTED INSECTS ON VEGETABLES

**BEST AVAILABLE COPY**

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

phosphoric acid . . . . .	10.0%
** INERT INGREDIENTS: . . . . .	90.0%
**(Contains 79.0% Aromatic Petroleum Derivatives)	
Total . . . . .	100.0%

WARNING

READ AND FOLLOW DIRECTIONS CAREFULLY

SEE BACK PANEL FOR COMPLETE DIRECTIONS

100% OF INERT


For more information on this product, contact your local agricultural agent or the manufacturer.

Use this product on the following crops:

Apply to the undersides of leaves.

Peas	Leafhoppers, Nites
	Aphids Leaf Miners

Wait 4 days after application for peas to be picked immediately.



7401-104

<p>Broccoli Cabbage Cauliflower Brussels Sprouts</p>	<p>Aphids, Diamondback Moths, Imported Cabbage worms.</p>	<p>Do not apply to broccoli or cauliflower within 5 days, or to cabbage or brussels sprouts within 7 days of harvest. Generally, applications at 7-10 days intervals will be required.</p>
--	---	--

<p>Cucumbers</p>	<p>Aphids, Serpentine Leaf Miners, Thrips</p>	<p>Do not apply within 7 days of harvest.</p>
------------------	---	---

<p>Lettuce</p>	<p>Aphids, Serpentine Leaf Miners</p>	<p>Do not apply to lettuce, or spinach within 10 days of harvest within 14 days of harvest.</p>
----------------	---	---

<p>Spinach</p>	<p>Aphids, Flea Beetles, Serpentine Leaf Miners</p>	<p>Do not apply within 14 days of harvest.</p>
----------------	---	--

<p>Tomatoes</p>	<p>Aphids, Flea Beetles, Serpentine Leaf Miners</p>	<p>Do not apply within 14 days of harvest.  The Flea Beetle and Vinegar Flies weekly applications are usually required.</p>
-----------------	---	---

**BEST AVAILABLE COPY**

Potatoes

Aphids, Flea Beetles, Colorado Potato Beetles, Dipterous Leaf Miners, Banded Cucumber Beetles, Leaf Hoppers,

Do not apply within 35 days of harvest. Mix 7 teaspoons in 3 gallons of water and apply to 1000 sq. ft.

**BEST AVAILABLE COPY**

... forage may be fed to dairy and beef cattle and sheep.

**3. HERE ARE THE RESULTS YOU MAY EXPECT.**

When used according to directions this new spray will kill listed insects and aid you in producing more abundant potato crops.

Do not breathe spray mist. Avoid contact with skin, eyes and cloths. Wash thoroughly with soap and water. Do not permit children to play with or use this material.

This material may be killed... by cleaning of equipment, or... not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

