

1-434

Page 4.

**BEST AVAILABLE COPY**

434

7401-105

PH 15 14 3

NEW!

(Front Panel)

THIS PRODUCT MUST NOT BE USED ON GOLF COURSES OR SOD FARMS  
**ferti-lome**

APHID SPRAY

\* KILLS APHIDS ON ROSES AND 23 OTHER LISTED ORNAMENTAL SHRUBS,  
FLOWERS AND SHADE TREES

\* KILLS SEVERAL OTHER LISTED INSECTS ON LAWNS, IN YOUR HOME GARDENS  
AND OUTDOOR LIVING AREAS

\* CONTAINS A FAST-KILLING AND LONG-LASTING INSECTICIDE-MITICIDE  
THAT PROVIDES EFFECTIVE CONTROL OF LISTED SUCKING AND CHEWING  
INSECTS

**Not Reviewed. Registrant claims to be in accordance with  
Reregistration of Pesticide Product Guidance for Phase 2  
Response, Page 2.12, Active to Inert Change in Status.**

\* CONTAINS ONE GALLON OF CONCENTRATE WHICH MIXES TO MAKE 3 GALLONS OF SPRAY

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl)  
phosphorothioate\*

\*\*INERT INGREDIENTS..... 87.50%

\*(Contains 77.50% Aromatic Petroleum Derivatives)

Total . . . 100.00%

WARNING (18 Point)

KEEP OUT OF REACH OF CHILDREN (12 Point)

SEE SIDE PANEL FOR ADDITIONAL WARNINGS (12 Point)

(Side Panel)

**BEST AVAILABLE COPY**

1. DIRECTIONS FOR USE:  
This product, when properly used, is effective for control of aphids and other insects on roses, flowers, shrubs, lawns and outdoor living areas.

2. HOW TO USE:  
Mix one ounce of concentrate in three gallons of water unless otherwise directed. Apply as a thorough foliar spray. For best results, apply at the budding point. Penetrate dense foliage. Repeat as necessary to maintain control.

ROSES, ORNAMENTAL SHRUBS, SHADE TREES AND FLOWERS: Azaleas, Camellias, Rhododendron, Chrysanthemums, Arborvitae, Holly, Mimosa, Juniper, Boxwood, Lilac, Birch, Elm, Pine, Spruce, Maple, Douglas Fir, Hawthorn, Locust, Oak, Plum, Poplar, Carnations and Gladioli. To kill Aphids, Mites (including Clover, Cyclamen, European Red, Privit, Two-Spotted Spider, Carnation Bud and Shoot), Bagworms, Leafhoppers, Leaf Miners

7401-105

(including Arborvitae, Azalea, Birch, Boxwood, Dipterous, Holly and Oak), Whiteflies, Mealy Bugs, Scale Crawlers, (including Cottony-Cushion, Lecanium, Pine Needle, Oak Pic Scale, San Jose, Soft and Eynonymus), Thrips, Lace Bugs, Flea Beetles, Cutworms, Webworms (including Juniper and Mimosa), European Pine Shoot Moths and Holly Bud Moths, apply as pests appear, repeating application as required. For Mimosa Webworms apply when adults appear, repeating twice at 4-5 week intervals.

**NOTE:** Do not use on ferns, poinsettias, hibiscus, pileras, gardenias and orchids since plant injury may occur.

**FOR PLANTS: ARBOVITAE, AZALEA, BIRCH, BOXWOOD, DICHOENRA, BFLT, FESCUS, AND**  
 ... To kill ... Chinch Bugs, Cutworms, Armyworms, ...  
 ... Billbugs and Spiders, mix 2 cups in 3 gallons of water. Spray a 5  
 ... thoroughly immediately after application. In the north Chinch  
 Bugs will be killed using 2 tablespoons in 3 gallons of water per  
 125 sq. ft.

**NUISANCE PESTS:** (in outside areas) To kill Ants, Roaches, Crickets,  
 ... Clover Mites, Earwigs, Fleas, Millipedes, Scorpions,  
 ... mix 2 cups in 3 gallons of water. Spray a 5  
 ... thoroughly spray ...  
 ... into cracks and other places where insects  
 ... plants or animals.

**RESULTS YOU MAY EXPECT.**  
 ... this new ...  
 ... and control other ...

... swallowed ... through the skin.  
 ... Avoid contact with skin, eyes and clothing.  
 ... after handling. Avoid contamination of feed and food-  
 ... Do not use on household pets or humans. Do not permit children  
 ... onto sprayed grass or come in contact with it.  
 ... has completely dried. Do not store ...

... fish and wildlife. ...  
 ... area may be killed. Keep out of any body of water. Do not contaminate  
 water by cleaning of equipment, or disposal of waste.

**BEST AVAILABLE COPY**

