

Dear Folks:

We recommend this package of ferti-lome WEED AND FEED because we have found it to be most effective. You will find the following information complete and easy to follow.

1. WHAT IS THIS PACKAGE FOR?

This newly formulated product is for application to lawns when you want to kill weeds and give your lawn a good feeding in one easy application.

2. HOW DO YOU USE IT?

For best results apply when temperature is 65° F. or above. Apply one 40 lb. bag per 5000 square feet of lawn area. Apply uniformly using fertilizer spreader. Apply when weeds have appeared and before they reach maturity. See following chart for proper ferti-lome spreader settings to apply this product. Shut spreader off when stopping or turning around.

<u>SPREADER</u>	<u>ONE BAG COVERS 5000 sq. ft. SPREADER SETTING*</u>	
ferti-lome Cyclone	4½	To build good turf feed with ferti- lome monthly during growing season.
ferti-lome Deluxe	8	
Jackson	7	
Lawn Beauty	6	
Scotts	6½	
Sears	8	
Central	8	

*These settings can be used only as a guide; they are not absolute. The speed at which the applicator walks, the condition of the spreader and the texture of the turf will alter the rate of fertilizer application.

Do not use on Centipede, Bent Grasses, Lippia or similar ground cover. Do not use on Dichondra.

NOTE: May cause injury to St. Augustine grass.

Weed killing action is most effective when weeds are growing rapidly. This is normally during time of warm weather, adequate moisture and plant food. Treatment during dry or cool weather usually reduces killing action.

New lawns should be well established and mowed at least twice before treatment. This product controls clovers. Do not use on lawns where clovers are desired. Clean spreader thoroughly after use.

For use on St. Augustine grasses apply 1-40 lb. bag per 5200 sq. ft. of lawn area. Repeat application if necessary in 10 - 14 days.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

When applied according to directions ferti-lome WEED AND FEED will efficiently and economically kill broadleaf and vining type weeds in your lawn and improve your lawn due to the application of a complete lawn food.

Sincerely,

the ferti-lome people

NON-WARRANTY: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Net Wt. 40 Lbs.

ferti·lome®

WEED AND FEED

11-5-6

Controls **DANDELIONS, HENBIT, CHICKWEED, BUCKHORN, PLANTAIN, CLOVERS, POISON IVY, SMART WEED, WILD CARROT, WILD MUSTARD, GROUND IVY, BINDWEEDS, BUTTER CUP** and other similar broadleaf and vining type weeds in **ST. AUGUSTINE, COMMON BERMUDA, BAHIA, ZOYSIA, KENTUCKY BLUE, MERION BLUE, RED TOP, CREEPING RED FESCUES AND RYE GRASS** lawns.

CAUTION: Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not breathe dust. Wash thoroughly after handling. Avoid application to garden plants, flowers, shrubs and trees. Do not store near fertilizer, seeds, insecticides or fungicides. Do not contaminate irrigation ditches or water used for irrigational purposes. Do not apply within dripline of desirable trees and shrubs.

Do not contaminate fish ponds or any body of water.

Do not use in greenhouses. Do not apply directly or allow to drift to vegetables, flowers, grapes, fruit trees, ornamentals, cotton or other desirable plants. Vapor from this product may injure susceptible plants in the immediate vicinity.

Do not reuse container for any purpose. Destroy when empty.

GUARANTEED ANALYSIS*

Total Nitrogen (N)	11.00%
10.26% Ammoniacal Nitrogen	
.74% Nitrate Nitrogen	
Available Phosphoric Acid (P ₂ O ₅).....	5.00%
Water Soluble Potash (K ₂ O).....	6.00%

Primary Plant Foods Derived from: Sulphate of Ammonia, Ammoniated Superphosphate & Muriate of Potash.

Soil Conditioners: Cottonseed Meal, Bone Meal, Blood Meal, Rice Hulls.

*In Michigan reads minimum guaranteed analysis.

ACTIVE INGREDIENT:

Dimethylamine Salt of 2, 4-Dichlorophenoxyacetic acid*.....	.36%
INERT INGREDIENTS:.....	99.64%
Total	100.00%

*Equivalent to 2, 4-D Acid

Fla. Reg. No. 370-1049

U.S.D.A. Reg. No. 7491-111

VOLUNTARY PURCHASING GROUPS, INC.
BONHAM, TEXAS 75418

WEED & FEED

Controls DANDELIONS, HENBIT, CHICKWEED, BUCKHORN, PLANTAIN, CLOVERS, POISON IVY, SMART WEED, WILD CARROT, WILD MUSTARD, GROUND IVY, BINDWEEDS, BUTTER CUP, IRON WEED and other similar broadleaf and vining type weeds

May be Used on ST. AUGUSTINE, COMMON BERMUDA, BAHIA, ZOYSIA, KENTUCKY BLUE, MERION BLUE, RED TOP, CREEPING RED FESCUES AND RYE GRASS lawns

ACTIVE INGREDIENT:

Dimethylamine Salt of 2, 4-Dichlorophenoxyacetic acid*36%

INERT INGREDIENTS:

		<u>99.64%</u>
	Total	100.00%
*Equivalent to 2, 4-D Acid		.2990%

CAUTION

KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET WT. 40 LBS.

FRUIT

DECIMATE® CONCENTRATE

FOR MANUFACTURING USES ONLY

ACTIVE INGREDIENT:		
Monosodium Acid Methanearsonate	51.19%
INERT INGREDIENTS:	48.81%
	TOTAL	100.00%

Total Arsenic as Elemental, All in Water Soluble Form 23.70%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Additional Cautions and Antidote Below

out of reach of children. Harmful if swallowed. Avoid contact with clothing. Do not breathe spray mist. Wash hands after using. Contamination of feed and foodstuffs. Keep away from children and domestic animals.

Do not contaminate water used by wildlife or aquatic life or water used for domestic consumption purposes.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

ANTIDOTE: If taken internally, induce vomiting and call a physician at once.

NON-WARRANTY: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

3M-1-31


U.S.D.A. Reg. No.7401-116

VOLUNTARY PURCHASING GROUPS, INC.

BONHAM, TEXAS

NET CONTENTS

GALLONS



7401-130
NP

(Front Panel)

HI-YIELD

DSMA LIQUID HERBICIDE

DSMA LIQUID SURFACTANT

BACK SELECTIVE POST-EMERGENT WEED CONTROL IN CITRUS ORCHARDS

Active Ingredient:

Disodium methanearsonate*	95.0
Inert Ingredients	5.0
Total	100.0

Total Arsenic (as elemental) All In Water Soluble Form

Product contains 6.6 pounds Disodium Methanearsonate Hexahydrate per gallon.

CAUTION (18 Point)

KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL CAUTIONS

VOLUNTARY PURCHASING GROUPS, INC.


BONHAM, TEXAS

Net Contents ONE GALLON

(Back Panel)

KEEP OUT OF REACH OF CHILDREN

CAUTION: This material is extremely poisonous. Do not breathe dust or fumes from this material. Do not get this material on your skin or clothes. If you get this material on your skin or clothes, wash immediately with plenty of water. Do not eat, drink, or smoke while using this material. Do not use this material near water. Do not use this material near birds, bees, or other beneficial insects. Do not use this material near fish, shellfish, or other aquatic life. Do not use this material near fruit trees or other fruit-bearing plants. Do not use this material near ornamental plants or lawns. Do not use this material near roads, highways, or other public places. Do not use this material near schools, day care centers, or other places where children play. Do not use this material near homes, barns, or other buildings. Do not use this material near water wells or other sources of drinking water. Do not use this material near streams, rivers, or other bodies of water. Do not use this material near crops, gardens, or other areas where food is grown. Do not use this material near animals, including pets. Do not use this material near birds, bees, or other beneficial insects. Do not use this material near fish, shellfish, or other aquatic life. Do not use this material near fruit trees or other fruit-bearing plants. Do not use this material near ornamental plants or lawns. Do not use this material near roads, highways, or other public places. Do not use this material near schools, day care centers, or other places where children play. Do not use this material near homes, barns, or other buildings. Do not use this material near water wells or other sources of drinking water. Do not use this material near streams, rivers, or other bodies of water. Do not use this material near crops, gardens, or other areas where food is grown. Do not use this material near animals, including pets.



Directions: See label for directions. Do not use this material near water.

DO NOT USE BEFORE USING THIS PRODUCT

NOTICE: Use of this material in a manner or at any time other than in accordance with the directions may produce plant injury, excessive residues, or other undesirable results. Voluntary Purchasing Groups, Inc. makes no expressed or implied warranties, other than specified on the label.