

**Ferti-Lome Tree Borer Crystals**

To Protect Fruit trees (Peach, Plum, Apricot, Nectarine, and Cherry) from  
Peach Tree and Flat-headed Apple Tree Borers in Soil and Infested Wood during the  
Fall and early Spring

**ACTIVE INGREDIENT:**

Paradichlorobenzene ..... 99.9%

**INERT INGREDIENTS:**

TOTAL ..... 0.1%  
100.0%

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

See Back/Side Panel for additional precautionary statements.

**STORAGE AND DISPOSAL**

**Storage:** Store only in original container, in a cool, dry place  
inaccessible to children and pets.


**Disposal:** Do not reuse empty container [or packaging].  
Securely wrap in newspaper and discard in trash.

EPA Registration No. 7401-123

7401-TX-1

Voluntary Purchasing Groups, Inc.  
Bonham, Texas

**NET WEIGHT: 12 ounces**



## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

#### WARNING

Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Causes eye, skin, and respiratory tract irritation. Wear safety glasses. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**NOTICE:** California has determined that a chemical contained in this product causes cancer based on tests performed on laboratory animals.

## FIRST AID

**IF SWALLOWED:** Call a physician or Poison Control Center. Do not induce vomiting or given anything by mouth to an unconscious person. Drink promptly a large quantity of water. Avoid alcohol.

**IF ON SKIN:** Wash with plenty of soap and water. If symptoms persist, get medical attention.

**IF IN EYES:** Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention.

Probable mucosal damage may contraindicate the use of gastric lavage.

## ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Soil Application****Use Restrictions:**

May be injurious to young trees. Consult local agriculture authorities. Do not make soil applications if soil temperature is lower than 60 degrees. Fall treatments are to be preferred.

**Application Directions:** Apply in a uniform band around tree two inches from trunk. Mound soil over crystals to a height of six inches on trunk. For trees under 3 years of age, apply ½ oz per tree. For trees 3-6 years old, ¾ oz per tree. For older trees, 1 to 1 ½ oz per tree.

**Borer Infested Use****Use Restrictions:**

Apply in fall or early spring to dead or borer infested wood. Do not apply when fruit is present.

**Mixing Directions:**

Mix 1/4 lb. in 1 pint of mineral oil or 1 lb in 2 quarts of mineral oil. Mix until crystals dissolve.

**Application Directions:** Brush infected wood to point of runoff. Repeat as necessary to maintain control.

Warranty: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.