



1. WHAT IS THIS PACKAGE FOR?

ferti-lome SPOT WEED KILLER is formulated for spot applications to undesirable broadleaved weeds in your lawns.

WEEDS THIS PRODUCT CONTROLS

Dandelion; Poison Ivy; Plantain; Chickweed; Wild Onion; Ground Ivy; Pennywort; Canadian Thistle; Common and Giant Ragweeds; Bindweed (Annual Morning Glory); Wild Garlic; Stinging Nettle; Poison Hemlock; and Redroot Pigweed

2. HOW DO YOU USE IT?

SHAKE WELL BEFORE USING Remove protective cap. Stand close to weed (1 to 2 feet). Point arrow on nozzle at weed to be killed. Press Nozzle to spray center of weed. Spray about 1 second. One application will kill most weeds listed. If certain tough weeds are not dead within 3 weeks, repeat application.

NOTE: Be careful when treating weeds not to spray surrounding desirable grasses unless the browning of these grasses can be tolerated. Also avoid spraying or splattering of nearby flowers and other desirable plants.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

This new product, used according to directions, will control listed undesirable weeds in your lawn.

CAUTION: Avoid contact with skin, eyes and clothing. Wash hands after use. Do not store near fertilizers, seeds, insecticides or fungicides.

WARNING: Contents under pressure. Do not puncture. Exposure to high temperature may cause bursting. Keep at room temperature—away from direct sunlight, radiators, stoves, hot water and other heat. Never throw container into fire or incinerator.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Active Ingredient

*Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid 0.89%
Inert Ingredients 99.11%

Total 100.00%

*Equivalent to 0.74% 2,4-Dichlorophenoxyacetic acid

MANUFACTURED FOR VOLUNTARY PURCHASING GROUPS, INC., BONHAM, TEXAS

U.S.D.A. Reg. No. 140-144

14M-1-71



ferti-lome



New

\$1.98

SPOT WEED KILLER

- CONTROLS DANDELION, POISON IVY, PLANTAIN, CHICKWEED, WILD ONION, GROUND IVY, PENNYWORT AND CERTAIN OTHER LISTED BROADLEAVED WEEDS
- IDEAL FOR SPOT TREATMENT IN LAWNS
- FAST, EASY AND EFFECTIVE
- CONTAINS 2,4-D... A HORMONE TYPE WEED KILLER



NET WEIGHT ONE POUND (16 OUNCES)

CAUTION:
KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

ACCEPTED
4/1/71
[Signature]

ferti-lo

Liquid
NUTGRASS I

- Ready to use--no mixing
- Treats up to 4000 nutgrass
- Contains Spreader-Sticker for effective control.

ACTIVE INGREDIENTS
*Dimethylamine Salt of
2,4-dichlorophenoxyacetic acid
Monosodium Acid Methanesulfonate
INERT INGREDIENTS
Total
*Equivalent to 2,4-dichlorophenoxyacetic acid
Total Arsenic all in water-soluble form

NET CONTENTS 16 FL. OZ.

CAUTION
Keep Out of Reach of
See Back Panel For Additional Information

Voluntary Purchasing Groups, Inc.

DATE *10/15/71*
FRONT [] BACK [] BOTH []
COLOR *GREEN*

1. WHAT IS THIS PACKAGE FOR?

This product with special applicator package is designed for spot killing of nutgrass plants in ornamental and flower beds, around shrubs, trees, patios, sidewalks and spot treatment in lawns.

2. HOW DO YOU USE IT?

This bottle is an easy to use applicator. Apply 2 to 3 drops to the nutgrass plant. In 2 to 3 days plants begin to turn yellow and die. Nutgrass plants may periodically appear from nuts in the ground. Several applications during the growing season may be necessary to clean up an infested area.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

Used as directed, this product kills individual nutgrass plants. Digging or pulling of nutgrass plants sometimes causes nutgrass to multiply rapidly.

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid contact with skin. Wash hands after use. Do not allow children and domestic animals off treated areas until this material has been washed into soil. Do not store near fertilizer, seeds, insecticides or fumigants. Vapors from this product may injure susceptible plants in the immediate vicinity.

Do not apply to desirable vegetation.

Do not contaminate waters used for domestic consumption or by animals, wildlife or aquatic life, or for irrigation purposes.

ANTIDOTE: If swallowed, promptly induce vomiting and call a physician at once.

Do not reuse container for any purpose. Destroy when empty.

Read all directions, risks of use, storage or handling of this material, and in strict accordance with directions given hereon.

EPA Reg. No. 7401-168

ACCEPTED
July - 27 - 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECHEMICAL POISON REGISTERED
UNDER NO. 7401-168

DATE 7-27-73
FRONT BACK BOTH
COLOR
RELEASED