

DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product is extremely toxic if swallowed, even in small amounts. Ingestion may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

This product is extremely toxic if it comes in contact with the skin. It may be absorbed through the skin and cause poisoning.

POISONOUS IF BREATHED

This product is extremely toxic if inhaled. It may be fatal if inhaled.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

VOLUNTARY PURCHASING GROUPS, INC.
BONHAM, TEXAS

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions

ACCEPTED

FEB 16 1977

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 10/10/01 BY 60322 UCBAW
ED 10/10/01 BY 60322 UCBAW
TO: 10/10/01 BY 60322 UCBAW



DANGER

Keep Out of
Reach of
Children

Hi-Yield® Brand 4 Lb. Methyl Parathion

ACTIVE INGREDIENTS:

O, O-Dimethyl O-p-nitrophenyl thiophosphate 43.5%

Aromatic Petroleum Derivatives 44.5%

INERT INGREDIENTS: 12.0%

Net Contents Gallons

NOT FOR HOME USE

USE OF
PRO

(1) We
or rub
Wear m
of Min
duty, n

Keep a
treated

Do not
in any
a doctor
Explain
thion a
given (s
tor cann

IMPORT
with soa
arms wi
drinking

AFTER
Shower,
clothes
clothing
equipment
pirator
ing to in

DO NOT
EN FLA

D R E U S I N G !

DANGER

Keep Out of
Reach of
Children

yl Parathion

43.5%

44.5%

12.0%

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

DO NOT USE, POUR OR STORE NEAR HEAT OR OPEN FLAME.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote: Administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See additional label for proper disposal.


CROP USE DIRECTIONS

Use only according to additional label instructions.

EPA Reg. No. 7401-155

HI-YIELD® BRAND

4 LB. METHYL PARATHION



GENERAL DIRECTIONS

HI-YIELD BRAND 4 LB. METHYL PARATHION EMULSIFIABLE CONCENTRATE can be used in conventional hydraulic sprayers, low-volume ground applicators or airplane sprayers. Approximately 5-10 gallons of water per acre should be used with this product for application by airplane.

MIXING DIRECTIONS

Mix with water by agitation; agitate the mixture while spraying. If allowed to stand, re-agitate before use.

DIRECTIONS FOR USE

COTTON: For control of aphids, boll weevil, cotton leafworm, fleahopper, red spider, mites, and thrips, apply $\frac{1}{2}$ pint to 1 pint per acre. Applications should be at 4-5 day intervals until control is obtained. Do not apply within 15 days of harvest.

SMALL GRAINS including barley, oats, rye, wheat: For control of aphids (green bugs) apply $\frac{1}{2}$ to 1 pint per acre. Do not apply after heads begin to form. In California use only $\frac{1}{2}$ to $\frac{3}{4}$ pint per acre.

ALFALFA, VETCH: For control of spotted alfalfa aphid apply at $\frac{1}{2}$ to 1 pint per acre in early spring. Do not apply within 15 days of harvest. In California use only $\frac{3}{4}$ pint per acre.

CONTAINER DISPOSAL

To prevent re-use, empty containers to be decontaminated and destroyed. Decontaminate by washing thoroughly with a strong solution of alkali and detergent and rinse with water.

Dispose of liquid wastes in a pit in non-crop lands located away from water supplies. Clean application equipment after each use by flushing with water.

NON-WARRANTY: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.