


DANGER—POISON—PRECAUTIONS 

POISONOUS IF SWALLOWED

The product is extremely toxic if swallowed. It may cause death. Do not swallow. If swallowed, get medical attention immediately.

POISONOUS BY SKIN CONTACT

The product is extremely toxic if it comes in contact with the skin. It may cause death. Do not touch. If it comes in contact with the skin, wash immediately with plenty of water.

POISONOUS IF BREATHED

Breathing vapors or spray mist may be fatal.

POISONOUS TO FISH AND WILDLIFE

The product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

STOP READ LABEL BEFORE USING

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

ACCEPTED

MAR 16 1976

Hi-Yield® Killzall 44

Active Ingredients:

Toxaphene, Technical Chlorinated Camphene (containing 67-69% chlorine)

O, O-Dimethyl O-p-Nitrophenyl Phosphorothioate

Inert Ingredients:

37.5
37.5
27.0

Contains 4 lbs Toxaphene and 4 lbs. Methyl Parathion per gallon.

Net Content: Gallons

NOT FOR HOME USE

VOLUNTARY PURCHASING GROUPS, INC.
BONHAM, TEXAS

USE ONLY WITH PROTECTIVE

Wear water proof gloves. Wear mask or respirator for parathion. Rub

WOL

Protect treated area or w

at level o

by way STOP

physica

that the

against Al

before

and wa

with ad

be c

READ LABEL BEFORE USING



DANGER

Keep Out of Reach of Children

Kilzall 44

1 gallon	35.50
5 gallons	177.50
10 gallons	350.00
20 gallons	690.00

Contains 4 lbs. Methyl Parathion per gallon.

FOR HOME USE

WORK SAFELY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

When working with this product, wear the following protective equipment and clothing:

- Long-sleeved shirt and long pants
- Closed-toe shoes with rubber soles
- Protective gloves
- Protective eyewear
- Respirator

WORK SAFETY RULES

• Do not allow unprotected persons and children to enter treated area or where there is parathion drift.

• Do not eat, drink, or smoke while working. Do not touch your face or mouth with hands. If you feel dizzy or sick in any way STOP work and get help right away. Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given, see First Aid Treatment Section, and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating, or drinking.

• After work, take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISONING SYMPTOMS

• **Eye contact:** Immediately flush eyes with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

• **Inhalation:** If breathing is difficult, move victim to fresh air. If breathing has stopped, start artificial respiration immediately. See doctor immediately.

• **Swallowing:** If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

• **Skin contact:** Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

FIRST AID TREATMENT

• **Eye contact:** Immediately flush eyes with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

POST TREATED AREA
Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL
See additional label for proper disposal.

CROP USE DIRECTIONS
Use only according to additional label instructions.

Hi-Yield[®] Killzall 44

CROP USE DIRECTIONS

HI-YIELD KILLZALL 44 is an emulsifiable concentrate insecticide for use against certain economic insect pests when diluted with water and applied by conventional hydraulic sprayers, low-gallonage sprayers or airplane sprayers. Use according to directions given below.

GUIDE FOR APPROXIMATE AMOUNT OF WATER TO USE PER ACRE:

For airplane and hydraulic sprayers 2-5 gallons; low gallonage sprayers 5-10 gallons. Use contrary to these directions may cause serious plant, crop or personal injury, excessive residues, unsatisfactory control or other unintended consequences.

COTTON: Overwintered bollweevils — apply 1 quart per acre. Where weevils are found, apply just before first squares are $\frac{1}{8}$ grown to prevent egg laying. If more weevils emerge from hibernation sites, an additional treatment may be necessary. This application rate also controls thrips, cotton fleahoppers and aphids.

BOLLWORMS, TOBACCO BUDWORMS in late season control program — apply $\frac{1}{2}$ to $\frac{3}{4}$ gallon per acre. Begin treatment when bollworm eggs and 4 to 5 young worms are found per 100 terminals or 5% of the squares and small bolls have been injured by small bollworms. Apply sprays at 5 day intervals or less. Check fields closely 2 to 3 days following each application for effective control. Where control has not been obtained, repeat application immediately.

Boll Weevil Control in late season control program — apply 1 to 2 quarts per acre. Apply insecticides at 5 day intervals. Under extreme heavy build-ups, it may be necessary to shorten the interval to 3 days.

This application rate also controls **YELLOW STRIPED ARMYWORMS, SPIDER MITES, LYGUS BUGS AND LEAFWORMS.**

Workers entering fields within 24 hours after application should wear protective clothing. Do not hand pick or harvest within 7 days of application. Do not graze dairy animals or animals being finished for slaughter in fields treated late in season.

NOTE: The U. S. Food and Drug Administration has set tolerances for pesticide residues. Crops having residues in excess of their permitted tolerances should not be marketed, and to do so may violate State Law, and will violate Federal Law when sold in interstate commerce. Such crops should not be marketed without removal of such excess residues.

CONTAINER DISPOSAL

Do not reuse container for any purpose. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

NON-WARRANTY: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA Reg. No. 7401-167

ACCEPTED

APPROVED FOR EXPORT UNDER THE EXPORT CONTROL ACT OF 1946