

PM23

7401-171

1 of 5



Makers of fine lawn & garden and farm chemicals / Natural Guard Brand / Farmers Cooperative Brand / fert-i-ome Brand / AMERICAN Brand / Hi-Yield Brand

Feb. 22, 1993

Joanne I. Miller, Product Manager 23
U.S. EPA
OPP
Registration Division (H7505C)
401 M Street SW
Washington, D.C. 20460

I, Being an authorized representative of Voluntary Purchasing Groups, Inc. certify that all containers of fert-i-ome Systemic Weed Killer, 7401-171, produced by June 15, 1994 will bear revised labeling in accordance with the revised labeling required for Task Force Technical and manufacturing-use products. I further certify that all containers of said products sold or distributed by this company by Jan. 1, 1995 will bear revised labeling in accordance with the revised labeling for Task Force Technical and Manufacturing-use products.

Sincerely,

A handwritten signature in black ink that reads "Raymond H. Smith". The signature is written in a cursive style with a prominent initial "R".

Raymond H. Smith
Product Manager

Voluntary Purchasing Groups, Inc. / Bonham, Texas 75418 / (903) 583-5501

(Front Panel)

ferti-lome

Systemic
Weed Killer

* CONTROLS BROADLEAF WEEDS AND VINING TYPE WEEDS BY SYSTEMIC AND CONTACT ACTION

* 10 TABLESPOONS MAKE 6 GALLONS OF SPRAY THAT WILL COVER 1000 SQ. FT.

ACTIVE INGREDIENTS:

Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)* -----	1.43%
Dimethylamine Salt of Related Acids -----	.23%
Dimethylamine Salt of 2,4-Dichloro- phenoxyacetic acid** -----	8.23%
INERT INGREDIENTS: -----	90.11%
Total -----	100.00%

*Equivalent to 1.19% 3,6-dichloro-o-anisic acid (Dicamba)

**Equivalent to 6.84% 2,4-dichlorophenoxyacetic acid

NET CONTENTS 32 FL. OZS. (ONE QUART)

EPA Est. 7401-TX-1

EPA Reg. No. 7401-171

KEEP OUT OF REACH OF CHILDREN (12 point type)

CAUTION (18 point type)

STATEMENT OF PRACTICAL TREATMENT

BEST AVAILABLE COPY

3045

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. Avoid contact with skin, eyes and clothing. When using this product, wear long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED - Call a physician or Poison Control Center immediately. if possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce Vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES - Flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drifts or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment washwaters. Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

VOLUNTARY PURCHASING GROUPS, INC.

BONHAM, TEXAS 75418

NET CONTENTS _____ FL. OZS.

BEST AVAILABLE COPY

457

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with it's labeling.

CONTROLS

Dandelion	Henbit	Spotted Spurge
Clovers	Oxalis	Stich Wort
Chicory	Mustard	Wild Aster
Docks	Pennywart	Wild Carrot
Dog Fennel	Pepporgrass	Wild Garlic
English Daisy	Pigweed	Wild Onion
Frenchweed	Plantain (Buckhorn,	Wild Radish
Erect Knotweed	Broadleaf, Rugel's)	Wood Sorrel
Ground Ivy	Poison Oak	Yarrow
Hawkweed	Prostrate Knotweed	Puncturevine
Healall	Purslane	Milkweed
Lambsquarter	Ragweed	Bull Thistle
Mallow	Sheep Sorrel	Shepherd's Purse
Morning Glory	Mousecar Chickweed	

1. WHAT IS THIS PACKAGE FOR?

ferti-lone Systemic WEED KILLER is especially formulated to control weeds in lawns, golf courses and similar ornamental turf areas. See side of container for a partial list of weeds controlled.

2. HOW DO YOU USE IT?

Mix 10 tablespoons in 6 gallons of water. Apply thoroughly to 1000 sq. ft. (10' x 100'). Heavily infested lawns may require repeat application to kill missed weeds. Best results are obtained when weeds are young and actively growing. Application in early Spring and Fall when moisture and temperature make weeds grow rapidly is a good time to spray. Watering and fertilizing schedules should be maintained before and after spraying. Do not apply during periods of drought. If hose and sprayer is used, follow manufacturer's directions for proper mixing. Course sprays are less likely to drift. Do not apply within the dripline of desirable trees and shrubs.

USE WITH CARE

For use in St. Augustine Grass mix 5 tablespoonfuls in 12 gals. of water. Apply thoroughly to 2000 sq. ft. of lawn area. Repeat application in 10-14 days if necessary.

NOTE: May cause injury to St. Augustine Grass.

Direct spray at undesirable plants. Do not use the same spray equipment for applying other material to plants as injury will result. Do not store near fertilizer, seeds, insecticides or fungicides. Avoid contamination of irrigation ditches and water used for domestic purposes. If lawn begins to brown temporarily, water heavily.

Do not use on Centipede grass, Dichondra, nor on lawns of turf where desirable Bent-grass or Clovers are present. Do not use on newly seeded lawns or turf.

) Avoid spray drift to susceptible plants, as this product may injure cotton, beans, peas, grapes, ornamentals, etc.

STORAGE AND DISPOSAL (12 point type)

Do not reuse empty container. Wrap container and put in trash collection.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

ferti-lone Systemic WEED KILLER provides an economical and highly effective means of controlling weeds in your lawn thus letting your grasses grow vigorously to provide you with a beautiful lawn.

) Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY