


Right Hand Panel

DIRECTIONS FOR USE - L. 1000

NOTE: DILY CO. 20% DITHIO CARBATE is useful for the control of Johnson grass seedlings, goose grass, water grass, cocklebur, nutgrass andallis grass. Always use 1-1/2 lb SOLAR with DILY CO. 20% DITHIO CARBATE for best results.

Mix at the rate of 2 quarts of DILY CO. 20% DITHIO CARBATE plus 1 1/2 - 2 quarts of 1-1/2 lb SOLAR in 20 gallons of water. For Application, apply at a rate of one gallon of this solution for each 1 inch of land width to be treated or cotton row in 40" rows. If necessary, a second application can be made 2-3 weeks after the first application.

Apply as a post emergence of FOGG spray to weeds of cotton is at least 20" high. Nozzles should be adjusted to direct the spray to weeds to allow maximum coverage of weeds with no contact of cotton foliage. (See diagram.)



This diagram is offered as a guide only in using DILY CO. 20% DITHIO CARBATE.

Use sprayer and insecticide operators can be notified to apply spray at a rate of 1/2 lb per acre using diagram as a guide. Clean application equipment after each use by flushing with water.

USE DILY CO. 20% DITHIO CARBATE AT A RATE OF 2 QUARTS PER ACRE WITH 1 1/2 LB SOLAR PER ACRE.

USE DILY CO. 20% DITHIO CARBATE AT A RATE OF 1 QUART PER ACRE WITH 1 LB SOLAR PER ACRE.

USE DILY CO. 20% DITHIO CARBATE AT A RATE OF 1/2 QUART PER ACRE WITH 1/2 LB SOLAR PER ACRE.

USE DILY CO. 20% DITHIO CARBATE AT A RATE OF 1/4 QUART PER ACRE WITH 1/4 LB SOLAR PER ACRE.

Center Panel

HI-YIELD
DISCLAIMER

For Control of Johnson Grass
and other Weeds in Cotton

ACTIVE INGREDIENTS:	
Monosodium Acid Methanesulfonate	34.66%
INERT INGREDIENTS	65.34%
Total	100.00%

Total arsenic as elemental, all in water soluble form 16.03%


Use when temperature is at least 80°

Contains 4.34 lbs. ASIA per gallon at 68° F.

CAUTION

Keep Out of Reach of Children

See Side Panel for Additional Cautions



7451-186

HI-YIELD CHEMICAL COMPANY

Johnson, Texas

Net Contents One Gallon

Left Hand Panel

DIRECTIONS FOR USE

GENERAL WEED AND GRASS CONTROL: HI-YIELD DECIANT® plus HI-YIELD SPREAD is found effective for controlling Johnson grass, Goose grass, Water grass, Cocklebur, Nutgrass, and Green and Yellow Foxtail along ditchbanks, right-of-ways, inclement storage yards and other non-crop areas where cultivation is not practical.

RECOMMENDED RATES FOR WEED AND GRASS CONTROL: To treat one acre mix 4 pints of HI-YIELD DECIANT with 28 gallons of water and one pint of HI-YIELD SPREAD. Apply as a spray, thoroughly wetting foliage and stems of weeds to be killed. Spot treatments to control re-growth may be necessary. (For use in cotton, see directions in right hand panel).

NON-WARRANTY: HI-YIELD CHEMICAL COMPANY and seller warrant that this material will conform to ingredients indicated on label, but no other warranty implied or expressed. Neither HI-YIELD CHEMICAL COMPANY nor seller shall be held responsible for personal injury, property damage, or other loss resulting from the handling, storage, or use of the product whether or not in accordance with directions. Buyer assumes all risks and liability therefrom and accepts and uses the product on these conditions. No person is authorized to waive this notice.

CAUTION: Harmful if swallowed. Avoid contact with skin. Wash hands after using. Avoid prolonged breathing of dust or spray mist. Avoid contamination of feed and foodstuffs. Keep away from children and domestic animals. Keep livestock off treated areas.

Do not contaminate water used by wildlife or aquatic life or water used for domestic or irrigation purposes.

ANTIDOTE: If taken internally, induce vomiting and call a physician at once.

USDA Reg. No. 4372-70

WASTE DISPOSAL: Clean spray equipment and containers and dispose of liquid wastes in a pit in non-crop lands located away from water supplies.