

and feed your lawn

WEED & FEED

\$745

Coverage
1500 Sq. ft.

7401-192



NEW! SYSTEMIC AND CONTACT ACTION

ferti·lome®

ferti·lome

WEED & FEED SPECIAL

FOR USE ON ST. AUGUSTINE & COMMON BERMUDA LAWN GRASSES ONLY.
DEVELOPED FOR WINTER AND SPRING (NOVEMBER TO EARLY MAY)
PRE-EMERGENCE WEED CONTROL AND LAWN FERTILIZATION PROGRAMS

Active Ingredient		
Simazine 1/2-Chloro-4, 6-bis-ethylamino-1,3-triazine	23%	
Inert Ingredients	99.77%	
Total	100.00%	

CAUTION

KEEP OUT OF REACH OF CHILDREN.
Hazardous if swallowed. Avoid contact with skin, eyes, nose, mouth, or clothing. May cause irritation. Avoid contact with water. Do not use on ground that is to be resseeded. Do not use on lawns in full season growth stage.
Do not contaminate domestic or irrigation water supplies. Use only on lawns.
Do not contaminate water by pouring or by splashing. Use only on lawns.
Do not use on lawns in full season growth stage.
Do not use on lawns in full season growth stage.

A PLANT FOOD FOR LAWNS
NET WT. 40 LBS.

WEED & FEED SPECIAL
FOR USE ON ST. AUGUSTINE & COMMON BERMUDA LAWN GRASSES ONLY. DEVELOPED FOR WINTER AND SPRING
NOVEMBER TO EARLY MAY. PRE-EMERGENCE WEED CONTROL AND LAWN FERTILIZATION PROGRAMS
CAUTION

fertiome

fertiome

WEED & FEED SPECIAL

FOR USE ON ST. AUGUSTINE & COMMON BERMUDA LAWN GRASSES ONLY
DEVELOPED FOR WINTER AND SPRING (NOVEMBER TO EARLY MAY)
PRE-EMERGENCE WEED CONTROL AND LAWN FERTILIZATION PROGRAMS

Active Ingredient:

Simazine (2-Chloro-4, 6-bis-ethylamino -s-triazine)

23%

Inert Ingredients:

99.77%

Total

100.00%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contact with skin, eyes and clothing. Avoid breathing dust or mist. May cause skin irritation. Avoid contact with water.

Do not use on ground that is to be reseeded. Do not apply to lawns with a full season growth on it.

Do not contaminate domestic or irrigation water supplies or drinking water.

Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container for any purpose. Destroy empty container.

A PLANT FOOD FOR LAWNS

NET WT. 40 LBS.

WEED & FEED SPECIAL

FOR USE ON ST. AUGUSTINE & COMMON BERMUDA LAWN GRASSES
NOVEMBER TO EARLY MAY PRE-EMERGENCE WEED CONTROL

CAUTION

ferti·lome

WEED & FEED SPECIAL

11-5-6

GUARANTEED ANALYSIS

Net Weight 100 lbs. (45.359 kg)
U.S.A. (45.359 kg)
Available Phosphorus (As P₂O₅) 11%
Soluble Potash (K₂O) 5%
Derived from Potassium Sulfate, Potassium Chloride, Ammoniated Superphosphate, Muriate of Potash
Michigan reads: MICHIGAN GUARANTEE, ANALYSIS
States requiring Heavy Water Soluble P₂O₅

EPA REG. NO. 7471-152 EPA EST. NO. 7471

VOLUNTARY PURCHASING GROUPS, INC. BONHAM, TEXAS 75110

WEEDS THIS PRODUCT KILLS

Dandelion	Bur Clover	Barnyard Grass
Pussley	Crabgrass	Foxtail
Lambquarter	Henbit	Morning Glory
Smartweed	Stinkweed	Red Root Pigweed



ferti·lome®

ferti·lome

DIRECTIONS

See Leaflet

FOR USE ON 17 WEEDS AND GRASSES IN LAWNS AND TURF
INFORMATION TO LABEL BUYER: THIS PRODUCT IS A WEED AND FEED SPECIAL
CAUTION: KEEP OUT OF REACH OF CHILDREN

NET WT. 4.5 LBS.

ferti·lome

WEED & FEED SPECIAL

11-5-6

GUARANTEED ANALYSIS*

Total Nitrogen 11.00% Ammoniacal Nitrogen 11.00%
 Available Phosphoric Acid P₂O₅ 5.00%
 **Soluble Potash K₂O 6.00%
 Derived from — Primary Plant Foods, Fertilizer of America,
 Ammoniated Superphosphate, Muriatic Acid, Sulfur

*In Michigan reads NUTRIMENTAL GUARANTEED ANALYSIS
 **In states requiring reads Water Soluble K₂O

EPA REG. NO. 740-192 EPA EST. NO. TX-1
 COOPERATIVE PURCHASING GROUPS, INC. BONHAM, TEXAS 75110

WEEDS THIS PRODUCT KILLS

Dandelion	Bur Clover	Barnyard Grass
Pussley	Crabgrass	Foxtail
Lambsquarter	Henbit	Morning Glory
Smartweed	Stinkweed	Red Root Pigweed



ferti·lome®

ferti·lome

DIRECTIONS.

Do: Do Not:

Apply to lawns, golf courses, tennis courts, and other areas where desirable plants are growing.

Do not apply to areas where desirable plants are growing.

Do not apply to areas where desirable plants are growing.

Do not apply to areas where desirable plants are growing.

Do not apply to areas where desirable plants are growing.

Do not apply to areas where desirable plants are growing.

Do not apply to areas where desirable plants are growing.

Do not apply to areas where desirable plants are growing.

Do not apply to areas where desirable plants are growing.

Do not apply to areas where desirable plants are growing.

Do not apply to areas where desirable plants are growing.

WEED & FEED SPECIAL

FOR USE ON ST. AUGUSTINE & COMMON BENTGRASS LAWNS. DO NOT USE ON OTHER TYPES OF LAWNS. ALWAYS READ THE INSTRUCTIONS ON THE LABEL. WEED CONTROL AND LIME FERTILIZATION.

CAUTION: See our safety or Caution.

\$745

Coverage
1500 Sq. ft.

7401-192



SYSTEMIC AND CONTACT ACTION

ferti·lome®

ferti·lome®

WEED & FEED SPECIAL

FOR USE ON ST. AUGUSTINE & COMMON BERMUDA LAWN GRASSES ONLY.
DEVELOPED FOR WINTER AND SPRING (NOVEMBER TO EARLY MAY)
PRE-EMERGENCE WEED CONTROL AND LAWN FERTILIZATION PROGRAMS

Active ingredient:		
Simazine (2-Chloro-4, 6-bis-(ethylamine)-s-triazine)	23%
Inert ingredients:	99.77%
	Total	100.00%

CAUTION

KEEP OUT OF REACH OF CHILDREN
Hazard if swallowed. Avoid contact with skin, eyes and clothing. Avoid breathing of dust. May be harmful if swallowed. Avoid contact with skin and clothing. Do not use on ground that is to be resampled. Do not apply to young grasses or to 1/2 grown grasses only.

**A PLANT FOOD FOR LAWNS
NET WT. 40 LBS.**

WEED & FEED SPECIAL
FOR USE ON ST. AUGUSTINE & COMMON BERMUDA LAWN GRASSES ONLY. DEVELOPED FOR WINTER AND SPRING (NOVEMBER TO EARLY MAY) PRE-EMERGENCE WEED CONTROL AND LAWN FERTILIZATION PROGRAMS
CAUTION