


7401-197

08/30/2002

1/5

[FRONT PANEL]



**ferti•lome<sup>®</sup>**  
**Containing FUNGICIDE**  
**For Control of BROWN PATCH**

[Optional proposed text appears in brackets - the final label may include some or all of the optional text]

- [● Controls Rhizoctonia Fungus Diseases, the cause of BROWN PATCH and ends circular brown spots of dead grass on lawns.]
- [● Now you can control brown patch while feeding your lawn]
- [● COVERAGE: Cool Season Grasses - up to 4,000 sq. ft.  
Southern Grasses - up to 2,000 sq. ft.]
- [● Control BROWN PATCH while feeding your lawn]

**ACTIVE INGREDIENT:**

Pentachloronitrobenzene .....	4.67%
-------------------------------	-------

<b>INERT INGREDIENTS:</b> .....	<b>95.33%</b>
---------------------------------	---------------

<b>TOTAL:</b> .....	<b>100.0%</b>
---------------------	---------------

This product contains 4.67% PCNB or 187 lbs. 50% PCNB per ton, for Brown Patch disease control.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**See Back Panel for Additional Precautionary Statements**

**NET WEIGHT \_\_\_\_\_ LBS.**

[BACK PANEL]

## 20-4-4

### GUARANTEED ANALYSIS

Total Nitrogen (N) .....	20%
00.75% Ammoniacal Nitrogen	
19.25% Urea Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	4%
Soluble Potash (K <sub>2</sub> O) .....	4%
Boron (B) .....	0.02%
Copper (Cu) .....	0.05%
0.05% Water Soluble Copper (Cu)	
Iron (Fe) .....	0.10%
0.10% Water Soluble Iron (Fe)	
Manganese (Mn) .....	0.05%
0.05% Water Soluble Manganese (Mn)	
Zinc (Zn) .....	0.05%
0.05% Water Soluble Zinc (Zn)	

Derived from: Urea, Ammonium Phosphate, Muriate of Potash, Sodium Borate, Copper Sulfate, Ferrous Sulfate, Manganese Sulfate, Zinc Sulfate.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Dear Folks:**

We recommend this package of ferti•lome® Containing Fungicide for Control of BROWN PATCH because it is a most effective way of preventing and controlling Brown Patch and feeding your lawn ... in one step.

#### 1. WHAT IS THIS PACKAGE FOR YOU?

This package of ferti•lome® Containing Fungicide for Control of BROWN PATCH is for the people who want to control or prevent Brown Patch and develop an extra green, luxurious lawn ... both in one easy step.

#### 2. HOW DO YOU USE IT?

See chart below for ferti•lome® Containing Fungicide for Control of BROWN PATCH at the time disease normally occurs. One treatment will generally be sufficient. If disease conditions are severe or Brown Patch re-appears, a second treatment can be made 6 weeks later. Please be careful to water in lightly.

**[BACK PANEL CONTINUED]**

<b>COOL SEASON GRASSES</b> (One Bag Covers 4,000 Sq. Ft.)		<b>SOUTHERN GRASSES</b> (One Bag Cover 2,000 Sq. Ft.)	
Merion Blue	Red Top	Common Bermuda	Zoysia
Bent	Kentucky Blue	St. Augustine	Bahia
Creeping Red Fescue	Rye	Centipede	Tiffgreen
		Snyder Bermuda	Maryland Bent
		Seaside Bent	Rye
		Kentucky 31 Fescue	
		Tex Turf 10	

**SPREADER GUIDE**

These settings can be used only as a guide, they are not absolute. The speed at which the applicator walks, spreader condition and the texture of the turf will alter the rate of application. If the product remains in spreader after application to recommended square foot coverage, spread remainder over same area going at right angles. (See Diagram).

[APPLICATION DIAGRAM HERE]

<b>SPREADER</b>	<b>SPREADER SETTING</b>	
	<b>Cool Season</b>	<b>Warm Season</b>
ferti•lome® Plus Iron Broadcast/Earthway2850	14	19
ferti•lome® Plus Iron Prof. Broadcast/Earthway 2800A	14	19
ferti•lome® Deluxe Broadcast 2050 S.U.	14	19
Earthway Drop 7300B	17	22
Scott Broadcast/Speedy Green	6	11
Republic/Scotts Broadcast	5	9
Republic Drop	6	11
Precision Broadcast/Red Devil	10	13
Precision Drop FH-22D	9	11

**[BACK PANEL CONTINUED]****3. HERE ARE THE RESULTS YOU MAY EXPECT!**

We think you will find that ferti-lome® Containing Fungicide for Control of BROWN PATCH used according to directions, will help give you one of the prettiest and greenest lawns in your neighborhood and at the same time control Brown Patch.

Plant Food and Water are both necessary for proper turf management. However, Quite often it has been found that lesser amounts of water are necessary to keep turf green and growing when the above feeding schedule is followed.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in original container. Keep in an area inaccessible to children and pets.

**DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS****Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed. May be irritating to eyes, nose, throat and skin. Avoid contact with skin by wearing the following protective clothing: wear gloves, long-sleeved pants, socks and shoes. Wash hands thoroughly after using. Keep children and pets off treated areas until material is washed into the soil and the treated area has dried. Do not apply directly adjacent to potable water supplies.

<b>FIRST AID</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 or 1-800-900-4044 for emergency medical treatment information.	
If swallowed	<ul style="list-style-type: none"> <li>• Call poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
If on skin or clothing	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

If in eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
If inhaled	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Cover or incorporate granules. Do not contaminate water or wetlands by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants that this product conforms to the chemical description on the label and that the limit of any liability incurred shall be the purchase price paid by the user or buyer.

Voluntary Purchasing Groups, Inc.  
P.O. Box 460  
Bonham, TX 75418

EPA Reg. No. 7401-197  
EPA Est. No. 7401-TX-1

REVISED: 03-15-02  
S:\MAIN\VOLUNTARY PURCHASING GROUPS\LABELS\FL CONTAINING FUNGICIDE