

HJ-YIELD

DECIMATE^R CONCENTRATE

WEED-KILLER VS. POST-EMERGENT WEED CONTROL

On the Day of
... ..
... ..
... ..

Total Amount of Material,
All in Water Soluble Form 23.71%

Contains 6.80 lbs. of H. per gallon.

USE WEED TREATMENT AT LEAST 80°.

CAUTION (13 points)

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Caution

VOLUNTARY PURCHASE GROUPS, INC.
DAMIAN, TEXAS

ACCEPTED
March 17, 1972
7401-111

(Back Panel)

DIRECTIONS FOR USE

... ..
... ..
... ..
... ..
... ..

RECOMMENDED MIXTURE FOR WEED CONTROL
Use 1/2 pint of DECIMATE^R CONCENTRATE
of water and 1 pint of HJ-YIELD SPREAD (or
a spray. Mix by wetting foliage and
killed. Spot treatments to control regrowth
(For use in Texas, see directions in right hand panel.)

NON-WARRANTY: Follow directions carefully. Timing and method
of application, weather and crop conditions, mixtures with other
chemicals not specifically recommended, and other influencing
factors in the use of this product are beyond the control of the
seller. Buyer assumes all risks of use, storage or handling of
this material not in strict accordance with directions given herewith.

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid contact with skin. Wash hands after using. Avoid breathing spray mist. Avoid contamination of feed and feedstuffs. Keep away from children and domestic animals. Keep livestock off treated areas. Keep children and animals off treated areas until washed into soil.

Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of waste.

Do not apply when weather conditions favor drift from treated areas. Apply this product only as specified on this label.

ANTIDOTE: If taken internally, induce vomiting and call a physician at once.

RECEIVED
MAY 17 1972
746-108

DIRECTIONS FOR USE IN COTTON

COTTON: HI-YIELD DECIMATE^R CONCENTRATE IS USEFUL FOR THE CONTROL of Johnson Grass, Goose Grass, Water Grass, Cocklebur, Nutgrass and Dallis Grass. Always use HI-YIELD SPREAD (or VPG SPREAD) with HI-YIELD DECIMATE^R CONCENTRATE for best results.

RECOMMENDED RATES FOR USE IN COTTON: Mix at the rate of 3 pints of HI-YIELD DECIMATE^R CONCENTRATE plus 1 1/2-2 quarts of HI-YIELD SPREAD (or VPG SPREAD) in 50 gallons of water and apply 40 gallons of this solution per acre. For Band Application, apply at a rate of one gallon of this solution for each 1 inch of Band width to be treated on cotton grown in 40" rows. If necessary, a second application can be made 2-3 weeks after the first application. Keep spray off cotton foliage.

Apply as a post emergence DIRECTED spray to weeds when cotton is at least 5" high. Nozzles should be adjusted to direct the spray to weeds to allow maximum coverage of weeds with no contact of cotton foliage. (See Diagram)



Use a spray nozzle type with a 150 mesh screen

Apply at a rate of

Approximately 5 inches from ground.

HI-YIELD DECIMATE^R CONCENTRATE

Other types of insecticide sprayers can be modified to apply HI-YIELD DECIMATE^R CONCENTRATE using diagram as a guide. Clean application equipment after each use by flushing with water.

WASTE DISPOSAL: Rinse spray equipment and containers and dispose of liquid wastes in a pit in non-crop lands located away from water supplies.