



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product is extremely poisonous if swallowed even in small amounts. Ingestion of this product may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

This product is extremely poisonous if it comes in contact with the skin. It may cause severe irritation and burns.



POISONOUS IF BREATHED

This product is extremely poisonous if inhaled. It may cause severe irritation and burns to the respiratory tract.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes.

VOLUNTARY PURCHASING GROUPS, INC.
BONHAM, TEXAS

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

HI-YIELD 6-3 MIX

ACTIVE INGREDIENTS:

- Parathion: O, O-diethyl O-p-nitrophenyl phosphorothioate 57.9%
- O, O-dimethyl O-p-nitrophenyl phosphorothioate 28.2%

INERT INGREDIENTS:

Contains 6 lbs. Ethyl Parathion and 3 lbs. Methyl Parathion per gallon 13.9%

Net Contents Gallons

NOT FOR HOME USE

USE ONLY WITH PROTECTIVE

(1) Wear water or rubber cover. Wear mask or goggles. Mines for properly natural re

W

Keep all unprotected area or

Do not rub eyes in any way. STC

a doctor (physic Explain that th

tion and desc given (see First

cannot com

IMPORTANT! B with soap and t

arms with soap

inking

AFTER WORK, I shower using clothes when tel

thing. Wash equipment with

erator should b ng to instructio

BEFORE USING!



DANGER

Keep Out of Reach of Children

3-3 MIX

Chioate

57.9%
28.2%
13.9%

Methyl Parathion per gallon

USE

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and animals away from treated area or where there is drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and muscle pains and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down the throat by giving soap suds or salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie on his left side and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Act promptly to treat poisoning. Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and muscle pains and coma. Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and muscle pains and coma.

POST TREATED AREA

Contact your State Agricultural Experiment Station for information.

CONTAINER DISPOSAL

See additional label for proper disposal.

CROP USE DIRECTIONS

Use only according to additional label.

EX-100-100

HI-YIELD[®] 6-3 MIX

CROP USE DIRECTIONS

HI-YIELD 6-3 MIX is an emulsifiable concentrate insecticide for use against certain economic insect pests when diluted with water and applied by conventional hydraulic sprayers, low-gallonage sprayers or airplane sprayers. Use according to directions given below.

GUIDE FOR APPROXIMATE AMOUNT OF WATER TO USE PER ACRE: For airplane and hydraulic sprayers 2-5 gallons; low gallonage sprayers 5-10 gallons. Uses contrary to these directions may cause serious plant, crop or personal injury, excessive residues, unsatisfactory control or other unintended consequences.

CROP	INSECTS	RATE PER ACRE	REMARKS
Cotton	Bollworm	1 1/2 pints	Apply every 3-5 days as needed when infestations appear. Do not apply within 5 days of harvest.
	Boll Weevil Aphids, Leaf Hopper, Cotton Leafworm, Lygus Leafworm, Lygus Bugs, Spider Mite, Thrips	1 to 1 1/2 pints	
Cabbage	Aphids, Loopers Imported Cabbage Worm	1/2 pint	Apply as needed, beginning when insects are observed. Do not apply within 21 days of harvest.
	Flea Beetles	1/2 pint	
Broccoli	Aphids, Loopers Imported Cabbage Worm	1/2 pint	
	Flea Beetles	1/2 pint	
Cauliflower	Aphids, Loopers Imported Cabbage Worm	1/2 pint	
	Flea Beetles	1/2 pint	
Collards	Aphids, Flea Beetles, Imported Cabbage Worm, Serpentine Leaf Miners	1/2 pint	
	Cabbage Looper	1/2 pint	

ACCEPTED

CROP	INSECTS	RATE PER ACRE	REMARKS
Head Lettuce	Aphids, Loopers, Imported Cabbage Worm, Webworm	1/2 pint	Apply as needed, beginning when insects are observed. Do not apply within 21 days of harvest.
	Leaf Miners	6 oz.	
Mustard Greens	Aphids, Imported Cabbage Worm, Webworm,	1/2 pint	
	Leaf Miners, Loopers	1/2 pint	
Spinach & Turnips	Aphids, Leaf Hoppers, Imported Cabbage Worm, Webworm, Serpentine Leaf-miners	1/2 pint	
	Loopers	1/2 pint	
Tomatoes & Potatoes	Aphids, Leaf Miners, Spider Mites, Leaf Hoppers, Thrips, Flea Beetles	1/2 pint	Apply as needed, beginning when insects are observed. Do not apply to tomatoes within 15 days of harvest or to potatoes within 5 days of harvest.

NOTE: The U. S. Food and Drug Administration has set tolerances for pesticide residues. Crops having residues in excess of their permitted tolerances should not be marketed and to do so may violate State Law, and will violate Federal Law when sold in interstate commerce. Such crops could not be marketed without removal of such excess residues.

CONTAINER DISPOSAL

Do not reuse container for any purpose. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

NON-WARRANTY: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.