7401-222	3-29-2002		
United States Environmental Protecti Washington, DC 20	on Agency	COME No. 2070-006 Registration Amendment Other	O. Approval expires 2-28-9 OPP Identifier Number
Applicati	on for Pesticide - Section I		
1. Company/Product Number 7401-222	2. EPA Product Manager Linda Arrington	3. Pr	oposed Classification
4. Company/Product (Name) ferti-lome(R)Special Diazinon Insect Killer Granules	PM# Notification Team		None Nesuicted
5. Name and Address of Applicant (Include ZIP Code) Voluntary Purchasing Groups, Inc. P.O. Box 460 Bonham, TX 75418 Check if this is a new address	6. Expedited Reveiw. In (b)(i), my product is similar to: EPA Reg. No.		
Check II this is a new address	Product Name		
Amendment - Explain below. Resubmission in response to Agency letter dated	Section - II Final printed labels in Agency letter dated "Me Too" Application	·	NOTIFICATION
Notification - Explain below.	Other - Explain belo	w.	MAR 2 9 2002
Explanation: Use additional page(s) if necessary. (For section	n I and Section II.)		
Notification of additional selling points to front panel of label per PF		zinon Insect Killer Gra	nules".
This notification is consistent with the provisions of PR Notice 98-1 labeling or the confidential statement of formula of this product. It EPA. I further understand that if this notification is not consistent we FIFRA and I may be subject to enforcement action and penalties up	understand that it is a violation of 18 U.S.C. vith the terms of PR Notice 98-10 and 40 CI	Sec 1001 to willfully n	nake any false statement to
	Section - III		
Material This Product Will Be Packaged In:			
Child-Resistant Packaging Yes No No	Yes No	2. Type of Container Metal Plastic Glass	
* Certification must be submitted If "Yes" No. per Container	H "Yes" No. per Package wot container	Paper Other (S	pecify)
3. Location of Net Contents Information 4. Size(s) Re	tail Container 5. boca	tion of Label Directio	ns
6. Manner in Which Label is Affixed to Product Lithoc	graph Other glued		
	Section - IV		
1. Contact Point (Complete items directly below for identification		eary, to process this	application.)
Name	Title Agent for Voluntary Purchasing Grou	Telephone	No. (include Area Code)
Mary Beth Endres Certifica I certify that the statements I have made on this form and I acknowledge that any knowlingly false or misleading statements both under applicable law.	ition all attachments thereto are true, accura-	te and complete.	6. Dece Application Received (Stamped)
2. Signature	3. Title		
many But Ch	Agent for Voluntary Purchasing Groups, It	nc.	
4. Typed Name Mary Beth Endres	5. Date 03/21/2002		_

[FRONT PANEL]

This product must not be used on golf courses and sod farms.

ferti-lome® Special Diazinon Insect Killer Granules Lawn Insect Control

[Optional proposed text appears in brackets - the final label may include some or all of the optional text]

- For outdoor use on the home lawn only
- [Ready to use]
- [● Contains 2% Diazinon insecticide]
- [SOz.] [12 Oz.] [5 Lbs.] [12 ½ Lbs.] Treats up to [100] [150] [1000] [2500] square feet]

CONTROLS:

Brown dog ticks

Chinch bugs

Sod webworms

Lawn months

Earwigs

Fleas

Fire ants*

White grubs of:

- •Japanese beetle
- •European chafer
- ·Southern chafer

Billbugs ... and many others

*Aids in control

See complete list on back of bag

NOTIFICATION

MAR 2 9 2002

[FRONT PANEL CONTINUED]

ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Additional Precautionary Statements on Back Of Bag

NET WEIGHT _____ POUNDS

[BACK PANEL]

Crickets Springtails Ants Armyworms Cutworms Sod webworms Bermudagrass Digger wasps Sowbugs mites White grubs of: **Earwigs** • Japanese beetles Billbugs Fire ants* Brown dog ticks • European chafer Fleas Southern chafer Chiggers Lawn moths Leafhoppers

Chinch bugs

Clover mites Millipedes *Aids in control.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Reformulation or repackaging of this product is prohibited.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL OR TURF INJURY.

OVERALL LAWN APPLICATION

Special Precautions To Reduce Risk To Birds

Birds, especially waterfowl (ducks and geese), feeding or drinking on treated areas may be killed. To reduce risks to birds:

- 1. Do not treat areas larger than 15,000 sq. ft.
- 2. Because of the migratory habits of certain waterfowl, do not apply in Nassau County, New York between November 1 and May 20.
- 3. Do not exceed maximum permitted label rates, since rates above those recommended significantly increase potential hazards to birds, especially waterfowl.
- 4. Avoid overlapping treated areas.
- 5. Follow all watering instructions included within the directions for use, however, stop watering before puddling occurs.
- 6. Do not apply this product to sites occupied by waterfowl or to sites within 75 ft. of any body of water that may attract waterfowl, such as lakes or ponds.
- 7. If it is necessary to repeat application, wait a minimum of 3 weeks between applications. Make no more than four applications per year.

Granular Lawn Insect Control controls certain lawn pests on both grass and dichondra lawns. Apply this product with a fertilizer spreader. Refer to the tables that follow for use rates and spreader settings.

Pest	Rate*	Timing/Special Directions
Ants, Armyworms, Bermudagrass mites, Brown dog ticks, Chiggers, Chinch bugs, Clover mites, Crickets, Cutworms, Earwigs, Fleas, Lawn moths (sod webworms), Leafhoppers, Millipedes, Sowbugs (Pillbugs), Springtails (Collembola)	5 lbs. per 1,000 sq. ft.	Apply when grass is dry. Water lawn lightly after application. If necessary, repeat application at 3-week intervals. Make no more than 4 applications per year.
Billbugs, White grubs of Japanese beetle, European chafer, Southern chafer, Ataenius spretulus (dung beetle)	5 lbs. per 1,000 sq. ft.	Water grass with at least 1/4 inch of water after application, however stop watering before puddling occurs. For billbug control, apply when activity is first observed or when chewed or brown grass indicates damage. If necessary, repeat application at 3-week intervals. Make no more than 4 applications per year. For grub control, except dung beetle, treat any time between late July and early October. For dung beetle grub control, apply in Spring or early Summer when damage is first noticed. Water grass with at least 1/4 inch of water after application, however stop watering before puddling occurs. Treat again in late Summer or early Fall if a second generation occurs.
Hyperodes weevils	5 lbs. per 1,000 sq. ft.	Water grass with at least 1/4 inch of water after application, however, stop watering before puddling occurs. Treat problem areas in mid-April and again in mid-May.

^{* 1,000} sq. ft. = an area 20 ft. x 50 ft. 100 sq. ft. = an area 10 ft. x 10 ft. 5 lbs. per 1,000 sq. ft. = 8 oz. per 100 sq. ft.

Note: The spreader settings listed below are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust the spreader setting, if necessary, in order to assure correct rate of application.

LAWN SPREADER SETTING NO.**

To deliver 5 lbs. per 1,000 sq. ft.

Spreader Make and Model	For Insects listed Grass and Dichondra Lawns	
Central Imperial Mark No. 1662-G	7 ½	
Central Suburbia Lawn Spreader No. 1622-0	7 ½	
Cyclone Model B1 Rotary	6	
Greenfield Model 105	8	
J.C. Penney Model 6005	8 ½	
J.C. Penney Rotary Spreader	8	
Scott's Precision Flow Spreader PF-1	6 ½	
Sears Craftsman Model 671.19198	7 ½	

^{**}For application with other types of equipment, apply at the rate of 5 lbs. per 1,000 sq. ft.

SPOT TREATMENT

Ants: Apply one tablespoon of Special Diazinon Insect Killer Granules over and around each individual ant hill.

Fire Ants: To aid in the control of Fire Ants in home lawns and other outdoor home' recreation areas, apply 1 1/4 cups over, and 2 ft. around, each fire ant mound. Immediately after application, water in thoroughly. A minimum of 1 gallon of water should be applied to each mound area. Apply water gently to avoid disturbing ants. Use of high-pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness. Treat as necessary.

Note: For best results, apply in cool weather, 65-80°F, or in early morning or late evening hours. Treat new mounds as they appear.

Digger wasps: Apply one tablespoon of Special Diazinon Insect Killer Granules in and around each individual ground nest opening. Make the application about dusk when the wasps are not active.

BAND TREATMENT AROUND HOUSE FOUNDATION

The following pests are commonly found around or near house foundations and may enter the house:

Ants

Crickets

Millipedes

Brown dog ticks

Earwigs

Sowbugs

Clover mites

Fleas

Springtails (Collembola)

To control these pests, apply a 2 foot band of Special Diazinon Insect Killer Granules next to the house foundation. Distribute granules uniformly, using a rate of 8 oz. per 100 sq. ft. of area (2 ft. x 50 ft.) treated. If necessary, repeat application at 3-week intervals.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container in a cool, dry, well-ventilated area inaccessible to children and domestic animals. Do not store near fertilizers, herbicides, seeds, food, or feed.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION. Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing dust and contact with eyes, skin, or clothing. Wash thoroughly after handling and before smoking or eating. May cause contact sensitization following repeated contact with skin of susceptible individuals. In sensitization reactions result, contact a physician. Do not store near food or feed products. Food utensils such as tablespoons or measuring cups must not be used for food purposes after use in measuring pesticides. Do no contaminate ornamental fish ponds. Do not allow children or pets onto the treated area until granules have been watered in and the grass has dried.

	FIRST AID ORGANOPHOSPHATE PESTICIDE
If Swallowed	 Call poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious or convulsing person.
If Inhaled	 Move victim to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If on Skin or Clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for help. You may also want to contact 911 for emergency medical treatment information.

NOTE TO PHYSICIAN: Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. Questions? 1-800-424-9300.

ENVIRONMENTAL HAZARDS

This product is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl (ducks or geese) feeding or drinking on treated areas may be killed. Because of the migratory habits of certain Atlantic Coast waterfowls, do not apply this product to lawns in Nassau County, New York between November 1 and May 20. Do not exceed maximum permitted label rates. Application rates above those recommended significantly increase potential hazards to birds.

Avoid overlapping granules. Follow all watering instructions in the directions for use, however, stop watering before puddling occurs.

Do not apply this product to sites occupied by waterfowls, or within 75 ft. of any body of water that may attract waterfowls, such as ponds or lakes.

Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not apply directly to water. Runoff may be hazardous to fish and other aquatic organisms in neighboring areas. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab or other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the user or buyer.

VOLUNTARY PURCHASING GROUPS, INC. P.O. Box 460 BOHNAM, TEXAS 75418

> EPA Registration No. 7401-222 EPA Establishment No. 7401-TX-1

REVISED: 03-21-02 S:\MAIN\ VOLUNTARY PURCHASING GROUPS\LABELS\FL SPECIAL DIAZINON INSECT KILLER GRANULES