

7401-225

10/18/1973

1/2

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION
WASHINGTON, D.C. 20460

EPA REGISTRATION NUMBER

7401-225

DATE OF ISSUANCE

October 18, 1973

NAME OF PESTICIDE PRODUCT

FERTI LOME SYSTEMIC FUNGICIDE WITH
BENOMYL

NOTICE OF REGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT

Voluntary Purchasing Groups, Inc
Attention: H. J. Cosgrove
Post Office Box 460
Bonham, Texas 75418

NOTE: Changes in labeling or formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of the information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this registration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The following paragraphs are applicable only when checked:

The registration for this product is being issued with the understanding that certain defects in the labeling which are noted below will be corrected as soon as possible. Objection is not raised to the use of the present labeling for a reasonable period of time while fully corrected labeling is being prepared. Three copies of the corrected labeling must be submitted.

Richard F. Mountfort *RFm*
Section Head
Fungicide-Herbicide Branch

Attachment is applicable

SIGNATURE OF APPROVING OFFICIAL

DATE

10-18-73

LUMARY PUTC...
 BOX...
 TAM, TEXAS...

1. WHAT IS THIS PACKAGE FOR?
 This highly effective systemic fungicide gives a new, more effective method of controlling fungus diseases.

2. HOW DO YOU USE IT?
ROSES, ORNAMENTALS, FLOWERS: (Field and Greenhouse.) For control of Black Spot and Powdery Mildew on roses, Powdery Mildew and Botrytis Gray Mold on flowers and ornamentals, use a level tablespoon in 2 gallons of water. Begin application when disease first appears and repeat at 10-14 day intervals throughout growing season. Shorten intervals during humid, rainy weather.

LAWNS: For control of Brown Patch, Fusarium Patch and Dollar Spot apply 1 ounce per 1000 sq. ft. of lawn (double this rate for curative application) in sufficient water to obtain uniform coverage (2.5 gallons per 1000 sq. ft.). As a preventive apply at the earliest appearance of disease and continue at 10-14 day intervals throughout the season. Do not re-apply at the first appearance of disease and re-apply as needed. When dry conditions are unusually favorable (high humidity and low wind) increase the rate to 1.5-2 times. Action of fungicide stops the growth of disease organisms. It does not kill the fungus and improves the appearance of the grass on lawns and roof surfaces such as roofs.

3. HERE ARE THE RESULTS YOU MAY EXPECT:
 In the Systemic Fungicide when used according to directions will consistently solve your fungus problems.

IMPORTANT: Never allow this product to become wet during storage. This may lead to certain chemical changes which will reduce the effectiveness of the product as a fungicide. Keep container closed when not in use.

CAUTION: May irritate eyes, nose, throat and skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after using. Keep away from fire or sparks. In case of contact: flush skin or eyes with plenty of water; for eyes, get medical attention.

Do not graze treated areas or feed chippings to livestock.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not reuse container for any purpose. Destroy empty container.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.

ACCEPTED

Showered | H. H. H. | Libby's | ...
 10/18/93
 U.S. Pat. No. 2,631,176 E. F. DuPont de Nemours & Co.
 EPA Reg. No. 100-11225
 Distributed by
 VOLUNTARY PURCHASING GROUP, INC.
 RICHMAN, TEXAS

UNDER THE FEDERAL INDETERMINATE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 7401-823



ferti-lome

Systemic

FUNGICIDE with BEL

- PREVENTS & CONTROLS BLACK SPOT, POWDERY MILDEW, BROWN PATCH, DOLLAR SPOT, FUSARIUM PATCH AND GRAY MOLD ON ROSES, ORNAMENTALS, FLOWERS AND LAWNS
- 1 LEVEL TABLESPOON MAKES 2 GALLONS OF SPRAY
- NET WEIGHT 2 OZS.

CAUTION KEEP OUT OF REACH SEE BACK PANEL FOR ADDITIONAL INFORMATION

ing humid, rainy weather.

LAWNS: For control of Brown Patch, Fusarium Patch and Dollar Spot apply 1 ounce per 1000 sq. ft. on a preventive schedule (double this rate for curative infestations) in sufficient water to obtain uniform coverage (2.5 gallons per 1000 sq. ft.) As a preventive, apply at the earliest appearance of disease and continue at 10-14 day intervals throughout the season. As a curative, apply at the first appearance of disease and repeat as needed. When disease conditions are unusually favorable (high humidity and rainy weather) reduce interval to 5-7 days. Addition of a spreader sticker to the spray mixture enhances curative action of the fungicide and improves distribution of the spray on hard to wet leaf surfaces such as roses.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

ferri lone Systemic FUNGICIDE when used according to directions, will satisfactorily solve your fungus problems.

ACC
Active Ingredient
Benomyl (M)
Benzimidazole
Inert ingredients

*U. S. Pat. No.

13M 1-93



UNDER THE F
FUNGICIDE AN
FOR ECONOMI
SO UNDER NO