

NET WEIGHT 40 LBS.

# ferti·lome®

## Systemic

# WEED & FEED

# 11-3-6

### GUARANTEED ANALYSIS\*

Total Nitrogen (N)..... 11.00%

10.26% Ammoniacal Nitrogen

.74% Nitrate Nitrogen

Available Phosphoric Acid (P<sub>2</sub>O<sub>5</sub>)..... 3.00%

\*\*Soluble Potash (K<sub>2</sub>O)..... 6.00%

Derived from — Primary Plant Foods: Ammonia, Sulphate of Ammonia, Ammonium Nitrate, Superphosphate, Muriate of Potash.

\*In Michigan reads MINIMUM GUARANTEED ANALYSIS.

\*\*In states requiring, reads Water Soluble (K<sub>2</sub>O).

### CONTROLS SUCH WEEDS AS:

DANDELION	OXALIS	BLACK MEDIC	PURSLANE
CHICKWEED	WILD CARROT	BURDOCK	RAGWEED
BUCKHORN	WILD ONION	CHICKORY	SHEEP SORREL
PLANTAINS	WILD GARLIC	DOCK	SHEPHERD'S PURSE
CLOVERS	WILD LETTUCE	HEAL-ALL	SPEEDWELL
POISON IVY	MORNING GLORY	KNOTWEED	THISTLE
POISON OAK	BUTTERCUP	LAMBSQUARTER	YARROW
HENBIT	PIGWEEED	LESPEDEZA	ENGLISH DAISY
SPURGES	BEDSTRAW	MALLOW	MILKWEED
PENNYWORT	GROUND IVY	PEPPERGRASS	PUNCTUREVINE

E.P.A. Reg. No. 7401-234

VOLUNTARY PURCHASING GROUPS, INC.

Bonham, Texas 75418

ium Nitrate, Superphosphate, Muriate

MINIMUM GUARANTEED ANALYSIS.

oads Water Soluble (K<sub>2</sub>O).

AS:

RRROT	BLACK MEDIC	PURSLANE
ION	BURDOCK	RAGWEED
RLIC	CHICKORY	SHEEP SORREL
TUCE	DOCK	SHEPHERD'S PURSE
G GLORY	HEAL-ALL	SPEEDWELL
UP	KNOTWEED	THISTLE
	LAMBSQUARTER	YARROW
	LESPEDEZA	ENGLISH DAISY
W	MALLOW	MILKWEED
IVY	PEPPERGRASS	PUNCTUREVINE

E.P.A. Reg. No. 7401-234

Y PURCHASING GROUPS, INC.

onham, Texas 75418

19



21

i·lome®

ferti·lome

# ferti-lome

## DIRECTIONS:

### Dear Folks:

**ferti-lome Systemic WEED & FEED** kills most broadleaf and vining type weeds found in lawn grasses, and at the same time supplies plant food for vigorous growth.

### 2. HOW DO YOU USE IT?

Use fertilizer spreader set from chart below. Apply anytime broadleaf weeds are present, except avoid treating St. Augustine grass in summer months (June through September) when it is growing rapidly, because temporary foliage discoloration may occur. Best results are obtained when weeds are young and growing vigorously. If weeds are growing slowly, control may be slow and more than one application may be needed. Do not water for 24 hours after application.

SPREADER	ONE BAG COVERS 3,000 sq. ft. SPREADER SETTING*	To build good turf feed with <b>ferti-lome</b> monthly during growing season
<b>ferti-lome</b> Cyclone	4½	
<b>ferti-lome</b> Deluxe	8	
Central (Sears, Wards, J. C. Penny)	8	
Scotts	6½	

\*These settings are based on the following guide. They are not absolute. The speed, the direction of application, the condition of the spreader, and the design of the bag will also affect the results. Consult your application section.

**The use of this product aids you in obtaining deep-green, weed-free lawn areas.**

Sincerely,

the Ferti-lome people

## IS PACKAGE FOR?

**WEED & FEED** kills most broadleaf and vining type weeds, and at the same time supplies plant food for vigorous

## HOW TO USE IT?

Refer to chart below. Apply anytime broadleaf weeds are present, or Augustine grass in summer months (June through September) when temporary foliage discoloration may occur. Best results are obtained when lawn is young and growing vigorously. If weeds are growing slowly, control may require more than one application. Do not water for 24 hours after

**ONE BAG COVERS**  
3,000 sq. ft.  
**SPREADER SETTING\***

4½  
8  
8  
6½

To build good turf  
feed with **ferti-lome**  
monthly during  
growing season

\*Settings are only as a guide; they are not absolute. The speed at which the applicator is used, the type of spreader, and the texture of the turf will alter the rate of fertilizer application.

**THE RESULTS YOU MAY EXPECT!**  
Correct use of **ferti-lome** helps you in obtaining deep-green, weed-free lawn areas.

Sincerely,  
**ferti-lome** people

Use, storage or handling of this material not in strict accordance with

Systemic  
**WEED & FEED**  
KILLS MOST BROADLEAF AND VINING TYPE WEEDS IN ST. AUGUSTINE, COMMON BERNUDA, ZOYSIA, PINE, BLUEGRASSES, BERMES, CENTIPEDE, BAHIA AND OTHER LAWN GRASSES.  
CAUTION: KEEP OUT OF REACH OF CHILDREN.

grown.

## 2. HOW DO YOU USE IT?

Use fertilizer spreader set from chart below. Apply anytime broadleaf weeds are present, except avoid treating St. Augustine grass in summer months (June through September) when it is growing rapidly, because temporary foliage discoloration may occur. Best results are obtained when weeds are young and growing vigorously. If weeds are growing slowly, control may be slow and more than one application may be needed. Do not water for 24 hours after application.

SPREADER	ONE BAG COVERS 3,000 sq. ft.	
	SPREADER SETTING*	
ferti-lome Cyclone	4½	To build good turf feed with <b>ferti-lome</b> monthly during growing season
ferti-lome Deluxe	8	
Central (Sears, Wards, J. C. Penny)	8	
Scotts	6½	

\*These settings can be used only as a guide, they are not absolute. The speed at which the applicator walks, the condition of the spreader, and the texture of the turf will alter the rate of fertilizer application.

**3. HERE ARE THE RESULTS YOU MAY EXPECT!**  
The use of this product aids you in obtaining deep-green, weed-free lawn areas.

Sincerely,

**the ferti-lome people**

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

25

NS:

### THIS PACKAGE FOR?

nic WEED & FEED kills most broadleaf and vining type weeds  
ses, and at the same time supplies plant food for vigorous

21

### YOU USE IT?

set from chart below. Apply anytime broadleaf weeds are present,  
St. Augustine grass in summer months (June through September) when  
because temporary foliage discoloration may occur. Best results are ob-  
are young and growing vigorously. If weeds are growing slowly, control  
ore than one application may be needed. Do not water for 24 hours after

ONE BAG COVERS  
3,000 sq. ft.  
SPREADER SETTING\*

To build good turf  
feed with **ferti-lome**  
monthly during  
growing season

one	4½
ke	8
ards,	8
	6½

used only as a guide; they are not absolute. The speed at which the applicator  
the spreader, and the texture of the turf will alter the rate of fertilizer appli-

### THE RESULTS YOU MAY EXPECT!

product aids you in obtaining deep-green, weed-free lawn areas.

Sincerely,

the **ferti-lome** people

of use, storage or handling of this material not in strict accordance with  
with.

22

ZOTONIA, KENT, ST. AUGUSTINE, ST. PETERS, CAHILL, BAHIA AND OTHER LAWN GRASSES.  
**CAUTION: KEEP OUT OF REACH OF CHILDREN**