

NET WEIGHT 40 LBS.

ferti·lome® Systemic WEED & FEED 11-3-6

GUARANTEED ANALYSIS*

Total Nitrogen (N).....	11.00%
10.26% Ammoniacal Nitrogen	
.74% Nitrate Nitrogen	
Available Phosphoric Acid (P ₂ O ₅).....	3.00%
**Soluble Potash (K ₂ O).....	6.00%

Derived from — Primary Plant Foods: Ammonia, Sulphate of Ammonia, Ammonium Nitrate, Superphosphate, Muriate of Potash.

*In Michigan reads MINIMUM GUARANTEED ANALYSIS.

**In states requiring, reads Water Soluble (K₂O).

CONTROLS SUCH WEEDS AS:

DANDELION	OXALIS	BLACK MEDIC	PURSLANE
CHICKWEED	WILD CARROT	BURDOCK	RAGWEED
BUCKHORN	WILD ONION	CHICKORY	SHEEP SORREL
PLANTAINS	WILD GARLIC	DOCK	SHEPHERD'S PURSE
CLOVERS	WILD LETTUCE	HEAL-ALL	SPEEDWELL
POISON IVY	MORNING GLORY	KNOTWEED	THISTLE
POISON OAK	BUTTERCUP	LAMBSQUARTER	YARROW
HENBIT	PIGWEED	LESPEDEZA	ENGLISH DAISY
SPURGES	BEDSTRAW	MALLOW	MILKWEED
PENNYWORT	GROUND IVY	PEPPERGRASS	PUNCTUREVINE

E.P.A. Reg. No. 7401-234

VOLUNTARY PURCHASING GROUPS, INC.

Bonham, Texas 75418

controls



PLANTAIN

ferti·

NET WEIGHT 40 LBS.

ferti·lome® Systemic WEED & FEED 11-3-6

GUARANTEED ANALYSIS*

Total Nitrogen (N).....	11.00%
10.26% Ammoniacal Nitrogen	
.74% Nitrate Nitrogen	
Available Phosphoric Acid (P ₂ O ₅).....	3.00%
**Soluble Potash (K ₂ O).....	6.00%

Derived from — Primary Plant Foods: Ammonia, Sulphate of Ammonia, Ammonium Nitrate, Superphosphate, Muriate of Potash.

*In Michigan reads MINIMUM GUARANTEED ANALYSIS.
**In states requiring, reads Water Soluble (K₂O).

CONTROLS SUCH WEEDS AS:

DANDELION	OXALIS	BLACK MEDIC	PURSLANE
CHICKWEED	WILD CARROT	BURDOCK	RAGWEED
BUCKHORN	WILD ONION	CHICKOBY	SHEEP SORREL
PLANTAINS	WILD GARLIC	DOCK	SHEPHERD'S PURSE
CLOVERS	WILD LETTUCE	HEAL-ALL	SPEEDWELL
POISON IVY	MORNING GLORY	KNOTWEED	THISTLE
POISON OAK	BUTTERCUP	LAMBSQUARTER	YARROW
HENBIT	PIGWEEED	LESPEDEZA	ENGLISH DAISY
SPURGES	BEDSTRAW	MALLOW	MILKWEED
PENNYWORT	GROUND IVY	PEPPERGRASS	PUNCTUREVINE

E.P.A. Reg. No. 7401-234

VOLUNTARY PURCHASING GROUPS, INC.

Bunham, Texas 75418

controls



PLANTAIN


ferti

PLANTAINS	WILD GARLIC	DOCK	SHEPHERD'S PURSE
CLOVERS	WILD LETTUCE	HEAL-ALL	SPEEDWELL
POISON IVY	MORNING GLORY	KNOTWEED	THISTLE
POISON OAK	BUTTERCUP	LAMBSQUARTER	YARROW
HENBIT	PIGWEEED	LESPEDEZA	ENGLISH DAISY
SPURGES	BEDSTRAW	MALLOW	MILKWEED
PENNYWORT	GROUND	PEPPERGRASS	PUNCTUREVINE

E.P.A. Reg. No. 7401-234

VOLUNTARY PURCHASING GROUPS, INC.

Bon! Texas 75418



2

ferti·lome®

ferti·lome

DIRECTIONS:

Dear Folks:

1. WHAT IS THIS PACKAGE FOR?

ferti-lome Systemic WEED & FEED kills most broadleaf and vining type weeds found in lawn grasses, and at the same time supplies plant food for vigorous growth.

2. HOW DO YOU USE IT?


Use fertilizer spreader set from chart below. Apply anytime broadleaf weeds are present, except avoid treating St. Augustine grass in summer months (June through September) when it is growing rapidly, because temporary foliage discoloration may occur. Best results are obtained when weeds are young and growing vigorously. If weeds are growing slowly, control may be slow and more than one application may be needed. Do not water for 24 hours after

KILLS MOST BROADLEAF AND VINING TYPE WEEDS IN ST. AUGUSTINE GRASS, BENTGRASS, BENT, CENTIPED, ETC.
WEED & FEED Systemic
 CAUTION: KEEP OUT OF REACH

CHICKWEED	WILD CARROT	BURDOC	RAGWEED
BUCKHORN	WILD ONION	CHICKO	SHEEP SORREL
PLANTAINS	WILD GARLIC	DOCK	SHEPHERD'S PURSE
CLOVERS	WILD LETTUCE	HEAL-AL	SPEEDWELL
EDISON IVY	MORNING GLORY	KNOTW ED	THISTLE
POISON OAK	BUTTERCUP	LAMBSQUARTER	YARROW
HE BIT	PIGWED	LESPEDEA	ENGLISH DAISY
SP RGES	BEDSTRAW	MALLOW	MILKWEED
PENNYWORT	GROUND IVY	PEPPERGRASS	PUNCTUREVINE

E.P.A. Reg. No. 74-1111

VOLUNTARY PURCHASING GROUP, INC.
 P.O. Box 10000
 Dallas, Texas 75218



ferti-lome[®]

ferti-lome[®]

DIRECTIONS:

Dear Folks:

ferti-lome Systemic WEED & FEED kills most broadleaf and vining type weeds found in lawn grasses and at the same time supplies plant food for vigorous growth.

Apply to lawn grasses in late fall or early spring. For best results, apply when weeds are young and before they have set seed. Do not apply to broadleaf weeds or to areas where you want to grow them. Do not apply to areas where you want to grow them. Do not apply to areas where you want to grow them. Do not apply to areas where you want to grow them. Do not apply to areas where you want to grow them.

DIRECTIONS:

Dear Folks:

1. WHAT IS THIS PACKAGE FOR?

ferti-lome Systemic WEED & FEED kills most broadleaf and vining type weeds found in lawn grasses, and at the same time supplies plant food for vigorous growth.

2. HOW DO YOU USE IT?

Use fertilizer spreader set from chart below. Apply anytime broadleaf weeds are present, except avoid treating St. Augustine grass in summer months (June through September) when it is growing rapidly, because temporary foliage discoloration may occur. Best results are obtained when weeds are young and growing vigorously. If weeds are growing slowly, control may be slow and more than one application may be needed. Do not water for 24 hours after application.

	ONE BAG COVERS 3,000 sq. ft.	
SPREADER	SPREADER SETTING*	
ferti-lome Cyclone	4½	To build good turf feed with ferti-lome monthly during growing season
ferti-lome Deluxe	8	
Central (Sears, Wards, J. C. Penny)	8	
Scotts	6½	

*These settings can be used only as a guide; they are not absolute. The speed at which the applicator walks, the condition of the spreader, and the texture of the turf will alter the rate of fertilizer application.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

The use of this product aids you in obtaining deep-green, weed-free lawn areas.

Sincerely,

the **ferti-lome** people

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**Systemic
WEED & FEED**
KILLS MOST BROADLEAF AND VINING TYPE WEEDS IN ST. AUGUSTINE, COMMON BERMUDA
AND OTHER LAWN GRASSES. BENNIS, CENTIPEDE, BAHIA AND OTHER LAWN GRASSES.
CAUTION: KEEP OUT OF REACH OF CHILDREN

Net Wt. 25 lbs.

ferti·lome® WEED KILLER PLUS LAWN FOOD 22-4-4

GUARANTEED ANALYSIS*


Total Nitrogen (N)	22%
20% Water Soluble Nitrogen	
2% Ammoniacal Nitrogen	
Available Phosphoric Acid (P ₂ O ₅)	4%
Water Soluble Potash (K ₂ O)	4%
*Derived from: Primary Plant Foods: Urea, Diammonium Phosphate, Monoammonium Phosphate.	
**In Michigan roads: MINIMUM GUARANTEED ANALYSIS.	
**In states requiring roads: Water Soluble (K ₂ O).	

WEEDS THIS PRODUCT KILLS:

DANDELION	GROUND IVY	SEEDING KNOTWEED
CHICKWEEDS	BLACK MEDIC	PEPPERWEED
BUCKHORN	HEAL ALL	SHEPHERDS PURSE
PLANTAINS	HENBIT	YELLOW ROCKET
CLOVERS	LAMBSQUARTER	CINQUEFOIL
ANNUAL MORNING GLORY	PERNNYWORT	FIELD BINDWEED
SPOTTED SPURGE	PURSLANE	WILD ONIONS

EPA Reg. No. 7401-242

VOLUNTARY PURCHASING GROUPS, INC.
BONHAM, TEXAS 75418



ferti·lome®

ferti·lome

DIRECTIONS:

Dear Folks:

You will find the following directions for killing weeds and feeding your lawn easy to follow and helpful in proper lawn maintenance on all grasses, fescue, ryegrass, centipede, Bahia, and bermuda grass lawns.

ferti-lome WEED KILLER PLUS LAWN FOOD is for the lawn that has become infested with unsightly weeds.

Apply using fertilizer spreader set from chart below. Make application when weeds are in active growth for best results apply to grasses moist from dew, rain, or sprinkling. Rain or sprinkling within 24 hours after application reduces weed control effectiveness. **NOTE:** Not for use at time of seeding or on seedling grasses. Wait at least until after its fourth mowing. Delay planting grass seed for at least a month after use.

SPREADER	ONE BAG COVERS 5,000 Sq. Ft. SPREADER SETTINGS*
ferti-lome CYCLONE	3
ferti-lome DELUXE	5 $\frac{1}{2}$
Central (Sears, Wards, J. C. Penney)	5 $\frac{1}{2}$
Scotts	6


Deep green, weed free lawn can be easily obtained with use of **ferti-lome WEED KILLER PLUS LAWN FOOD**.

Sincerely,
the **ferti-lome** people

Please see notes on safety of use, storage or handling of this material on instruction card or with distributor given herewith.

\$795
COVERAGE
5000 Sq. Ft.

7401-242



®

ferti·lome

ferti·lome®



ferti·lome




\$495

**Coverage
3,000 Sq. ft.**


SYSTEMIC ACTION



AIN



HENBIT



DANDELION



CLOVER



CHICKWEED

erti·lome

NET WEIGHT 40 LBS.

ferti·lome® Systemic WEED & FEED 11-3-6

GUARANTEED ANALYSIS*

Total Nitrogen (N).....	11.00%
10.26% Ammoniacal Nitrogen	
.74% Nitrate Nitrogen	
Available Phosphoric Acid (P ₂ O ₅)	3.00%
**Soluble Potash (K ₂ O)	6.00%

Derived from — Primary Plant Foods: Ammonia, Sulphate of Ammonia, Ammonium Nitrate, Superphosphate, Muriate of Potash.

*In Michigan reads MINIMUM GUARANTEED ANALYSIS.

**In states requiring, reads Water Soluble (K₂O).

CONTROLS SUCH WEEDS AS:

DANDELION	OXALIS	BLACK MEDIC	PURSLANE
CHICKWEED	WILD CARROT	BURDOCK	RAGWEED
BUCKHORN	WILD ONION	CHICKORY	SHEEP SORREL
PLANTAINS	WILD GARLIC	DOCK	SHEPHERD'S PURSE
CLOVERS	WILD LETTUCE	HEAL-ALL	SPEEDWELL
POISON IVY	MORNING GLORY	KNOTWEED	THISTLE
POISON OAK	BUTTERCUP	LAMBSQUARTER	YARROW
HENBIT	PIGWEEED	LESPEDEZA	ENGLISH DAISY
SPURGES	BEDSTRAW	MALLOW	MILKWEED
PENNYWORT	GROUND IVY	PEPPERGRASS	PUNCTUREVINE

E.P.A. Reg. No. 7401-234

VOLUNTARY PURCHASING GROUPS, INC.

Bonham, Texas 75418

Dear Folks:

ferti-lome Systemic WEED & FEED kills most broadleaf and vining type weeds found in lawn grasses, and at the same time supplies plant food for vigorous growth.

2. HOW DO YOU USE IT?

Use fertilizer spreader set from chart below. Apply anytime broadleaf weeds are present, except avoid treating St. Augustine grass in summer months (June through September) when it is growing rapidly, because temporary foliage discoloration may occur. Best results are obtained when weeds are young and growing vigorously. If weeds are growing slowly, control may be slow and more than one application may be needed. Do not water for 24 hours after application.

	ONE BAG COVERS 3,000 sq. ft.	
SPREADER	SPREADER SETTING*	
ferti-lome Cyclone	4½	To build good turf feed with ferti-lome monthly during growing season
ferti-lome Deluxe	8	
Central (Sears, Wards, J. C. Penny)	8	
Scotts	6½	

The use of this product aids you in obtaining deep-green, weed-free lawn areas.

Sincerely,

the **ferti-lome** people

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.