

7401-252

9/23/2002

Page 174

[FRONT LABEL PANEL]

# ferti•lome® Root Stimulator and Plant Starter Solution

[Optional proposed text appears in brackets - the final label may include some or all of the optional text]

- [● Also Contains Hormone Type Root Stimulator and Fertilizer that Aids Development of Fast - Strong Root Structure and Vigorous Plants]
- [● For Newly Planted Flowers, Shrubs, Trees and House Plants]
- [● 3½ Tablespoons per Gallon of Water]
- [● Contains Vitamin B<sub>1</sub>]

**ACTIVE INGREDIENT:**  
Indole-3-butyric Acid ..... 0.0004%

**OTHER INGREDIENTS:** ..... 99.9996%

**TOTAL:** ..... 100.0000%

Surfactant-Soil Penetrant ..... 1.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

**ACCEPTED**  
SEP 23 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7401-252

See Back/Side Label Panel for Additional Precautionary Statements

Net Contents \_\_\_\_\_

274

**[BACK/SIDE LABEL PANEL]**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Keep out of reach of children. This product is not for human consumption. Avoid getting in eyes. Kitchen utensils such as tablespoons and measuring cups should not be used for food purposes after use with pesticides.

<b>FIRST AID</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 or 1-800-900-4044 for emergency medical treatment information.	
If inhaled	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
If on skin or clothing	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
If in eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
If swallowed	<ul style="list-style-type: none"> <li>• Call poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>

**ENVIRONMENTAL HAZARDS**

Do not contaminate water by cleaning of equipment, or disposal of wastes.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**1. WHAT IS THIS PACKAGE FOR?**

ferti-lome Root Stimulator and Plant Starter Solution stimulates early root formation, stronger root development, reduces transplant shock and promotes greener, more vigorous plants.

3 7 4

**[BACK/SIDE LABEL PANEL CONT'D.]****2. HOW DO YOU USE IT?**

(SHAKE WELL BEFORE USE OR SAMPLING): This product is concentrated and must be diluted with water according to the following table before use.

- 3½ Tablespoons per gallon of water
- 1 Pint in 9½ gallons of water
- 1 Quart in 19 gallons of water
- 1 Gallon in 76 gallons of water

**FLOWERS, SHRUBS, TREES:**

Use from 1-8 pints of diluted ferti-lome Root Stimulator and Plant Starter Solution per plant depending on size. For example, 1 pint of the mixture on Mums, Geraniums and other annual flowers. For Rose bushes and Camellias, use 3 pints per plant. For larger than 4 foot plants (trees and large shrubs), use 1 gallon of the mixture per plant. Pour diluted solution over the soil as the roots are being covered, making sure that the roots are wet with the solution. Wet soil around plants with water after planting.

**HOUSE PLANTS:**

Use ½ cup diluted solution per quart of soil (a 6 in. pot hold approximately 1 quart).

NOTE: Solution is a root stimulator and should not be applied to plant's foliage as a fertilizer or plant food.

**3. HERE ARE THE RESULTS YOU MAY EXPECT!**

This product helps plants become established quickly and helps insure vigorous growth.

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Store in original container. Keep in an area inaccessible to children and pets.

**PESTICIDE DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

4 8 4

[BACK/SIDE LABEL PANEL CONT'D.]

**ferti•lome®**

**Root Stimulator and  
Plant Starter Solution**

**4-10-3**

**GUARANTEED ANALYSIS**

Total Nitrogen (N) .....	4.00%
4.00% Ammoniacal Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	10.00%
Soluble Potash (K <sub>2</sub> O) .....	3.00%
Derived from-Primary Plant Nutrient Sources: Diammonium Phosphate, Muriate of Potash.	

**NOTE:** Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the user or buyer.

**VOLUNTARY PURCHASING GROUPS, INC.**

P.O. BOX 460

BONHAM, TX 75418

EPA Reg. No. 7401-252

EPA Est. No. 7401-TX-1

REVISED: 08-20-02

S:\MAIN\VOLUNTARY PURCHASING GROUPS\LABELS\FL ROOT STIMULATOR AND PLANT STARTER