

**ACCEPTED**  
 17 MAR 1977  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7401-275

RECEIVED  
 DEC 16 1975  
 REGISTRATION DIVISION  
 PESTICIDES, EPA

**Hi-Yield®**

**Dairy & Livestock Dust**

**FOR HORNFLIES, LICE, FACE FLIES, HOUSE FLIES, AND MOSQUITOES**

**ACTIVE INGREDIENTS:**  
 Methoxychlor, technical  
 Malathion (O, O-dimethyl dithiophosphorothioate or diethyl mercaptosulfonate)

**INERT INGREDIENTS:**  
 Equivalent to 4.4% 2,2-bis(p-methoxyphenyl) 1,1,1-trichloroethane and 0.6% related compounds

**CAUTION**  
 KEEP OUT OF REACH OF CHILDREN  
 See Back Panel for Additional Cautions  
 EPA Est. No. 7401-TX-1

**NET WT. 4 LBS**

**VOLUNTARY PURCHASING OFFICE**  
 BONHAM, TEXAS 75418

# Dairy & Livestock Dust

**DIRECTIONS:** For Use Against Certain Listed Insects Infesting Range Cattle, Dairy Cattle, Horses, Swine, Goats and Sheep.

**PRECAUTIONS IN USING THIS PRODUCT:** Do not treat animals under one month of age. When applying dust, avoid contamination of feed, food containers and watering troughs and watering fountains. Do not apply to animals not listed on this label.

ANIMAL	PEST	DOSE	REMARKS
BEEF CATTLE	Lice, Ticks and Hornfly	2 heaping tablespoons per head	Apply on back and neck of animals. Rub lightly into hair.
DAIRY CATTLE (nonlactating)	Hornfly	2 heaping tablespoons per head	Apply on back and neck of animal. Do not apply during lactation or within 2 weeks of freshening.
DAIRY CATTLE (lactating)	Hornfly	2 heaping tablespoons per head	Apply on back and neck of animal. Do not apply within 5 hours of milking. Repeat application at 3 week intervals if needed.
GOATS, SHEEP	Lice, Ticks, Keds		Thorough application to animal by hand or power duster. Do not apply to lactating goats.
SWINE	Lice		

**CAUTION:** Keep out of reach of children. Harmful if swallowed. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly after handling. Do not contaminate feed and foodstuffs.

Malathion is a cholinesterase inhibitor. Consult veterinarian at first sign of adverse effects.

**Environmental Cautions:** This product is highly toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by direct application, cleaning of equipment or disposal of wastes. Apply only as specified on this label.

Do not reuse container for any purpose. Destroy when empty.

**NON-WARRANTY:** Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.