

(Front Panel)

ferti-lome

ACCEPTED
with conditions
in EPA

DEC 1932

Dipel[®]

U.S. DEPT. OF AGRICULTURE
FEDERAL AGRICULTURAL
MARKETING SERVICE
REGISTRATION
7401-290

Dust

Biological
Insecticide

*This Package Treats up to 3,200 Sq.Ft.
(For the 4 lb. Bag: This Package Treats up to 12,800 Sq.Ft.)

*Kills Tomato Hornworms, Bagworms, Armyworms,
Webworms, Gypsy Moth Larvae, Cankerworms, Loopers,
Tent Caterpillars and Other Listed Worms.

*Use on Vegetables, Shrubs, Lawns & Flowers.

Active Ingredient:

Bacillus Thuringiensis, Berliner, 320 I.U.'s per mg.* At least 0.5 Billion viable spores per gram	0.064%
Inert Ingredients:	99.936%

OK

*Equivalent to 0.15 billion international units per pound.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

(Back Panel)

DIRECTIONS FOR USE: it is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. WHAT IS THIS PACKAGE FOR?

Use ferti-lome DIPEL DUST to kill worms biologically. One bite of treated foliage and within minutes worms stop feeding and eventually die. ferti-lome DIPEL DUST is easy-to-use for killing Tomato Hornworms, Bagworms, Armyworms, Webworms, Gypsy Moth Larvae, Cankerworms, Loopers, Tent Caterpillars, Tomato Fruitworms, Sod Webworms, Variegated Cutworms, Imported Cabbage Worms, Rindworms, Melonworms and other listed worms.

2. HOW DO YOU USE IT?

Simply dust this product on plants at the rates listed below. Dust to thoroughly cover all plant surfaces. Apply when pests appear and repeat as necessary. Apply recommended number of ounces(ozs.) below to 50 sq.ft. for vegetable and turf treatment.

BEANS, PEAS, CABBAGE, TURNIPS, CAULIFLOWER, COLLARDS, BROCCOLI & MUSTARD GREENS: Use $\frac{1}{2}$ -1 oz. to kill Loopers & Webworms. For Hornworms, Cabbageworms, Diamondback Moths & Green Cloverworms use $\frac{1}{4}$ - $\frac{1}{2}$ oz. For Armyworms use 1-2 ozs.

TOMATOES, CUCUMBERS, SQUASH, PEPPERS, MELONS, LETTUCE, CELERY, POTATOES & SPINACH: Use $\frac{1}{2}$ -1 oz. to kill Loopers, Tomato Fruitworms, Variegated Cutworms, Rindworms, Salt Marsh Caterpillars. For Hornworms use $\frac{1}{4}$ - $\frac{1}{2}$ oz. For Armyworms & Melonworms use 1-2 ozs.

TURF: To kill Sod Webworms use 2-4 ozs.

SHRUBS & FLOWERS: Dust to thoroughly cover plant surfaces. Use to kill Loopers, Gypsy Moths, Cankerworms, Tent Caterpillars, Bagworms, Webworms, Red-Humped Caterpillars, Omnivorous Leafroller, Tobacco Budworms, Spruce Budworms, Saddle Prominent Caterpillar, Fruit Tree Leafroller, Blackheaded Budworms, Saddleback Caterpillar, Western Tussock Moth, Diamondback Moth, Hornworms, California Oak Moths & Armyworms.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

When used as directed, ferti-lome DIPEL DUST will kill a wide variety of leaf-eating caterpillars that can severely damage and kill vegetables, shrubs, lawns & flowers.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Avoid ingestion of this material. Avoid breathing dust. Avoid contact with skin & eyes. Wash thoroughly after handling. Avoid contamination of food or feedstuffs. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with insecticides.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. IF ON SKIN, Remove contaminated clothing. Wash affected areas with soap and water. IF INHALED, Remove victim to fresh air. Apply artificial respiration if indicated. IF IN EYES, Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Avoid contamination of water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

(Back Panel Cont.)

DIPEL[®] is a registered trademark of Abbott Laboratories.
Voluntary Purchasing Groups, Inc.
EPA Est. No. 7401-TX-1

Bonham, Texas
EPA Reg. No. 7401-290

~~83055~~
83055
2-

Voluntary, Environmental Group, Inc.
P. O. Box 200
Boston, MA 02116

Statement:

Subject: Perma-1000 Digel Biological Non-Dust
EPA Registration No. 7401-290

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Capitalize the letter "F" in the word Federal in the General Use statement under the heading "Direction for Use."
 - b. Update your Storage and Disposal statement. It should be delineated as follows:

Storage and Disposal

Storage:

Disposal:

See enclosures.
 - c. Delete the paragraph under the heading "Labeling and Practical Treatment" as this statement is not applicable to this product.
3. Submit five (5) copies of your final printed labeling, before you release the product for shipment.

If these conditions are not complied with, the registration will be
subject to cancellation in accordance with FIFRA Sec. 101. Your receipt of
shipment of the product bearing the label is deemed to constitute acceptance of
these conditions.

A stamped copy of this label is enclosed for your records.

Sincerely yours,

Franklin D. R. Jones
Product Manager (17)
Insecticide-Pesticide Branch
Registration Division (TS-767C)

Enclosures

TS-767C:GEE:DCR-29509:WANG-1301C:lsa:Raven:479-2013:11/23/82