

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
DANGER**

DANGER—POISON—PRECAUTIONS



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors spray mist or dust may be fatal.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, dizziness, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watery eyes, drooping eyelids, frothing at mouth, convulsions, and coma.

ACCEPTED
U.S. DEPT. OF AGRICULTURE
Office of the Federal Insecticide,
Fungicide, and Rodenticide Act,
Washington, D.C. 20250
EPA Reg. No. 7401-301

EPA Reg. No. 7401-301
EPA Est. No. TX 1

RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

7401-301 Brand 7.5 Lb. Methyl Parathion

ACTIVE INGREDIENTS		
O,O Dimethyl O-p-Nitrophenyl phosphorothioate		69.92%
Related compounds		3.68%
Xylene Range Aromatic Solvent		18.31%
INERT INGREDIENTS		8.09%
	TOTAL	100.00%

THIS PRODUCT CONTAINS 7.5 LBS METHYL PARATHION PER GALLON

NOT FOR HOME USE

STOP - READ LABEL BEFORE USING!

POISON See Side Panels for Antidote & Precautions		DANGER Keep Out Of Reach of Children
---	--	--

STATEMENT OF PRACTICAL TREATMENTS

Call a doctor, physician, clinic, or hospital immediately. Explain that the victim has been exposed to parathion and describe the condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If Swallowed Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

In Case of contact, immediately flush all skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

7401-301

RESTRICTED USE PESTICIDE
USE ONLY BY CERTIFIED APPLICATORS, OR PERSONS UNDER DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY APPLICATOR'S CERTIFICATION.

Brand 7.5 Lb. Methyl Parathion

INGREDIENTS:

Ortho Diethyl Methyl 0-p-Nitrophenyl phosphorothioate	69.92%
Inert Impurities	3.68%
Large Aromatic Solvent	18.31%
INGREDIENTS:	8.09%
TOTAL	100.00%

CONTAINS 7.5 LBS METHYL PARATHION PER GALLON

NOT FOR HOME USE

READ LABEL BEFORE USING!

ON
Labels
&
Instructions



DANGER
Keep Out Of Reach of Children

STATEMENT OF PRACTICAL TREATMENTS

Take victim to clinic or hospital immediately. Explain that the victim has been exposed to this condition.

Start artificial respiration immediately and maintain until normal breathing resumes.

Give 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth if unconscious.

Immediately flush eyes and skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidotes: Administer atropine, 1 to 3 mg. subcutaneous, every 30 minutes until signs of atropinization are observed. Repeat 2 to 4 mg. every 30 minutes until signs of atropinization are observed. Atropine is a pharmacological antidote and may be administered as an adjunct to other antidotes, but it is not a substitute for other antidotes which is a symptomatic and often ineffective antidote. DO NOT GIVE MORPHINE, THEOPHYLLINE, ETHYLENE DIAMINE, AMINOPHYLLINE, PHENOTHAZINES OR PHENOTHIAZINE TYPE OF TRANQUILIZERS AS THESE ANTIDOTES MAY PRODUCE ADVERSE EFFECTS ACCENTUATING THE PHARMACOLOGICAL EFFECT OF THIS PRODUCT. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating, or drinking. **AFTER WORK** take off all work clothes and shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply where runoff is likely to occur into lakes, streams, ponds, tidal marshes and estuaries. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Apply this product only as specified on this label.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.
- (4) Wear heavy duty natural rubber gloves.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated areas or where there is danger of drift.

Do not rub eyes or mouth with hands if you see spray in any way. STOP work and get help right away. Call your physician, doctor or hospital immediately. Explain that the victim has been exposed to this pesticide and describe his condition. Attention should be given to First Aid Treatment Section of this label.

STORAGE AND DISPOSAL

See additional label for proper disposal.

CROP USE DIRECTIONS

See only a listing to additional label instructions.

Net Contents Gallons

VOLUNTARY PURCHASING GROUPS,

BONHAM, TEXAS 75418