Leg # 7401-310 UNITED STATES ENVIRONMENTAL PROTECTION AGENCY SS16332

APR 0 2 1997

Raymond H. Smith Voluntary Purchasing Groups, Inc. P.O. Box 460 Bonham, TX 75418

Subject:

}

)

Hi-Yield Sevin® plus Dipel® Dust

EPA Registration No. 7401-310

Amendment dated December 18, 1996 Response to Agency letter dated 10/1/96

Dear Mr. Smith:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

- 1. Make the following changes to your label:
 - a) Move the directions required in the Agency letter dated 10/1/96 which are located on page 2 of your label (i.e., "Wearing household latex or rubber gloves....Do not repeat application more than once a week") to page 4 under the heading FOLIAGE APPLICATION. Delete the following from the FOLIAGE APPLICATION section: "Thoroughly cover upper and lower leaf surfaces." and "...and repeat as necessary."
- 2. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

15/

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (7505C)

CONCURRENCES								
SYMBOL End	closure							
SURNAME								
DATE								
OFFICIAL FILE COPY								

A: 17401/310-1 Printed on Recycled Paper
A: 17401/310-1

'96 DEC 27 A.8:31

Hi-Yield

Dust

SEVIN* plus DIPEL*

Ideal For Vegetable Garden Insect Control.

• Kills Many Insects In Flower Beds, Shrubs, Lawns and Around the Home. lon

• Biological Control Added to SEVIN*.

ACTIVE INGREDIENTS:

*Equivalent to potency of 0.11 billion International Units per pound of this product.

KEEP OUT OF REACH OF CHILDREN 12 Poin &

CAUTION 18 Point

SEE BACK PANEL FOR ADDITIONAL CAUTIONS 12 point

ACCEPTED with COMMENTS in EPA Letter Dated

APR 0 2 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

.

ENCETIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. READ ENTIRE LABEL BEFORE EACH USE

USER SAFETY REQUIREMENTS

* Wear long sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.

* Change clothing as soon as possible after use.

* Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the tiolet.

* Do not allow children or pets to contact treated area until dust

has settled.

Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact witheyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact wit dusted surfaces. Allow dust to settle in treated)areas before reentering. For plants above chest high, cosider using a liquid carbaryl product.

Do not repeat application more than once a week.

BEST AVAILABLE COPY

L Start on Last panel

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Do not apply by hand. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before smoking or eating. Avoid contamination of food and feed products. Do not store near food or feed products. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

- Remove victim to fresh air. Apply artificial respiration if indicated. If Inhaled If on Skin - Remove contaminated clothing and wash affected areas with soap and

- Wash eyes with plenty of water. Call a physician if irritation persists. If-in Eyes NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidote.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of waste. Do not apply directly to water. Apply this product only as specified on this label.

May kill honeybees is substantial numbers. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not use when value of bees as pollinators is more important than insect control. Before applying, warn beekeepers to locate hives beyond bee flight range until 1 week after application or to take V Start here beginning on right Panel other equally effective precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is especially formulated to kill insects in vegetable gardens. flower beds, lawns, and shrubs. To protect and provide for healthier more productive vegetables, flowers and shrubs use this product to eliminate the following listed pests:

Mexican Bean Beetle Bean Leaf Beetle Cutworms Stink Bugs Tomato Fruitworm Potato Beetle Ants Bagworms Mosquitoes Sod Webworms Sap Beetles Harlequn Bugs Fireworms

Armyworms Cabbage Worms June Beetlew Rose Aphids Lace Bugs Apple Aphids Leafhoppers Fleabeetles Lygus Bugs Mealy Bugs Cabbage Looper Pickleworm Corn-Borer

Cucumber Beetles Japanese Beetles Corn Earworm Squash Bug Spittlebug Rose Slugs Melonworms Scale Insects Puss Catipilars Fleas

Chinch Bugs Millipedes

FOLIAGE APPLICATION: Thoroughly cover upper and lower leaf surfaces. Apply when insects or their damage is apparent and repeat as necessary. The number in () following each crop indicates days required between last application and harvest; (0) indicates it may be used up to and including day of harvest. This product may by used on the following vegetables:

Squash (0) 0kra (0) Mustard Greens (14) Beans (0) Melons (0) Kale (14) Cucumbers (0) Cabbage (3) Brussels Sprouts (3) Tomatoes (0) Broccoli (3) Radishes (3) Corn (0) Cauliflower (3) Turnips (roots 3, Peppers (0) Collards (14) Tops 14) Potatoes (0) Spinach (14) Kohlrabi (3) Lettuce (head 3 Cantaloupe (0) Rutabaga [(3) 'leaf 14) Garden Beets (roots 3, Pumpkins (0) Carrots (0) Tops 14)

DISPOSALE12 POINT type size

Do not reuse empty container. Wrap container and put in trash collection.

*Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

*SEVIN is a registered trademark of Rhone Poulenc for carbaryl insecticide. *DIPEL is a registered trademark of Abbott Laboratories

Voluntary Purchasing Groups, Inc. Bonham, Texas

EPA Est. No. 7401-TX-1

EPA Reg. No. 7401- 310

Net Contents one Pound