(Front Panel)

Ť

ĩ

۴.

MARKET

Fus

ferti-lome

Ready to Use

Home

å

Garden

Insect Spray

NOVR 0 1982 Under the formation of a cliffle, Funglisher and the product of the Act as an efficiency of the formation registered under HTA Reg. No. 2401-319

····

. . !

** **

ACCEPTED with COMMENTS in EPA Letter Dated;

Kills Insects Fast -

*Piperonyl Butoxide, Technical 0.202 Petroleum Distillate 0.08% Inert Ingredients: 99.70%

*Equivalent to 0.16% (butylcarbityl)(6-propylpiperonyl) ether and 0.04% related compounds. KEEP OUT OF REACH OF CHILDREN CAUTION

> ; ;

See Back Panel For Additional Precautionary Statements

-

--

.

. *

(Back Panel)

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. WHAT IS THIS PACKAGE FOR?

This product is effective in killing annoying and destructive insects in the home & garden. For fast acting, long lasting results, use this product to kill Cockroaches, Spiders, Silverfish, Houseflies, Wasps, Hornets. Yellow Jackets, Fleas, Ticks, Ants, Scorpions, Aphids, Leafhoppers, Flea Beetles, Whiteflies, Cabbage Loopers, Potato Beetles, Webworms, Cabbageworms, Crickets, Cucumber Beetles, Fireworms, Diamond Back Caterpillars, Cross-Striped Cabbageworm, Harlequin Bugs, Mexican Bean Beetles, Boxelder Bugs, Tomato Fruitworms, Stink Bugs, Green Peach Aphids, Bean Leaf Beetles, Japanese Beetles and many others.

2. HOW DO YOU USE IT?

Shake Well Before Use.

ilate before occupying. Repeat as necessary.

IN THE HOME: To kill crawling insects, spray all surfaces where these insects are found. Spray around walls, baseboards, cabinets, shelves, sinks, etc., and similar hiding places. Treat ant trails, nests & runs. When possible, spray insects directly. To control House Flies, Fruit Flies, Mosquitoes, gnats and small flying moths, apply and adjust sprayer to deliver a fine mist. Cover or remove exposed food and food handling surfaces. Close windows, doors and shut off ventilation systems. Spray toward center of room to fill room with mist. Use 4 to 5 ozs. per 1,000 cubic feet space. Keep area closed for a least 30 minutes after treatment. Vacate treated areas and vent-

VEGETABLES, SHRUBS & FLOWERS: Hold sprayer 12 inches from foliage and spray to wet plant surfaces. Repeat as necessary. May be applied on day of harvest. Apply to these plants: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli, Marigolds, Asparagus, Beans, Bro[,] oli, Cauliflower, Cabbage, Brussels Sprouts, Tomatoes, Peppers, Celery, Lettuce, Eggplant, Mustard Greens, Kale, Cabbage, Collards, Turnips, Potatoes, Radishes & Spinach.

WASPS, HORNETS & YELLOW JACKETS: Spray to thoroughly wet nests and these pests on nests. Spray wherever possible, under eaves, into nests, cracks or holes where insects are noticed.

MOSQUITOES: For control outdoors, apply as a fine mist to shrubbery and vegetation where mosquitoes may rest. Also apply around stagnant pools, ponds, swamps and other breeding areas.

PETS: To kill fleas, ticks & lice on pets, thoroughly wet the animal with spray. For best results against fleas & ticks on dogs, the kennels or animal quarters should also be treated.

HORSES: To control Horn flies, House Flies, mosquitoes, and gnats, apply to wet the hair thoroughly with particular attention to topline, underline, flanks, withers and other infested areas. Repeat at 5-12 days for small infestations and as necessary when insects are in large numbers.

3. HERE ARE THE RESULTS YOU MAY EXPECT! A quick, easy and effective kill of destructive, dangerous and disease spreading insects in the home, garden, on shrubs, vegetables, flowers & Pets. DISPOSAL Do not reuse empty container. Wrap container and put in trash collection. PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not apply directly to food. Cover or remove

1

(Back Panel Cont.)

any food or food processing equipment during application. Do not apply while food processing is unlerway. After space spraying, wash all equipment, benches, shelving etc., where exponed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thorougly washed before use. Remove pets, birds and cover fish aquariums before spraying. STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person.

IF INHALED, Remove victim to fresh air. Apply artificial respiration if indicated. IF ON SKIN, Remove contaminated clothing. Wash affected areas with soap and water. IF IN EYES, Flush eyes with plenty of water. Call a physician if irritation persists. ENVIROMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

edemark of Fairfield of American Corporation Funtary Purchasing Groups, Inc. Bonham, Texas

EPA Est. No. 7401-TX-1

a - *

PYRENONE Registered

.

NET CONTENTS 32 OZS.

EPA Reg. No. 7401-319

••••••

Ũ

NOV 51-1982

1 = 1998

Mr. Michael A. Jackson Voluntary Furchasing Groups, inc. P.O. Box 460 Bonham, TX 75418

Dear Mr. Jackson

•

1

Subject: Ferti-Loue(R) Ready To Use Jose and Garden Insect Spray EPA Registration No. 7401-319 Your Amended Application of October 13, 1982

The amendment referred to above, submitted in connection with registration under FIFrA soc. 3(c)(7)(A), is acceptable provide that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFM sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Submit five (5) copies of your Junal printed labeling before you release the product for shipment.

If these conditions are not complete with, the registration will be subject to cancellation in accordance with FIFFA sec. 6(e). Your release for support of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

774

J Franklin D. R. Gee Froduct Hanager (17) Insecticide-Rodenticide Franch Presistration Division (SS-767C)

Unclosure

TS-767C:F.GEE:DCR-29507:UANG-1381C:gam:Raven:479-2013:11/30/82 (3403)