

NOV 14 1991

Mr. Raymond H. Smith
Voluntary Purchasing Groups, Inc.
P.O. Box 460
Bonham, Texas 75418

Dear Mr. Smith:

Subject: Label Amendment-Directions for Use
Ferti-lome Quik-Kill Home and Garden Insect Spray
EPA Registration Number 7401-319
Submission dated October 30, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. Delete the phrase "...and many others" from the section titled "WHAT IS THIS PRODUCT FOR?".
2. Reinstate the following in the PRECAUTIONARY STATEMENTS section of the product label:

In the home, all food processing surfaces and utensils should be covered or removed during treatment, or washed with an effective cleaning compound followed by a potable water rinse prior to use.

3. Provide the basis for the label claim "Long Lasting."
4. Delete the phrases "...dangerous and disease spreading.." and "..disease spreading.." which appear in the section titled HERE ARE THE RESULTS YOU MAY EXPECT!. Claims such as these concerning human health issues require efficacy data to support their use on the product label.

Sincerely,

RFM
Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division

ferti-lome (R)

Ready to Use Quik-Kill

Home and Garden Insect Spray

Kills Insects Fast

- * In The Home
- * On Vegetables
- * On Shrubs & Flowers
- * On Pets

- * Kills Fleas and Ticks In and Around The Home and Yard
- * Fast Acting, Long Lasting, For Indoor and Outdoor Use
- * Ideal for Treating Pets, Pet Sleeping Areas, Localized Areas of Floor & Floor Covering, Closets and Along and Behind Windows, Door Frames and Baseboards.
- * Convenient Trigger Sprayer For Fast & Easy Application.
- * Kills Crickets, Spiders, Silverfish, Cockroaches, Ants, Boxelder Bugs, Houseflies, Gnats, Moths, Clover Mites, Wasps, Hornets, and Yellow Jackets.

ACTIVE INGREDIENTS:

| | |
|--------------------------|---------|
| Pyrethrins..... | 0.02% |
| Piperonyl Butoxide*..... | 0.20% |
| INERT INGREDIENTS..... | 99.78% |
| Total | 100.00% |

*Equivalent to 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% Related compounds.

**ACCEPTED
with COMMENTS
In EPA Letter Dated**

NOV 14 1991

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.**

7401-319

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

(Back Panel)

DIRECTIONS FOR USE: It is a Violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. WHAT IS THIS PRODUCT FOR? ✓

This product is effective in killing annoying and destructive insects in the home and garden. For fast acting, long lasting results, use this product to kill Cockroaches, Spiders, Silverfish, Houseflies, Wasps, Hornets, Yellow Jackets, Fleas, Ticks, Ants, Scorpions, Aphids, Leafhoppers, Flea Beetles, Whiteflies, Cabbage Loopers, Potato Beetles, Webworms, Cabbageworms, Harlequin Bugs, Mexican Bean Beetles, Crickets, Cucumber Beetles, Wireworms, Diamond Back Caterpillars, Cross-Striped Cabbageworm, Boxelder Bugs, Tomato Fruitworms, Stinkbugs, Green Peach Aphids, Bean Leaf Beetles, Japanese Beetles and many others.

Use this product to kill Fleas and Ticks that exist in and around the home and yard. This product is ideal for treating pets, pet sleeping areas, localized areas of floor and floor covering, closets and along and behind windows, door frames and baseboards.

2. HOW DO YOU USE IT? SHAKE WELL BEFORE USING!

IN THE HOME: To kill crawling insects, spray all surfaces where these insects are found. Spray around walls, baseboards, cabinets, shelves, sinks, etc. and similar hiding places. Treat ant trails, nests & runs. When possible, spray insects directly. To control House Flies, Fruit Flies, Mosquitoes, gnats, and small flying moths, apply and adjust sprayer to deliver a fine mist. Cover and remove exposed food and food handling surfaces. Close windows, doors and shut off ventilation systems. Spray toward center of room to fill room with mist. Use 4 to 5 ozs. per 1,000 cubic feet space. Keep area closed for at least 30 minutes after treatment. Vacate treated areas and ventilate before occupying. Repeat as necessary.

TO CONTROL FLEAS INDOORS: Thoroughly apply as a spray for spot treatment to infested areas such as pet beds and resting quarters: nearby cracks and crevices; along and behind window and door frames and localized areas of floor and floor coverings where these pests may be present. Old bedding should be removed and replaced with clean, fresh bedding after treatment of pet areas.

TO CONTROL TICKS; Thoroughly spray sleeping quarters of animals. Spray infested areas around baseboards, window and door frames, wall and floor coverings where localized areas of infestation occur. Applications should be repeated as necessary. Fresh bedding should be placed in animal quarters following treatment.

TREATMENT OF PETS: To kill Fleas and Ticks on pets, thoroughly wet the animal with spray. For best results against Fleas and Ticks on dogs the kennels or animal quarters should also be treated.

OUTDOOR USE: As an aid in reducing annoyance from Fleas, Ticks and other listed insects, Spray outside surfaces of screens, doors, windows, frames, or wherever these pests may enter the home. Also treat surfaces around porches, in garages, around the yard and other places where these pests may congregate.

VEGETABLES, SHRUBS, & FLOWERS: Hold sprayer 12 inches from foliage and spray to wet plant surfaces. Repeat as necessary. May be applied on day of harvest. Apply to the plants: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Cladioli, Marigolds, Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Tomatoes, Peppers, Celery, Lettuce, Eggplant, Mustard Greens, Kale, Cabbage, Collards, Turnips, Potatoes, Radishes & Spinach. WASPS, HORNETS AND YELLOW JACKETS: Spray to thoroughly wet nests and these pests on nests. Spray wherever possible, under eaves, into nests, cracks or holes where insects are noticed.

MOSQUITOES: For control outdoors, apply as a fine mist to shrubbery and vegetation where mosquitoes may rest. Apply around stagnant pools, ponds, swamps and other breeding areas.

HORSES AND CATTLE: To control Horn Flies, House Flies, Mosquitoes, gnats apply to wet the hair thoroughly with particular attention to topline, underling, flanks, withers and other infested areas. Repeat at 5-12 days for small infestations and as necessary when insects are in large numbers.

BEST AVAILABLE COPY

3. HERE ARE THE RESULTS YOU MAY EXPECT!

A quick, easy and effective kill of destructive, dangerous and disease spreading insects in the home, garden, on shrubs, vegetables, flowers, and Pets. When used according to directions, this easy to use effective product will ride your home and property of annoying diseases spreading Fleas and Ticks.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Do not apply directly to food. Cover or remove any food or food processing equipment during application. Do not apply while food processing is underway. Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible vomiting should be induced under medical supervision. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing. Wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crab may be killed at the application rates recommended on this label. Do not apply where these are important resources.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in locked storage area inaccessible to children or pets.

ESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

VOLUNTARY PURCHASING GROUPS, INC.
EPA EST. NO. 7401-TX-1

BONHAM, TEXAS 75418
EPA REG. NO. 7401-319

NET CONTENTS _____ FL. OZS.

BEST AVAILABLE COPY