

NOV 5 2001

Ms. Mary Beth Endres
Agent
VOLUNTARY PURCHASING GROUPS, INC
2001 Diamond Ridge Drive
Carrollton, TX 75010-4509


SUBJECT: Label Amendment
fert-lome St. Augustine Weed and Feed, EPA Reg. No. 7401-336
Your Application Dated October 18, 2001

The above mentioned amendment submitted in connection with registration under Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable provided you make the required changes listed below:

1. Under "First Aid" delete "information" from the sentence "You may want to contact 911.....".
2. Under "Environmental Hazard" change "water table (ground water) is close to the surface...." to "water table is within 3 feet of the surface".

A stamped copy is enclosed for your records. Please submit one(1) final printed copy for the above mentioned label before releasing the product for shipment. The amended labeling supersedes all previously accepted ones.

Sincerely,



James Tompkins
Product Manager, (25)
Herbicide Branch
Registration Division (7505C)

Enclosure

CONCURRENCES

SYMBOL ▶	7505C							
SURNAME ▶	MINOR, E.							
DATE ▶	Nov 5, 2001							

276

ACCEPTED
with COMMENTS
In EPA Letter Dated

NOV 5 2001

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
7401-336

[FRONT PANEL]

ferti•lome® St. AUGUSTINE WEED & FEED

[Optional proposed text appears in brackets - the final label may include some or all of the optional text]

[Kills Weeds and Feed Your Lawn]

[Coverage - Up To 2500 Sq. Ft.]

[Use on St. Augustine, Zoysia, Centipede, and Carpetgrass Lawns Only]

[Do not use on Bluegrass, Fescue, Bent, Bahia, Rye, Bermuda or Dichondra lawns]

[Controls Crabgrass, Sedge, Spotted Spurge and Paspalum When Applied Before These Weeds Germinate]

Fertilizer Lawns And Kills The Following Listed Weeds In One Easy Step!

Dandelion	Plantain	Shepherdspurse
Pennywort	Lippia	Virginia Pepperweed
Chickweed	Black Medic	Red Sorrel
Sandbur	Evening Primrose	Stinging Nettle
Henbit	Rabbit Tobacco	Wild Mustard
Common Purslane	Annual Sowthistle	Dock
Burclover	Blue Toadflax	Rescuegrass
Florida Betony	Cranesbill	Pigweed
Florida Pusley	Dollarweed	Venus Lookingglass
Creeping Charlie	Oxalis	

ACTIVE INGREDIENT:

Atrazine: 2-chloro-4-ethylamino-6-isopropylamino-s-triazine	0.79%
Related Compounds	0.04%

INERT INGREDIENTS: 99.17%


TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT _____ LBS.



[BACK PANEL]

ferti•lome®
St. AUGUSTINE
WEED & FEED
20-4-4
GUARANTEED ANALYSIS

Total Nitrogen (N)	20.0%
00.50% Ammoniacal Nitrogen	
19.50% Urea Nitrogen	
Available Phosphoric Acid (P ₂ O ₅)	4.0%
Soluble Potash (K ₂ O)	4.0%
Derived from - Primary Plant Nutrient Sources: Ammonium Phosphate, Urea, Muriate of Potash.	
Chlorine, not more than	4.0%

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation or contact with eyes. Wash thoroughly after handling or using. Keep children and pets off treated areas until material is washed into the soil.

STORAGE AND DISPOSAL

STORAGE: Keep out of reach of children and pets. Store in original containers only. Store in cool, dry place and avoid excess heat.

DISPOSAL: **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID	
If Swallowed	<ul style="list-style-type: none"> • Call poison control center or immediately for treatment advice. • Have person sip a glass fo water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none"> • Move victim to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.

If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice
If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for help. You may also want to contact 911 for emergency medical treatment information.</p>	
<p>NOTE TO PHYSICIAN: There is no specific antidote for atrazine. If this product is ingested, induce emesis or lavage stomach. The use of an aqueous slurry of activated charcoal may be considered.</p>	

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which maybe used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

This product is toxic to aquatic invertebrates. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to aquatic organicism in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCT, OR FOR RESEARCH PURPOSES.

1. WHAT IS THIS PACKAGE FOR?

This product is especially formulated to promote deep green, thick turf growth and eliminate unsightly weeds.



[BACK PANEL CONTINUED]

2. HOW DO YOU USE IT?

To prevent growth of Crabgrass, Sedge, Spotted Spurge, and Paspalum, apply in January, February or March before these weeds germinate. These weeds will not be controlled if they are present in the lawn at the time of application. Apply in Fall to prevent winter weeds such as Henbit, Chickweed, Rabbit Tobacco and Evening Primrose.

To kill other listed weeds, apply anytime weeds are present and actively growing. Repeat in 2 months if needed.

If soil is dry, water thoroughly the date before treatment. Treat entire lawn evenly. Immediately after application, water to wash particles of grass blades.


NOTE: Don't apply under the brand spread (rootzone) area of trees and shrubs in compact, slowly draining soils (particularly in the Dall/Ft. Worth area). Don't use a Centipede or Carpetgrass lawns during the period of winter dormancy (approximately October 15 to March 15), except in Florida. Don't make applications to St. Augustine, Zoysia, Centipede or Carpetgrass laws containing other grasses. Don't apply to newly seeded Zoysia, Centipede or Carpetgrass lawns until after the new grass has been mowed at least twice. Don't plan sprigs for one month, or sow new grass seed for six months following application of this product. Don't apply on bedding plants or ornamental trees and shrubs.

ONE BAG COVERS 2500 SQ. FT.

SPREADER	SPREADER SETTING*
ferti•lome® CYCLONE/BROADCAST**	4 1/2
ferti•lome® DELUXE/DROP	9 3/4
Central (Sears, Wards, J.C. Penny)	9 3/4
Scotts/DROP	10

*These settings can be used only as a guide; they are not absolute. The speed at which the applicator walks, spreader condition and turf texture will alter the rate of fertilizer application.

**Due to the wide swath, use broadcast lawn spreaders in open area only; avoid trees, shrubs, and flowers. To prevent over application and possible injury, spreader passes should be spaced an adequate distance apart to assure uniform coverage.



[BACK PANEL CONTINUED]

3. **HERE ARE THE RESULTS YOU SHOULD EXPECT!**

Green, luxurious weed free lawns can be expected with the effective, easy-to-use product.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

VOLUNTARY PURCHASING GROUPS, INC.
P.O. BOX 460
BONHAM, TX 75418

EPA Reg. No. 7401-336
EPA Est. No. 7401-TX-1

REVISED: 10-18-01
SAMA IN VOLUNTARY PURCHASING GROUPS FERTI-LOME ST. AUGUSTINE WEED & FEED

