

7401-336

12/13/2005

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

12-13-05

Michael Jackson
Brazos Associates, Inc.
1806 Auburn Drive
Carrollton, Texas 75007-1451

Subject: EPA Reg. No. 7401-336/ fertilome St. Augustine Weed & Feed Label Amendment

Dear Mr. Jackson:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided you make the following changes to the label:

1. The revised CSF's dated 10/3/2005 are acceptable.
2. Reduce the application rate to no more than 2.0 pounds active ingredient per year.
3. To the Storage and Disposal section change "Storage" to "Pesticide Storage" and "Disposal" to "Pesticide Disposal".
4. Add to "Note" on the last page of the label, "To the fullest extent provided by law the Buyer assumes all risks of use,....".

Amended labeling will supercede all previous accepted ones. A stamped copy of labeling is enclosed for your records. Submit one (1) copy of final printed labeling before you release the product for shipment. If you have any questions please call Erik Kraft at 703-308-9358

Sincerely,

A handwritten signature in black ink, appearing to read "James A. Tompkins".

James A. Tompkins
Product Manager 25
Herbicide Branch
Registration Division (7505C)

2/7

ACCEPTED
with COMMENTS
in EPA Letter Dated

12-13-05
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
7401-336

[FRONT LABEL PANEL]

ferti•lome®
**St. AUGUSTINE
WEED & FEED**

[Optional proposed text or claims on this label appears in brackets - the final label may include some or all of the optional text or claims]

[Kills Weeds and Feeds Your Lawn]

[Kill Weeds & Feed Your Lawns]

[Coverage (or, Covers) - Up To 2500 Sq. Ft. (NOTE: This coverage statement is for a 16 lb. bag size. Coverage statement may vary depending on the size/weight of the market bag - i.e.

“Coverage or Covers Up To 5,000 Sq. Ft.” for 32 lb. bag size]

[Use on St. Augustine, Zoysia, Centipede, and Carpetgrass Lawns Only]

[Do not use on Bluegrass, Fescue, Bent, Bahia, Rye, Bermuda or Dichondra lawns]

[Controls Crabgrass, Sedge, Spotted Spurge and Paspalum When Applied Before These Weeds Germinate]

Fertilize Lawns And Kills The Following Listed Weeds In One Easy Step!

Dandelion	Plantain	Shepherdspurse
Pennywort	Lippia	Virginia Pepperweed
Chickweed	Black Medic	Red Sorrel
Sandbur	Evening Primrose	Stinging Nettle
Henbit	Rabbit Tobacco	Wild Mustard
Common Purslane	Annual Sowthistle	Dock
Burclover	Blue Toadflax	Rescuegrass
Florida Betony	Cranesbill	Pigweed
Florida Pusley	Dollarweed	Venus Lookingglass
Creeping Charlie	Oxalis	

ACTIVE INGREDIENTS:

Atrazine: 2-chloro-4-ethylamino-6-isopropylamino-s-triazine 0.79%
Related Compounds 0.02%

OTHER INGREDIENTS: 99.19%

TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT _____ LBS.

[BACK LABEL PANEL]

ferti•lome®
St. AUGUSTINE
WEED & FEED
[Reserved for N-P-K Claim]
GUARANTEED ANALYSIS

- [Total Nitrogen (N) ____%]
 - [____% Ammoniacal Nitrogen]
 - [____% Urea Nitrogen]
 - [____% Nitrate Nitrogen]
 - [____% Water Insoluble Nitrogen]
 - [____% Other Forms of Nitrogen as Officially Recognized by
State and Federal Association of American Plant Food Control Officials]
- [Available Phosphate (P₂O₅) ____%]
- [Soluble Potash (K₂O) ____%]
- [Boron (B) ____%]
- [Copper (Cu) ____%]
 - [____% Water Soluble Copper (Cu)]
- [Iron (Fe) ____%]
 - [____% Water Soluble Iron (Fe)]
- [Manganese (Mn) ____%]
 - [____% Water Soluble Manganese (Mn)]
- [Zinc (Zn) ____%]
 - [____% Water Soluble Zinc (Zn)]

[Other Recognized and Determinable Nutrients, elemental basis]
Derived From: [NOTE: Registrant or subregistrant to list all plant food materials to cover above "GURANTEED ANALYSIS" claims. (example - Urea, Muriate of Potash, Sodium Borate, Copper Sulfate, Iron Sulfate, Manganese Sulfate, Zinc Sulfate.) This product will contain no more than 20% Total Nitrogen content]

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. Avoid inhalation or contact with eyes. Wash thoroughly after handling or using. Keep children and pets off treated areas until material is washed into the soil. Do not apply granular lawn products by hand. Avoid contact with hands or skin. Broadcast applications must NOT be made using hand-held devices, such as a belly grinder or handheld rotary applicator. Such equipment may only be used for spot treatments.

[BACK LABEL PANEL CON'T]

FIRST AID	
If Swallowed	<ul style="list-style-type: none"> • Call poison control center or immediately for treatment advice. • Have person sip a glass fo water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none"> • Move victim to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice
If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for help. You may also contact 1-800-222-1222 or 1-800-900-4044 for emergency medical treatment information.</p>	
<p>NOTE TO PHYSICIAN: There is no specific antidote for atrazine. If this product is ingested, induce emesis or lavage stomach. The use of an aqueous slurry of activated charcoal may be considered.</p>	

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which maybe used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine on sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where the surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[BACK LABEL PANEL CON'T]

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed product, or for research purposes.

GENERAL PRECAUTIONS AND RESTRICTIONS

Do not enter or allow others to enter until dusts have settled. Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. This product must be watered in immediately after application. Do not enter or allow others (including children or pets) to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

[1. WHAT IS THIS PACKAGE FOR?][GENERAL]

[This product is especially formulated to promote deep green, thick turf growth and eliminate unsightly weeds.]

[2. HOW DO YOU USE IT?][HOW TO USE]

To prevent growth of Crabgrass, Sedge, Spotted Spurge, and Paspalum, apply in January, February or March before these weeds germinate. These weeds will not be controlled if they are present in the lawn at the time of application. Apply in Fall to prevent winter weeds such as Henbit, Chickweed, Rabbit Tobacco and Evening Primrose.

To kill other listed weeds, apply anytime weeds are present and actively growing. Repeat in 2 months if needed.

If soil is dry, water thoroughly the day before treatment. Treat entire lawn evenly. Immediately after application, water to wash particles of grass blades.

NOTE: Don't apply under the brand spread (root-zone) area of trees and shrubs in compact, slowly draining soils (particularly in the Dallas/Ft. Worth area). Do not use on Centipede or Carpetgrass lawns during the period of Winter dormancy (approximately October 15 to March 15), except in Florida. Do not make applications to St. Augustine, Zoysia, Centipede or Carpetgrass lawns containing other grasses. Do not apply to newly seeded Zoysia, Centipede or Carpetgrass lawns until after the new grass has been mowed at least twice. Do not plant sprigs for one month, or sow new grass seed for six months following application of this product. Do not apply on bedding plants or ornamental trees and shrubs.

[BACK LABEL PANEL CON'T]

[3. HERE ARE THE RESULTS YOU SHOULD EXPECT!]

Green, luxurious weed free lawns can be expected with this effective, easy-to-use product.

SPREADER GUIDE:

ONE BAG WILL COVER UP TO [2,500] SQUARE FEET

These settings can be used only as a guide, they are not absolute. The speed at which the applicator walks, spreader condition and the texture of the turf will alter the rate of application. Due to the wide swath, use broadcast lawn spreaders in open areas only: avoid trees, shrubs and flowers. To prevent over application and possible injury, spreader passes should be spaced an adequate distance apart to assure uniform coverage.

[PICTURE OF APPLICATION PATTERN]

NOTE: Spreader name and appropriate spreader settings will be included on final printed labeling.

SPREADER	SPREADER SETTINGS
X	X
X	X
X	X
X	X
X	X
X	X
X	X
X	X
X	X

777

[BACK LABEL PANEL CON'T]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Keep out of reach of children and pets. Store in original containers only. Store in cool, dry place and avoid excess heat.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the user or buyer.

VOLUNTARY PURCHASING GROUPS, INC.

P.O. BOX 460

BONHAM, TX 75418

EPA Reg. No. 7401-336

EPA Est. No. 7401-TX-1

Visit us at: www.v-p-g.com

REVISED: 10-15-05

S:\Main\Voluntary Purchasing Groups\Atrazine\EPA SRRD\fl St. Augustine Weed & Feed Labeling 10-15-05.wpd