

BEST DOCUMENT AVAILABLE

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of feed or foodstuffs.

STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. **IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated. **IF ON SKIN:** Remove contaminated clothing. Wash affected areas with soap and water. **IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS
Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.
Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.
Voluntary Purchasing Group, Inc.
Bonham, Texas

EPA Reg. No. 7401-343



ferti-lome



Rooting Powder

• Improves and Accelerates Root Growth of Plant Cuttings

• Easy To Use

ACTIVE INGREDIENT:

Indole-3-butyric Acid

0.1%

INERT INGREDIENTS:

99.9%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WHAT IS THIS PACKAGE FOR?
Use this product to promote earlier development of feeder roots and improve survival of new plant cuttings.

HOW DO YOU USE IT?
Select sturdy cuttings from healthy plants. Dip the cutting into the product about 1/2" deeper than it will be set in the rooting medium. Tap off excess powder. Insert cutting in a hole in the rooting media. Being careful not to rub off rooting powder when planting.
Among the plants that will root are African Violet, Carnation, Chrysanthemum, Poinsettia, Philodendron, Begonia, Azalea, Ceranium, Boxwood, Rose, Bougainvillea, Cosmos, Eucalyptus, Fuchsia, Hydrangea, Jasmine, Mock Orange, Raspberry, Sage, Verbena and Willow.

HERE ARE THE RESULTS YOU MAY EXPECT:
Earlier development of feeder roots, improved plant survival, and a more uniform plant growth on new plant cuttings.

DISPOSAL

ACCEPTED

MAY 24 1982

7401-343