[FRONT LABEL PANEL]

ferti-lome® Rooting Powder

For Easy To Propagate Plants such as common shrubs and greenhouse plants.

ACTIVE INGREDIENT:

Indole-3-butyric acid	0.10%
OTHER INGREDIENTS:	<u>99.90%</u>
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back/Side Label Panel for Additional Precautionary Statements

Voluntary Purchasing Groups, Inc. P.O. Box 460 Bonham, TX 75418 903-583-5501

> EPA Reg. No. 7401-343 EPA Est. No. 7401-TX-1

Visit us at: www.v-p-g.com

A	C	C	E	P	1	E	D
i			_		4 /	,	

oet 3/2005

ones the recerci insecticides, fungicida, and Rodenticido Act, as amended, for the posticide registered under EPA Reg. No. 7401-343

- "--

[BACK/SIDE LABEL PANEL]

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-222-1222 or 1-800-900-4044 for emergency medical treatment information.				
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 			
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 			
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 			

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes substantial but temporary eye injury. Harmful if absorbed through the skin or inhaled. Do not get in eyes, on clothing, or on skin. Wear appropriate protective eyewear such as goggles, face shield, or safety glasses. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE) REQUIREMENTS

Applicators and other Handlers must wear:

- Long sleeved shirt and long pants
- Waterproof Gloves
- Shoes plus Socks
- Protective eyewear
- For exposures in enclosed areas or outdoors, dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any R, P or HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

[BACK/SIDE LABEL PANEL]

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE ON ORNAMENTAL PLANTS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURE USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry (REI) of 12 hours. EXCEPTION: If the product is soil injected or soil incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

[BACK/SIDE LABEL PANEL]

TYPICAL PLANTS ROOTED WITH THIS STRENGTH

African violet, Azalea Pink Pearl, Azalea Snow, Begonia, Bougainvillea, Carnation, Chrysanthemum, Coleus, Euonymus, Fuchsia, Geranium, Hydrangea, Jasmine, Mock Orange, Philodendron, Poinsettia, Raspberry, Rose, Sage, Verbena, Willow.

Do not use on plants that are to be used for food or feed.

- 1. There should be as little time as possible between the time of making cuttings, treating with rooting powder and planting.
- 2. Cuttings should be moistened before treatment and then excess moisture shaken off. Do not wet "hairy" cuttings.
- 3. Dip basal ends of cuttings into ferti-lome® Rooting Powder.
- 4. Shake off excess powder by tapping cuttings.
- 5. Plant treated cuttings in rooting media, being careful not to rub off rooting powder when planting.

Inhibition of root formation is possible by the use of too high a concentration of rooting powder. It is essential for successful propagation that the proper strength rooting powder for the species involved be chosen.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller.

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage and disposal.				
Pesticide Disposal	Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.			
Container Disposal	Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.			

5/5

[BACK/SIDE LABEL PANEL]

NOTICE: Seller makes no warranty or guarantee of any kind, express or implied, concerning effects of use of this product, other than those specified on this label. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

10-3-2005

S:\Main\Voluntary Purchasing Groups\Labels - ferti-lome Brand\fl Rooting Powder