(Front Panel)



ferti-lome

Improved

Rose Spray

- o Controls black spot & botrytis blossom blight
- o Kills aphids, mites, leafhoppers, thrips, japanese beetles & certain other insects that are especially harmful to roses.
- o 5 tablespoons makes one gallon of spray.
- o 1 pint makes 32 gallons of spray.

Active Ingredients:
*Methoxychlor, Technical 9.60%
**Malathion 8.07%
***Captan 6.05%
Related Derivatives 0.35%
Xylene Range Aromatic Solvent 48.95%
Inert Ingredients:
*Equivalent to 8.45% 2,2bis(p-methoxyphenyl)-1,1,1-
trichloroethane and 1.15% other isomers and related products.
**0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate
***N-Trichloromethinthio-4-cyclohexene-1,2-dicarboximide ;;
10

Keep Out Of Reach Of Children DANGER

See back panel for additional precautionary statements

2/

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. WHAT IS THIS PACKAGE FOR?

ferti-lome Improved Rose Spray was compounded to kill harmful sucking and chewing insects and to control damaging Black Spot and Botrytis Blosse Blight for healthy, beautiful roses.

Use ferti-lome Improved Rose Spray to kill the following insects that most frequently attack and damage Roses: Rose Aphids, Rose Curculio, Rose Scale, Rose Leafhoppers, Western Flower Thrips, Rose Grass Aphids, Rose & Bearberry Aphids, Rose Chafer, Rose Slugs, Webworms. Obliquibanded Leafroller, Fruittree Leafroller, Tent Caterpillars, Apple Leafhoppers, San Jose Scale, Wildrose Bud Mites, Two-Spotted Mites, Cyclamen Mites, Potatoe Aphids, Greenhouse Whitefly, Lesser Appleworms, Greenhouse Leaftier, and Flea Beetles.

2. HOW DO YOU USE IT?

SHAKE WELL BEFORE USING OR SAMPLING: Mix 5 tablespoons per 1 gallon of water. Apply as a thoroughly full coverage spray. Spray entire plant until wet. Apply when insects or disease appears. Repeat at 7-10 day intervals.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

When used as directed, ferti-lome Improved Rose Spray will kill insects and control Black Spot and Botrytis Blossom Blight and thus aid you in growing healthy, beautiful and productive Roses.

STORAGE: Store in original container and place in a locked storage area. DISPOSAL: Do not reuse container. Discard in trash. Securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin or clothing. Remove and separately launder clothing before reuse. Wear natural or synthetic rubber, vinyl or plastic gloves impermeable to captan when using indoors or outdoors. When using outdoors wear long pants and long-sleeved shirt and apply with the wind to your back. Wash nondisposable gloves thoroughly with soap and water before removing. Clothing worn while handling this product must be laundered separately from other clothing before reusing.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed-Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not abailable, drink large quantities of water. Avoid alcohol Get Medical attention immediately.

If On Skin -Remove contaminated clothing. Wash affected areas with soap and water.

If Inhaled -kemove victim to fresh air. Apply artificial respiration if indicated.

If In Eyes -Flush eyes with water. Get Medical Attention Immediately.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contiminate water by cleaning of equipment or disposal of wastes.

ENDANGERED SPECIES RESTRICTIONS

The use of this product in a manner which may harm endangered species or adversely modify their habitat is prohibited by Federal law. The following endangered species and the general location of their habitats have been identified by county:

Slackwater Darter,

Alabama (Lauderdale, Limestone and Madison)

Tennessee (Lawrence and Wayne)

Pecos gambusia.

New Mexico (Chaves and Eddy)

Texas (Reeves, Jeff Davis and Pecos)

Fresh Mussels.

Tennesse (Hancock, Claiborne, Hawkins and

Sullivan)

Virginia (Smyth, Scott, Lee, Washington and

Grayson)

Commanche Springs Pupfish,

Texas (Reeves and Jeff Davis)

Prior to use of this product in the above counties you must determine that these species are not located in, or immediately adjacent to, the areas to be treated with captan. Consult your regional U.S. Fish and Wildlife Service office (Endangered Species Specialist) or State Wildlife Agency if there is any doubt as to the areas where the outdoor use of captan is prohibited.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this material to conform to the chemical description on the label and is suited for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the user or buyer.

Voluntary Purchasing Groups, Inc.

Bonham, Texas 75418

EPA Est. No. 7401-TX-1

NET CONTENTS FL.OZS.

EPA Reg. No. 7401-355