



007401-00366-120883

Printed: 07:24:03 Friday, 18 Jun, 1999 # 47 / 3325

Systems Integration Group, Inc.

PM 25

7401-366

12/08/83

page 1 of 5

Mr. Matthew D. Vickers
Voluntary Purchasing Group, Inc.
P.O. Box 460
Bonham, TX 75418

DEC 8 1983

Dear Mr. Vickers:

Subject: Methanearsonates
Ferti-lome Nutgrass Killer
EPA Registration No. 7401-7
Ferti-lome Nutgrass & Weed Killer
EPA Registration No. 7401-31
Ferti-lome Decimate + Surfactant
EPA Registration No. 7401-45
Hi-Yield DSMA Liquid Herbicide
EPA Registration No. 7401-130
Ferti-lome Liquid Nutgrass Killer
EPA Registration No. 7401-168
Hi-Yield Super Decimate
EPA Registration No. 7401-215
Ferti-lome Dandelion and Crabgrass Killer
EPA Registration No. 7401-263
Ferti-lome Bermuda Grass Weeder
EPA Registration No. 7401-332
Hi-Yield Herbicide
EPA Registration No. 7401-358
Ferti-lome Improved Bermuda Grass Weeder
EPA Registration No. 7401-366
Your Submission dated November 22, 1983

The amendments referred to above, submitted in connection with registration under FIFRA are acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Change the statement to read - Keep children and pets off treated area until material is washed into soil.
 - b. Under the human hazard statement, change the first sentence to read - Harmful if swallowed. For EPA Registration No. 7401-358,

CONCURRENCES

SYMBOL ▶	SURNAME ▶	DATE ▶						

your previously accepted labeling read - Harmful if swallowed or inhaled.

- c. For registration 7401-263, reinstate - Causes irritation of eyes and skin.
- 2. Submit one (1) copy of your final printed label for each product before you release the product for shipment.

A stamped copy of each label is enclosed for your records.

Sincerely yours,

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

DCR-10811;Mountfort:12/7/83:del.12/19/83:RD-17:tar

ACCEPTED
with comments
DEC 8 1983 *lfr*
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. **7401-366**

ferti-lome
R

Improved
 Bermuda Grass

Weeder

- ° Kills Weeds in Bermuda Grass...Including Dallis Grass, Nutgrass, Crabgrass, Dandelion, Johnson grass, Morning Glory and Many Other.
- ° Mix 2 ozs. with each Gallon of Water.
- ° 1 Pint treats 8,000 sq. ft.
- ° Use Only When Temperature is Above 70°F.

ACTIVE INGREDIENTS:

*Monosodium Acid Methanearsonate.....	33.97%	✓
Sodium Cacodylate.....	9.11%	
INERT INGREDIENTS:.....	56.92%	
TOTAL.....	100.00%	

*Total arsenic (~~as~~ elemental) all in water soluble form..... 20.1%
 (Product contains 0.96% Cacodylic acid equivalent per gallon)

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. WHAT IS THIS PACKAGE FOR?

ferti-lome IMPROVED BERMUDA GRASS WEEDER is especially formulated to kill Dallis Grass, Crabgrass, Nutgrass, Dandelion, Johnson grass, Morning Glory and other listed weeds in Bermuda grass lawns.

2. HOW DO YOU USE IT?

Use in a tank type sprayer. Mix 2 ozs. with each gallon of water. Use 2 ozs. of product to cover 1,000 sq. ft. Spray to thoroughly saturate weeds. Two or three treatments are usually necessary at 7 - 14 day intervals. Bermuda grass may be temporarily discolored after treatment, but will come back quickly depending on moisture and plant food available to grass. For best results mow lawn grasses before application. Do not apply with hose-end applicator.

NOTE: Do not spray seeded lawns until second year. Do not use on St. Augustine, Carpet, Centipede, Bahia or Dichondra grass lawns. Avoid contact with desirable vegetation such as shrubs, flowers and other ornamentals. If contact occurs, wash off immediately with water.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

This effective weed killer will control unsightly Dallis grass, Crabgrass, Nutgrass, Dandelion, Johnson grass, Morning Glory and other listed weed growth for a more beautiful and uniform appearance of Bermuda Grass lawns.

STORAGE: Store in original container and place in a locked storage area.

DISPOSAL: Do not reuse container. Rinse thoroughly and securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Keep children and pets off treated area until foliage is dry. Wear protective clothing when handling or applying this product, including long pants, long-sleeve shirt, and impermeable gloves and boots.

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

Do not apply directly into water. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NOTE: Do not spray or allow to drift onto desirable vegetation.

*Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

