

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

AUG 2 1 2003

Ms. Marla Jackson Brazos Associates, Inc. 1806 Auburn Drive Carrolton, TX 75007

Subject: I

Fertilome Improved Bermuda Grass Weeder

EPA Registration No. 7401-366

Your amended labeling submitted August 19, 2002

Dear Ms. Jackson:

The amended labeling referred to above is acceptable provided you adhere to the following conditions:

- 1. Make the following changes to your labeling:
 - a. On the first page, immediately following the product name, add "for use on bermuda grass lawns"..
 - b. In the "How do you use it" section, clearly state the maximum application rates for MSMA and cacadylic acid in lbs per unit area (with oz of product per unit area in parentheses) per application and per year.
 - c. In the "Environmental Hazards" section, change "disposal of wastes" to "disposing of equipment washwaters or rinsate".
- 2. Submit one copy of final labeling of this labeling for this product.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

This labeling supercedes all previously accepted labeling for this product (except supplemental labeling). A stamped copy of the label is enclosed for your records.

If you have any questions about this letter, you may call Tobi Colvin-Snyder at 703-305-7801.

Sincerely,

Jim Tompkins

Product Manager (25)

Herbicide Branch

Registration Division (7505C)

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

[FRONT LABEL PANEL]

ferti•lome®

Improved Bermuda Grass Weeder

[Optional proposed text appears in brackets - the final label may include some or all of the optional text]

- Kills Weeds in Bermuda Grass Including Dallis Grass, Nutgrass, Crabgrass, Dandelion, Johnson Grass, Morning Glory and Many Others.]
- [Mix 2 ozs. with each Gallon of Water]
- [• 1 Quart [Pint] Treats 16,000 [8,000] sq. ft.]
- [● Use Only When Temperature is above 70°F]

ACTIVE INGREDIENTS:

Monosodium Methanearsonate	33.97%
Sodium Cacodylate	9.11%
Dimethylarsenic Acid (Cacodylic Acid)	
INERT INGREDIENTS:	55.35%
TOTAL:	100.00%

Total arsenic (as elemental) all in water soluble form 20.1% Product contains 0.96% Cacodylic acid equivalent per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back/Side Label Panel For Additional Precautionary Statements

Net Contents

[FRONT LABEL PANEL - RIGHT SIDE]

KILLS

Dallis Grass

Nutgrass

Crabgrass

Dandelion

Nutsedge

Johnson Grass

Sandbur

Barnyard Grass

Carpet Grass

Chickweed

Goosegrass

Watergrass

Witchgrass

Cocklebur

Green Foxtail

Ragweed

Yellow Foxtail

Wood Sorrel

[BACK/SIDE LABEL PANEL]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WHAT IS THIS PACKAGE FOR?

ferti•lome® IMPROVED BERMUDA GRASS WEEDER is especially formulated to kill Dallis Grass, Crabgrass, Nutgrass, Dandelion, Johnson Grass, Morning Glory and other listed weeds in Bermuda Grass lawns.

2. HOW DO YOU USE IT?

Use in a tank type sprayer. Mix 2 ozs. with each gallon of water. Use 2 ozs. of product to cover 1,000 sq. ft. Spray to thoroughly saturate weeds. Two or three treatments are usually necessary at 7-14 day intervals. Bermuda grass may be temporarily discolored after treatment, but will come back quickly depending on moisture and plant food available to grass. For best results mow lawn grasses before application.

NOTE: Do not apply with hose-end applicators. Do not spray seeded lawns until second year. Do not use on St. Augustine, Carpet, Centipede, Bahia or Dichondra grass lawns. Avoid contact with desirable vegetation such as shrubs, flowers and other ornamentals. If contact occurs, wash off immediately with water.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

This effective weed killer will control unsightly Dallis Grass, Crabgrass, Nutgrass, Dandelion, Johnson Grass, Morning Glory and other listed weed growth for a more beautiful and uniform appearance of Bermuda Grass lawns.

STORAGE AND DISPOSAL

STORAGE: Store in original container. Keep in an area inaccessible to children and pets. DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of feed or foodstuffs. Keep children and pets off treated areas until material is washed into the soil. Wear protective clothing when handling or applying this product, including long pants, long-sleeve shirt and impermeable gloves and boots.

[BACK/SIDE LABEL PANEL]

FIRST AID	
If swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 or 1-800-900-4044 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment washwaters. Do not feed treated foliage to livestock or graze treated areas. Do not spray or allow drift on to vegetables, ornamentals or other desirable plants. Do not apply when weather conditions favor drift from target areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

*Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Voluntary Purchasing Groups, Inc. P.O. Box 460 Bonham, TX 75418

> EPA Reg. No. 7401-366 EPA Est. No. 7401-TX-1