



(Front Panel)

ACCEPTED  
with COMMENTS  
to EPA Letter # 1282

MAR 17 1983

Under the provisions of the  
Fungicide, Insecticide, and  
Plant Growth Regulator Act  
Registration No. 1282-200  
7401-313

Hi-Yield(R)

Bordeaux

Mix

Fungicide

\* For Disease Control On ... Fruits, Vegetables,  
Shrubs, Trees & Flowers.

\* 1 lb. Makes up to 12 1/2 Gallons of Spray.

Active Ingredient:	
Copper, expressed as metallic copper .....	12.5%
Inert Ingredients: .....	87.5%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

BEST DOCUMENT AVAILABLE

7-11-313

(Back Panel)

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Hi-Yield LORDEAUX MIX FUNGICIDE effectively controls fungus diseases on Fruits, Vegetables, Shrubs, Trees & Flowers.

Mix 8-9 level tablespoonsful per gallon of water (or 1 lb. in 6 1/2 gallons water). Spray to wet entire plant.

PLANT	DISEASES	APPLICATION
Iris, Chrysanthemum	Leaf Spot, Blight	Apply as growth starts in spring. Repeat as needed.
Lilies, Dahlias	Botrytis Blight	Repeat at 10 day intervals if plants have diseases
Tulips, Gladioli, Hollyhock, Phlox	Anthracnose, Leaf Spot	Spray after periods of wet weather.
Pansy	Downy Mildew	Spray every 2 weeks during growing season.
Barberry	Bacterial Leaf Spot	Apply when new leaves appear. Repeat 2-3 times, 10 days apart.
Boxwood	Canker	Spray twice in Spring and twice in summer.
Laurel, Lilac	Leaf Blight	Spray when new leaves appear, repeat twice 10 days apart.
Elm, Linden, Maple, Oak, Sycamore	Leaf Spot, Anthracnose	Spray new growth in spring and twice in summer.
Pines	Needle Blight	Spray new growth in spring.
Yew	Twig Blight	Repeat twice, one week apart.
Willow	Twig Blight Black Canker	Repeat twice, 2 weeks apart, spray when new leaves are 1/2" long. Prune heavily to remove diseased parts.
Grapes	Blight, Black Rot	Apply in spring and/or early summer, repeat as needed.
Apples	Blight, Bitter Rot, Black Rot, Late Leaf	Apply in spring and/or early summer, repeat as needed.
Peaches	Blight, Leaf Curl	Apply when trees are in bud in spring or fall.

(Back Panel Cont.)

HALF-STRENGTH FORMULA FOR TENDER PLANTS, apply 4-4½ level tablespoonsfull per gallon of water (or ½ lb. to 6½ gallons water).

PLANT	DISEASE	APPLICATION
Geranium, Ivy, Peony, Celery, Strawberry, Tomato	Blight, Leaf Spot	Apply in spring and for early summer. Repeat as needed.
Arborvitae, Cypress, Juniper, Dogwood	Leaf Blotch, Coryneum Blight, Twig Blight, Leaf Spot.	Apply in early Spring, repeat at 2-week intervals as needed.
Rhododendron, Azalea	Dieback	Spray as new leaves appear. Repeat 2 weeks later. Prune and distroy affected twigs.

NOTE: Do not apply during cool, damp weather. It may cause "burning" or "spotting" of leaves. Young tender leaves of peach, plum, apple and rose are susceptible to spray injury.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed or feedstuffs.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink promptly a large quantity of milk, egg white, gelatin solution or, if these are not available, drink large quantities of water. Call a physician immediately.

IF IN EYES: Flush eyes with plenty of water. Get medical attention..

IF ON SKIN: Wash affected areas with plenty of soap and water.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Avoid contamination of water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Voluntary Purchasing Groups, Inc.

EPA Est. No. 7401-TX-1

Bonham, Texas

EPA Reg. No. 7401-

<b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b> <b>OFFICE OF PESTICIDES PROGRAMS</b> <b>REGISTRATION DIVISION (WH-567)</b> <b>WASHINGTON, D.C. 20460</b>	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	MAR 17 1997
	NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide          and Rodenticide Act, as amended.)</i>	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
161 91959 18 1		
<b>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</b>		
<b>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</b>		
<b>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</b>		
<b>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</b>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

# SEED SHIELD POTATO SEED TREATER

WITH CAPTAN - STREPTOMYCIN

ACTIVE INGREDIENTS:	BY WT.
CAPTAN N-[1-Trichloromethylthio]-	
-4-Cyclohexene-1,2-dicarboximide	7.10%
Related Derivatives	0.10%
Streptomycin sulfate	0.01%
<b>INERT INGREDIENTS:</b>	<b>92.79%</b>
	100.00%

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
(AND DOMESTIC ANIMALS)**

**CAUTION**

May be harmful if swallowed. Do not breathe dust. Do not get in eyes, on skin, or on clothing. May cause eye or skin irritation. During exposure in treatment and loading operations, wear goggles, clear synthetic rubber gloves, and protective clothing. Wash hands, arms, and face thoroughly with soap after handling and before eating or smoking. Routinely shower or bathe after work and wash work clothes with soap and hot water before reusing.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Exposed treated seeds may be hazardous to birds and other wildlife.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Treated seed must not be used for or mixed with food or animal feed or processed for feed. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

**STORAGE AND DISPOSAL**

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**STORAGE:** Store in a cool, dry place. Keep container closed when not in use. If this product becomes wet in storage, its fungicidal effectiveness may be reduced and it may also produce fumigant vapors.

**PESTICIDE DISPOSAL:** Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures.

**CONTAINER DISPOSAL:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary and proper manner as allowed by State and local authorities. Do not reuse empty container. Dispose of container in same manner.

**KEEP OUT OF REACH  
OF CHILDREN  
CAUTION**

**Statement of Practical Treatment**

**IF SWALLOWED:** Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit has cleared. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth.

**IF ON SKIN:** Wash the affected areas with soap and warm water.

**IF IN EYES:** Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

See label for complete practical treatment statement.

**STORE IN A COOL, DRY PLACE.**

EPA Reg. No: 10107 -  
EPA Est No: 10107 - NB1

**50 POUNDS NET**

Manufactured For  
Cornbelt Chemical Co  
P.O. Box 410  
McCook, NE 69001