

(Front Panel)

AC
with comment
JAN 10 1993 Rm
7401-301

ferti-lone(R)

Kills:

- Common
- Chickweed
- Mouseear
- Chickweed
- Clover
- Knotweed
- Ground Ivy
- Dandelion
- Plantain
- Shepherdspurse
- Mustard
- Dichondra
- Pigweed
- Ragweed
- Lambsquarters

- Chickweed
- & Clover
- Control

* Kills Chickweed, Clover, Knotweed, Dandelion, Plantain, Pigweed, Shepherdspurse & Other Listed Weeds in Lawn Grasses.

* 4 Teaspoons Makes 1 Gallon of Spray to Cover 200 Sq.Ft.

* 1 Pint Makes 24 Gallons of Spray to Cover 4,800 Sq.Ft. or (1 Quart Makes 48 Gallons of Spray to Cover 9,600 Sq.Ft.)

Active Ingredient:

*Dimethylamine salt of 2-(methyl-4-chlorophenoxy) propionic acid 17.6%

Inert Ingredients: 82.4%

*Equivalent to 14.6% MCPP 2-(2-methyl-4-chlorophenoxy) propionic acid by weight.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

(Back Panel)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. WHAT IS THIS PACKAGE FOR?

Use ferti-lome Chickweed & Clover Control to kill Common Chickweed, Mouseear Chickweed, Clover and other listed weeds for more attractive weed-free lawns.

2. HOW DO YOU USE IT?

Use the rates listed in the table below. Apply any time weeds are actively growing. Spray entire lawn until weeds and grasses are wet. Applications that are made in spring or fall when weeds are small and temperatures are low are most effective. Do not overspray. Spray when air is calm to avoid drift that might injure desirable plants. Do not apply when temperatures are expected to exceed 85 F for 24 hours after application. Do not water for 48 hours after application. For best results use a hose-on or other type sprayer that can deliver enough water for thoroughly coverage.

NEWLY SEEDED LAWNS may be treated after they have been mowed at least 3 times. DO NOT APPLY TO DICHONDRA, LIPPIA, CLOVER & ST. AUGUSTINE GRASS LAWNS. MAY INJURE SEASIDE, ARLINGTON & CONGRESSIONAL BENTS.

DILUTION TABLE

Area to Treat	Water to Use	Amount of ferti-lome CLOVER & CHICKWEED KILLER to use.
200 sq.ft.	1 gal.	4 teaspoonsful
1,200 sq.ft.	6 gals.	8 tablespoonsful (4 ozs.)
3,000 sq.ft.	15 gals.	1½ Cup (10 ozs.)
4,800 sq.ft.	24 gals.	2 Cups (16 ozs.)

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around ornamental plantings. Do not reseed for 3 to 4 weeks after use.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

When used as directed, This product will kill unsightly weeds for beautiful, clean, & weed-free lawns.

STORAGE & DISPOSAL

Do not store diluted spray. Do not store near feed, foodstuffs, fertilizers, seeds, insecticides or fungicides. Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly after handling and before eating or smoking. Keep children and pets off treated areas until this material has dried completely. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing. Wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants that this material conforms to the chemical description on the label and that the limit of any liability incurred shall be the purchase price paid by the user or buyer.

Voluntary Purchasing Groups, Inc.

Bonham, Texas

EPA Est No. 7401-TX-1

EPA Reg. No. 7401-

<p>U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE REGISTRATION WASHINGTON, D.C. 20460</p> <p>NOTICE OF PESTICIDE</p> <p><i>Under the Federal Insecticide, Fungicide, and Rodenticide Act</i></p>	<p>DATE RECEIVED: JAN 10 1983</p>
<p>NAME AND ADDRESS OF REGISTRANT (Include ZIP Code)</p> 	
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>	
<p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p> <p>SIGNATURE OF APPROVING OFFICIAL _____ DATE JAN 10 1983</p>	