

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JUL 3 1 2002

Ms. Mary Beth Endres Agent for Voluntary Purchasing Groups, Inc. Brazos Associates, Inc. 2001 Diamond Ridge Drive Carrollton, TX 75010-4509

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject:

Hi Yield Terraclor Fungicide

EPA Registration Number 7401-389 Submission Dated April 24, 2002

Dear Ms. Endres:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided the following changes are made:

In the third paragraph under the "Directions For Use" section revise the fourth sentence to read "1,000 sq. ft" instead of "1,000 aq. Ft.".

Under the Precautionary Statements / Hazards to Humans & Domestic Animals, in the sixth sentence, add "long pants, socks, shoes" after long sleeved shirt. Delete the next to last sentence which begins with "Avoid contact with skin by wearing the following ...".

A stamped copy of the label is enclosed for your records. Please submit one copy of your final printed label before you release the product for shipment. If you have any questions, you may contact Summer Gardner-Jenkins of my staff at (703) 308-9353.

Sincerely,

Mary L. Waller

Product Manager 21

Fungicide Branch

Registration Division (7505C)


Mary I Walle

Enclosure

[FRONT PANEL]

### HI-YIELD®

# TERRACLOR® FUNGICIDE



[Optional proposed text appears in brackets - the final label may include some or all of the optional text]

- [• [Controls Brown Patch, Dollar Spot, Leaf Spot & Rust in Lawns]
- [• For Bermuda, St. Augustine, Dichondra, Centipede, Bahia, Bluegrass, Fescue & Ryegrass]
- [ 8 [16] lbs. treats up to 2,000 [4,000] sq. ft.]
- [• Will Cover up to 2,000 sq. ft. for Cool Season Grasses]
- [ Will Cover up to 1,000 sq. ft. for Warm Season Grasses]
- [● COVERAGE Cool Season Grasses up to 2,000 sq. ft.
  - Warm Season Grasses up to 1,000 sq. ft.]

#### **ACTIVE INGREDIENT:**

Pentachloronitrobenzene	4.67%
INERT INGREDIENTS:	<u>95.33%</u>
TOTAL:	100.00%

#### KEEP OUT OF REACH OF CHILDREN

#### **CAUTION**

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET	WEIGHT	LBS.
NET	WEIGHT	 LBS

#### [BACK/SIDE PANEL]

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Hi-Yield® Terraclor® Fungicide provides an easy, economical and effective method for controlling Brown Patch, Dollar Spot, Leaf Spots and Rust on Bermuda, St. Augustine, Centipede, Bahia, Bluegrass, Fescue & Ryegrass lawns. Also, controls Brown Patch on Dichondra.

Make first application at first sign of disease or for best results apply Hi-Yield® Terraclor® Fungicide as a preventative against disease before it appears. Once the disease appears, applications will only control further spread of the disease not cure it. For Bermuda, St. Augustine, Centipede, Bahia and other warm season grasses, apply 8 lbs. To cover over 1,000 aq. Ft. See table below for spreader settings on warm season grasses. For Bluegrass, Fescue and Ryegrass, apply 8 lbs. to cover 2,000 sq. ft. See table below for spreader settings on cool season grasses. For Dichondra apply 8 lbs. to cover 500 sq. ft. to control Brown Patch. See table below. After application is made, lightly water treated area to insure movement through grass to the soil level. If treated area is subjected to unusually heavy rainfall ro flooding, or if disease is severe and re-appears, the area should be re-treated at 3-4 week intervals as needed.

#### SPREADER SETTINGS\*

Spreader Model	Cool Season Grasses	Warm Season Grasses	Dichondra
ferti•lome® Plus Iron Broadcast/Earthway 2850	14	16	22
ferti•lome® Plus Iron Prof. Broadcast/ Earthway 2800A	14	16	22
ferti•lome® Deluxe Broadcast 2050 S.U.	14	16	22
Earthway Drop 7300B	15	18	21
Scott Broadcast/Speedy Green	5	8	11
Republic/Scotts Broadcast	4	7	10
Republic Drop	5	8	.11
Precision Broadcast/Red Devil	9	11	13
Precision Drop FH-22D	8	10	12

#### [BACK/SIDE PANEL CONTINUED]

\*These settings can be used only as a guide, they are not absolute. The speed at which the applicator walks, spreader condition and the texture of the turf will alter rate of application. If product remains in spreader after application to recommended square foot coverage, spreader remainder over same area going at right angles. (See Diagram)

#### [APPLICATION DIAGRAM HERE]

**NOTE:** Under certain growing conditions, a temporary discoloration of the grass occasionally may occur. This causes no harm and will disappear in a short time. Do not graze treatment areas or feed clippings to livestock.

#### STORAGE AND DISPOSAL

STORAGE: Store in original container. Keep in an area inaccessible to children and pets. **DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. May be irritating to eyes, nose, throat & skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after using. Wear protective clothing such as long sleeved shirt, rubber gloves and respirator when loading spreader. Avoid contamination of feed or foodstuffs. Keep children and pets off treated areas until this material is washed into the soil and the treated area has dried completely. Avoid contact with skin by wearing the following protective clothing: Long sleeved shirt, long pants, socks and shoes. Wash hands thoroughly after using.

	FIRST AID  et container or label with you when calling a poison control center or doctor, or ent. You may also contact 1-800-222-1222 or 1-800-900-4044 for emergency nt information.
If swallowed	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>

If on skin or clothing	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants that this product conforms to the chemical description on the label and that the limit of any liability incurred shall be the purchase price paid by the user or buyer.

Voluntary Purchasing Groups, Inc. P.O. Box 460 Bonham, TX 75418

> EPA Reg. No. 7401-389 EPA Est. No. 7401-TX-1

Terraclor® is a Registered Trademark of Uniroyal Chemical Company, Inc.