

(Front Panel)

Ferti-Lone<sup>®</sup><sub>R</sub>

Ready-to-Use

Systemic

Nutgrass Killer

<sup>0</sup>Ready to Use, No Mixing Necessary.

<sup>0</sup>Can Be Used In Sensitive Areas Such As:  
Around Trees and Shrubs, and In Flower  
and Ornamental Beds.

ACTIVE INGREDIENT:

Isopropylamine salt of \*gl. phosphoate..... 0.5

INERT INGREDIENTS:..... 99.5

TOTAL..... 100.0%

\*G (phosphonate) - Dicyclo

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR DIRECTIONS OF USE AND OTHER STATEMENTS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. WHAT IS THIS PACKAGE FOR?

This product with special application package is designed for spot killing of nutgrass plants in ornamental and flower beds, around shrubs, trees, patios, sidewalks and spot treatment in lawns.

2. HOW DO YOU USE IT?

This bottle is an easy to use applicator. Thoroughly wet each nutgrass plant. In 2 to 3 days plants begin to turn yellow and die. Nutgrass plants may periodically appear from nuts in the ground. Several applications during the growing season may be necessary to clean up an infested area.

NOTE: Apply carefully to avoid contact with desirable vegetation. If product contacts desirable vegetation, wash off immediately with water.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

When used as directed, Ferti-lone Ready-To-Use Systemic Nutgrass Killer will kill unwanted nutgrass plants for a more attractive home and garden area. Digging or pulling of nutgrass plants sometimes causes nutgrass to multiply rapidly.

STORAGE: Store in original container and place in a locked storage area.

DISPOSAL: Rinse thoroughly and securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: May cause eye irritation. Avoid contact with eyes. Do not get on skin or clothing. Harmful if swallowed. Wash thoroughly after handling. Keep children and pets off treated surfaces until product has dried.

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Call a physician immediately.

034-2111-1

ENVIRONMENTAL HAZARD

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste.

IMPORTANT: Do not apply this product when rainfall is expected within 6 hours. Do not use on windy days or when weather conditions favor drift. Protect from freezing.

\*Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Voluntary Purchasing Groups, Inc.  
Bonham, Texas

EPA Est. No. 7401-TX-1

EPA Reg. No. 7401-

NET CONTENTS 12 FL. OZS.