

(Front Panel)

1063
PM 25

7401-413

Coverage----- Up to 2,500 sq.ft.

Suggested Price
\$ xxxxx

Kill Weeds And Feed Your Lawn
ferti-lome(R)

Winterizer & Weed Preventer for Southern Grasses

- o For Use On Established Warm Season Turf Grasses.
 - Bermuda
 - St. Augustine
 - Zoysia
 - Bahia
 - Centipede

- o Developed For Winter And Spring Pre-Emergence Weed Control And Lawn Fertilization Programs.

ACCEPTED

OCT 18 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 7401-413

Active Ingredients:

N-butyl-N-ethyl-a,a,a-trifluoro-2,6-dinitro-
p-toluidine..... 1.0%
oryzalin: 3,5-dinitro-N⁴,N⁴-dipropylsulfanilamide..... 1.0%

Inert Ingredients:..... 98.0%

Contains 0.172 lbs. active ingredients per 8.6 lb. bag

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

WARNING

Causes eye irritation. Do not get in eyes; Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust and contact with skin or clothing. The granular formulation may cause skin sensitization reactions in certain individuals. Use eye protection and protective clothing such as coveralls, a long sleeved shirt and impermeable gloves when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before re-use.

First Aid

- If in eyes; Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Call a physician.
- If swallowed; Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg white, gelatine solution or, if these are not available, large quantities of water. Avoid alcohol.
- If on skin; Wash with plenty of soap and water. Get medical attention if irritation persists
- If inhaled; If breathing difficulty occurs, move individual to fresh air and get medical attention.

Environmental Hazards

Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes.

STORAGE & DISPOSAL

STORAGE: Store in original container only. In case of leak or spill, contain material and dispose of waste.

Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal. Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ferti-lome(R)
 Winterizer
 &
 Weed Preventer
 for Southern Grasses

10 - 5 - 14

GUARANTEED ANALYSIS

Total Nitrogen(N)..... 10%
 0.80% Ammoniacal Nitrogen
 9.20% Urea Nitrogen
 Available Phosphoric Acid (P_2O_5)..... 5%
 Soluble Potash (K_2O)..... 14%

Derived from-Primary Plant Nutrient Sources: Ammonium Phosphate,
 Urea, Muriate of Potash.

Chlorine, not more than 14%

EPA Est. No. 7401-TX-1

EPA Reg. No. 7401-

Voluntary Purchasing Groups, Inc.

Bonham, Texas 75418

NET WT. 8.6 LBS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner
 inconsistent with its labeling.

1. WHAT IS THIS PACKAGE FOR?

This product is formulated to encourage quicker green up the following
 spring and pre-emergently eliminate weeds before they appear.

2. HOW DO YOU USE IT?

For best control, application should be made during the dormant season,
 approximately 1 to 2 weeks prior to germination of annual grasses and
 weeds.

To Control Crabgrass, Foxtail and Barnyardgrasses, apply in January,
 February or March.

Goosegrass normally germinates 4 to 6 weeks later than Crabgrass and
 other summer grass species, therefore, applications should be timed
 accordingly.

To Control Poa annua, (annual bluegrass), make application in early
 fall (September or October).

Where germination of annual grasses and weeds continue for extended
 periods of time, a second application can be made 10 to 12 weeks after
 initial treatment.

Using the spreader settings listed below, apply one 8.6 lb. bag per
 2,500 sq.ft. of lawn area. A uniform coverage is important to assure
 complete weed control. ALWAYS WATER THOROUGHLY AFTER APPLICATION.

ONE 8.6 LB. BAG
COVERS 2,500 SQ.FT.

SPREADER

ferti-lome Cyclone/Broadcast
ferti-lome Deluxe
Central (Sears, Wards,
J.C. Penney)
Scotts

*SETTING

*These settings can be used only as a guide, they are not absolute.
The speed at which the applicator walks, spreader condition and turf
texture will alter rate of fertilizer application.

NOTE: Do not apply in spring to turfgrass planted the previous fall.
Do not apply to newly sprigged areas of Bermudagrass, St. Augustine
or Centipede until turf is well established.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

Effective, economical weed control and a thick, green lawn may be expected
with use of this product.

Buyer assumes all risks of use, storage or handling of this product
not in strict accordance with directions given herewith. Voluntary
Purchasing Groups, Inc. warrants this product to conform to the chemical
description on the label and for the purposes stated on the label. The
limit of any liability incurred shall be the purchase price paid by the
user or buyer.

