(Front	Panel)
LETORC	4 GHE 1 /

an an ann an air a bhair thair thair ann an an air ann an Anna an Anna an Anna an Anna an Anna an Anna an Anna

Coverage----- Up to 2,500 sq.ft?

Suggested Price \$ xxxxx

Kill Weeds And Feed Your Lawn

ferti-lome(R)

WEED & FEED SPECIAL

o For Use (h St. Augustine, Bermuda And Other Established Warm Season Turfgrasses.

o Developed For Winter And Spring Pre-Emergence Weed Control And Lawn Fertilization Programs.

Active Ingredients:

医酸酶酶 经通过任金 计分析分析 计算法 计分子

N-butyl-N-ethyl-a,a,a-trifluoro-2,6-dinitro-	
p-toluidine	1.0%
p-toluidine	1.0%
Inert Ingredients:	
Contains 0.172 lbs. active ingredients per 8.6 lb. bag	

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals WARNING

Causes eye irration. Do not get in eyes. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust and contact with skin or clothing. The granular formulation may cause skin sensitization reactions in certain individuals. Use eye protection and protective clothing such as coveralls, a long sleeved shirt and impermeable gloves when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before re-use.

First Aid

- If in eyes; Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Call a physician.
- If swallowed; Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg white, gelatine solution or, if these are not available, large quantities of water. Avoid alcohol.

If on skin; Wash with plenty of soap and water. Get medical attention if irratation persista.

If inhaled; If breathing difficulty occurs, move individual to fresh air and get medical attention.

Environmental Hazards

Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes.

STORAGE & DISPOSAL

STORAGE: Store in original container only. In case of leak or spill, contain material and dispose of waste. Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal. Waste resulting from the use of this product may be disposed of on site or at an approved '' waste disposal facility.

waste disposal facility. Container Disposal: Completely empty bag into application equipment. Then dispose of " empty bag in a sanitary landfill or by inceneration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ACCEPTED
NOV 1 2 1985
Under
zegisters' under EPA Rey 0. 7401-415

REG. # 7401-41

(Back Panel)

2OF3

ferti-lome(R)

Weed & Feed Special

20 - 4 - 4

GUARANTEED ANALYSIS

Total Nitrogen(N)	202
00.50% Ammoniacal Nitrogen	
19.50% Urea Nitrogen	
Available Phosphoric Acid (P205)	4 X
Soluble Potash (K ₂ 0)	42
-	

Derived from - Primary Plant Nutrient Sources: Ammonium Phosphate, Urea, Muriate of Potash.

Chlorine, not more than 4.0%

EPA Est. No. 7401-TX-1

(

()

Voluntary Purchasing Groups, Inc.

NET WT. 8.6 LBS.

EPA Reg. No. 7401-

Bonham, Texas 75418

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. WHAT IS THIS PACKAGE FOR?

This product is formulated to pre-emergently eliminate unsightly weeds and feed your lawn, all in one application.

2. HOW DO YOU USE IT? Apply ferti-lome(R) Weed & Feed Special approximately 1 to 2 weeks prior to germination of annual grasses and weeds. To Control <u>Crabgrass</u>, <u>Foxtail</u> and <u>Barnyardgrasses</u>, apply in January, February or March. <u>Goosegrass normally germinates 4 to 6 weeks later than Crabgrass and other summer grass species, therefore, applications should be timed accordingly.</u> To Control <u>Poa annua</u> (annual bluegrass), make application in early fall (September or October). Wher germination of annual grasses and weeds continue for extended periods of time, a second application can be made 10 to 12 weeks after initial treatment.

Using the spreader settings listed below, apply one 8.6 lb. bag per 2,500 sq.ft. of lawn area. A uniform coverage is important to assure complete weed control. ALWAYS WATER THOROUGHLY AFTER APPLICATION.

•

(Back Panel Cont.)

ONE 8.6 LB. BAG COVERS 2,500 SQ.FT.

*SETTING

法一定规范的 经无限管理 医子宫管理

SPREADER ferti-lome Cyclone/Broadcast ferti-lome Deluxe Central (Sears, Wards, J.C. Penney)

Scotts

a state of the second s

(1

*These settings can be used only as a guide, they are not absolute. The speed at which the applicator walks, spreader condition and turf texture will alter rate of fertilizer application.

NOTE: Do not apply in spring to turfgrass planted the previous fall. Do not apply to newly sprigged areas of Bermudagrass, St. Augustine or Centipede until turf is well established.

3. HERE ARE THE RESULTS YOU MAY EXPECT. Effective weed control and a thick, green lawn may be expected with use of this product.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the user or buyer.