

For In-transit protection and control. Treat truck beds, box cars and ships holds before loading. For extended protection and control in warehouses and food products storages, treat exposed surfaces, as recommended above and spray heavily into cracks, crevices, recesses, hiding and breeding areas. Thoroughly treat walls, floors, ceilings and other exposed areas, and tightly spray each layer of cartons or containers as stacked.

AS A CONTACT SPRAY: Pyrethrin General Purpose Spray is also very effective when used as a contact spray against mosquitoes, gnats, wasps, hornets, skippers, scorpions and chesecrabs. When these insects are present, contacting them with a fine mist will provide immediate kill. Spraying walls, ceilings, lights, moldings, screen doors and door frames, beams and light cords will cause these locations unfavorable as resting or hiding places for these insects.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
WATER DISPOSAL. Residue, spray mixture or rinse water that cannot be used, owing to label instructions, must be disposed of according to applicable Federal, State or local provisions.
CONTAINER DISPOSAL. Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local authorities.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Hazard if swallowed. Do not breathe spray mist. Wear a mask or respirator of a type recommended for protection against this type insecticide. Wear protective clothing. Wash exposed skin surfaces with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Remove pets, birds and cover fish aquaria before spraying.

Do not apply as a space spray while food processing is underway. Except in Federally inspected meat and poultry plants, when applied as a surface spray with care and in accordance with the directions and precautions given above, food processing operations may continue. Foods should be removed or covered before treatments. In food processing areas all surfaces must be washed and rinsed with potable water after spraying.

When using in animal quarters, do not apply directly to food, water or food supplements. Wash teats of dairy animals before milking.

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed: Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician. Vomiting may cause aspiration pneumonia.
- If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.
- If In Eyes: Flush affected areas with plenty of water. Contact a physician if irritation persists.
- Or On Skin:

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Snail and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

REGISTERED

MAY 18 1993

4816-520

BATCH