B 7401-432	3-17-2003	118
United States Environmental Protect Washington, DC 2	ion Agency Amendment	OPP Identifier Number
Applicat	ion for Pesticide - Section I	
1. Company/Product Number 7401-432	EPA Product Menager Linda Arrington	None Restricted
4. Company/Product (Name) Hi-Yield Lawn Fungicide Granules Containing Bayle	ton Notification Team	
5. Name and Address of Applicant (Include ZIP Code) Voluntary Purchasing Groups, Inc. P.O. Box 460 Bonham, TX 75418 Check if this is a new address	6. Expedited Reveiw. In accordance w (b)(i), my product is similar or identical in to: EPA Reg. No.	
	Product Name Section - II	
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.	Final printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below.	NOTIFICATION MAR 2 7 2003
Explanation: Use additional page(s) if necessary. (For sect Notification to add "additional front panel selling claims". This no 152.46, and no other changes have been made to the labeling or U.S.C. Sec 1001 to willfully make any false statement to EPA. If and 40 CFR 152.46, this product may be in violation of FIFRA and	itification is consistent with the provisions of PR Notice 98-10 a the confidential statement of formula of this product. I unders urther understand that if this notification is not consistent with	tand that it is a violation of 18 the terms of PR Notice 98-10
1. Material This Product Will Be Packaged in:		
Child-Resistant Packaging Yes No No	Water Soluble Packaging 2. Type of Container Yes No Glass	al tic
* Certification must be submitted If "Yes" No. per Unit Packaging wgt. No. per container	Packed Wat container Pepe	er (Specify)
	etail Container 5, coastion of Label Dire	ections
6. Manner in Whier Label is Affixed to Product Lith Pep Ster	ograph Other	
	Section - IV	100
1. Contact Point (Complete items directly below for identifice		this application.)
Name Marla K. Jackson		hone No. (Include Area Code) 39-8390
Certific I certify that the statements I have made on this form at I acknowledge that any knowlingly false or misleading a both under applicable law.	nd all attechments thereto are true, accurate and complete	6. Date Application Received (Stampsd)
2. Signature Mala K. Juli	3. Title Agent for Voluntary Purchasing Groups, Inc.	
4. Typed Name Maria K. Jackson	5. Date 03/21/2003	

MAR 2 7 2003

HI-YIELD®

LAWN FUNGICIDE GRANULES

Containing BAYLETON®

[Optional proposed text appears in brackets - the final label may include some or all of the optional text]

[•	Controls Dollar Spot, Copper Spot, Red Thread, Stripe Smut, Fusarium Blight,
	Anthracnose, Rusts, Pink and Gray Snow Mold, Southern Blight]
[•	7 ½ [9] Lbs. Treats [Covers] Up To 2,500 [3,000] Sq. Ft.]
[•	Easy To-Use Granules For Convenient Spreader Application]
[•	Systemic Control for Brown Patch, Dollar Spot & Rust in Lawns]
<u>•</u>	Ready to Spread Granules]
[•	Works on Contact and Systemically]
[•	Cures and Prevents Common Lawn Diseases]
ACTI	VE INGREDIENT:

1-(4-Chlorophenoxyl)-3, 3-dimethyl-1-(1H-1, 2, 4-	
triazol-1-yl)-2-butanone	0.5%
INERT INGREDIENTS:	<u>99.5%</u>
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

NET WEIGHT ____ Lbs.

[BACK PANEL]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read these entire Directions before using.

BAYLETON® is absorbed rapidly and works systemically from within the plant. Rainfall or sprinkler irrigation soon after application will assure rapid systemic uptake. Control will be less effective on turf suffering from drought stress. Therefore, in order to achieve maximum control, plants should be maintained in a vigorously growing state through good control practices.

Apply when the turf is fully established and actively growing. Applications should be applied at recommended intervals to maintain disease control.

NOTE: Apply the specified amount of this product with a standard granular applicator accurately calibrated to uniformly apply recommended amount of product per 1,000 sq. ft. Make application when turf is dry and following the mowing operation. Do not mow until a minimum of .25 inch of water has been applied to treated area. Do not use clippings for animal feed.

RECOMMENDED APPLICATION - TURF GRASS DISEASE CONTROL

DISEASE	LBS. OF PRODUCT PER 1,000 SQ. FT.		REMARKS	
	Preventative	Curative		
Dollar Spot	3	***********	Preventative Rate: Apply recommended rate on 30 day intervals. Protective activity of BAYLETON may extend for as long as 60 days dependent upon environment conditions.	
	1.5		Preventative Rate: Apply recommended rate on 14 day intervals. Protective activity of BAYLETON may extend for as long as 30 days dependent upon environmental conditions.	

		6	Curative Rate: To control existing infections, apply the curative rate. Subsequent applications should be applied at a preventative schedule and rate.
Copper Spot. Powdery Mildew, Red Thread (Laetisaria fuciformis), Rusts, Brown Patch (Rhizoctonia solani) (Suppression)	3	6	Preventative Rate: Apply at 15 to 30 day intervals. When environmental conditions favor light to moderate disease development, us a longer interval. Protective activity of BAYLETON can be greater than 30 days depending on environmental conditions. Curative Rate: To control existing infections, apply the curative rate. Subsequent applications should be applied at a preventative schedule and rate.
Anthracnose Poa Annua Decline	6		Preventative Rate: Apply at 30 day intervals and repeat as necessary for seasonal control. Dependent upon environmental conditions, residual control may be extended to 45 days.
	3		Preventative Rate: Apply at 21 day intervals and repeat as necessary for seasonal control. Dependent upon environmental conditions, residual control may be extended to 30 days.
		6	Curative Rate: To control existing infections, apply the curative rate. Subsequent applications should be applied at a preventative schedule and rate.
Stripe Smut	Preventative Rates Only 6		Make a single application in spring as grass growth begins.
Fusarium Blight (Fusarium culmorum) (Fusarium poae), Summer Patch (Magnaporthe poae)	6		Apply first application in mid-June or 30 days prior to time this blight normally becomes evident. Applications should be made on 30 day intervals.

Gray Snow Mold (Typhula incarnata)	12	Apply in fall 30 days prior to turf dormancy. If turf breaks dormancy during winter months a second application should be made. Do not apply over snow cover or when turf is dormant.
Pink Snow Mold, Fusarium patch (Microdochium nivalis), Southern Blight (Sclerotium rolfsii)	6 to 12	Apply before conditions favorable for infection occur. Re-application should be made as needed at a 60 to 90 day interval. Do not apply over snow cover, or when turf is dormant. Use higher rate in areas with a history of severe disease damage.

SPREADER	SPREADER SETTINGS		
	½ #/1,000 sq. ft.	3#/1,000 sq. ft.	5#/1,000 sq. ft.
ferti•lome® Plus Iron Broadcast/Earthway 2850	11	12	16
ferti•lome® Plus Iron Prof. Broadcast/ Earthway 2800A	11	12	16
ferti•lome® Deluxe Broadcast/Earthway 2050 S.U.	11	12	16
Earthway Drop 7300B	18	22	26
Scott Broadcast/Speedy Green	5 ½	6	6 ½
Republic/Scotts Broadcast	2	2 ½	3 1/2
Republic Drop	7	10	14
Precision Broadcast/Red Devil	7	10	14
Precision Drop FH-22D	9	10	15

[BACK PANEL CONTINUED]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in original container. Keep in an area inaccessible to children and pets.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid breathing vapor or dust. Avoid contact with skin, eyes or clothing. Do not contaminate feed or food. Keep out of reach of children. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

FIRST AID Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 or 1-800-900-4044 for emergency medical treatment information.		
If Swallowed	 Call poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious or convulsing person. 	
If on Skin or Clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice 	
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	

If Inhaled	 Move victim to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: No specific antidote is available. Treat symptomatically.	

ENVIRONMENTAL HAZARDS

Do not use on crops grown for food or forage. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Apply this product only as specified on this label. Do not make applications when weather conditions favor drift from target area.

NOTE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants that this product conforms to the chemical description on the label and that the limit of any liability shall be the purchase price paid by the user or buyer.

VOLUNTARY PURCHASING GROUPS, INC. P.O. BOX 460 BONHAM, TX 75418

> EPA Reg. No.7401-432 EPA Est. No. 7401-TX-1

BAYLETON is a registered trademark of Bayer AG, Leverkusen

Brazos Associates, Inc.®

1806 Auburn Drive ● Carrollton, Texas 75007-1451 Phone: 972-939-8390 ● Facsimile: 972-939-8370

By Courier Delivery

March 21, 2003

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

Attn:

Linda Arrington Notification Team

Subject:

Registration Notification Hi-Yield® Lawn Fungicide Granules Containing Bayleton

EPA Reg. No. 7401-432

Dear Ms. Arrington:

This submission is being made on behalf of our client, Voluntary Purchasing Groups, Inc. We are providing the attached notification to "add additional front panel selling claims". Please find one copy of product labeling with the changes underscored.

Should you have any questions or need additional information please do not hesitate to contact us.

Sincerely,

Marla K. Jackson

Agent for Voluntary Purchasing Groups, Inc.

attachment as noted

cc: Ms. Christina Brown - Voluntary Purchasing Groups, Inc.