



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:

7401-450

Date of Issuance:

SEP 25 2000

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Hi-Yield Snail & Slug Killer Pellets

Name and Address of Registrant (include ZIP Code):

Ms. Marla K. Jackson  
Brazos Associates, Inc.  
Agent for Voluntary Purchasing Groups, Inc.  
P.O. Box 703524  
Dallas, TX 75370-35243

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase "EPA Registration No. 7401-450".

Signature of Approving Official:

Dani Daniel  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

Date:

SEP 25 2000

Page Two  
7401-450

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure:

[FRONT LABEL PANEL]

# Hi-Yield® Snail & Slug Killer Pellets

Clean and easy to use granules. Can be used on fruit and vegetable growing areas.

**ACTIVE INGREDIENT:**

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,  
7-tetraoxycyclo-octane) ..... 2.75%

**INERT INGREDIENTS:** ..... 97.25%

**TOTAL:** ..... 100.00%

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

This pesticide may be fatal to children and dogs or other  
pets if eaten. Keep children and pets out of treated areas.

See Back/Side Label Panel for Additional Precautionary Statements.  
Read entire label. Use strictly in accordance with label warnings and  
directions.

**ACCEPTED  
with COMMENTS  
In EPA Letter Dated:**  
SEP 25 2000  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.  
7401-450

Net Weight \_\_\_\_\_

**[BACK/SIDE LABEL PANEL]**

**Read entire label. Use strictly in accordance with label warnings and directions.**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**1 Pound Treats up to 2,000 sq. ft.**

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes. Water area to be treated thoroughly. Broadcast Hi-Yield Snail and Slug Killer Pellets late in the day in the areas likely to be infested. Apply to the soil and not directly on plants. Do not apply to edible parts or foliage. Scatter, do not leave in piles, in gardens and in lawn areas insure pellets are applied around base of bedding plants and other low growing plants where snails and slugs hide. To avoid early damage to your garden, apply before snails and slugs appear at spring planting.

Continuous watering and high temperatures cause this bait to gradually lose some of its effectiveness. Repeat applications every week to ten days during the spring and summer months. Treatment every two weeks during fall and winter months is usually satisfactory. Repeated treatments provide control of new broods emerging during this period. Three applications ten days apart usually gives control of new hatch. Apply 1 pound of this product to 2,000 sq. ft. of area.

**1 Pound Treats up to 2,000 sq. ft.**

**VEGETABLES**

To control Snails and Slugs on the following vegetables and fruit crops, apply to soil surface around plants and trees. Do not contaminate edible parts or foliage.

VEGETABLES: Asparagus, Beans, Blackeyed Peas, Broccoli, Brussels Sprouts, Cabbage, Melons, Carrots, Cauliflower, Corn, Cucumbers, Eggplant, Endive, Garlic, Kale, Kohlrabi, Horseradish, Leeks, Lettuce, Okra, Onions, Peas, Peppers, Potatoes, Pumpkins, Radishes, Rutabagas, Salsify, Shallots, Spinach, Squash, Swiss Chard, Tomatoes and Turnips.

**FRUIT CROPS**

Apples, Apricots, Avocados, Blackberries, Boysenberries, Cherries, Citrus, Grapes, Loganberries, Nectarines, Peaches, Pears, Plums, Raspberries and Strawberries.

**FOR SNAILS & SLUGS IN DICHONDRA, CLOVER AND GRASS LAWNS**

Distribute pellets over entire lawn as necessary.

**1 Pound Treats up to 2,000 sq. ft.**

**STORAGE AND DISPOSAL**

**STORAGE:** Store in original container in safe, dry place. Do not contaminate other pesticides, fertilizer, seeds, food or feed. Return spillage to original container prior to disposal.

**[BACK/SIDE LABEL PANEL]**

**PRODUCT DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not re-use box. Discard box in trash.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING:** May be fatal if swallowed. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash hands with soap and water after handling and before eating or smoking.

<b>FIRST AID</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
If swallowed	<ul style="list-style-type: none"> <li>• Call poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
If inhaled	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
If on skin or clothing	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
If in eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

<b>NOTE TO PHYSICIAN</b>
Gastric lavage - sodium bicarbonate for neutralization; carbo medicalis for decontamination.

**[BACK/SIDE LABEL PANEL]**

**ENVIRONMENTAL HAZARDS**

This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated area. Follow directions and use with care. Dogs and chickens may be attracted to this bait. This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

Hi-Yield® Snail & Slug Killer Pellets is a special preparation for the control of snails. It attracts and kills snails and slugs with metaldehyde. The presence of snails and slugs can be detected by their shiny mucous-like trail. They are night feeders and prefer damp, cool places in the ornamental garden, flowers, under boards or flowerpots and around fences, hedges and bushes.

**NOTE:** Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the user or buyer.

VOLUNTARY PURCHASING GROUPS, INC.  
P.O. BOX 460  
BONHAM, TX 75418

EPA Reg. No. 7401-\_\_\_\_\_  
EPA Est. No. 7401-TX-1