7401-452

3/11/2014 (

17-11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

MAR 1 1 2014

Tina Mallory Regulatory Specialist Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, TX 75418

Subject: Notification to Add New Application Directions and Marketing Claims Decision Number: 488392

Dear Ms. Mallory:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated February 7, 2014 for the product EPA Reg. No. 7401-452. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10.

If you have any questions, please call me directly at 703-308-2972 or Carlyn Petrella of my staff at 703-347-0439.

Sincerely.

Michael Walsh Insecticide Branch Acting PM 13 Registration Division (7505P) Office of Pesticide Programs

	۱ مر				<i>.</i>	~		271
	(Form Anna)			NOTIFICATION
Please read instructions on reverse b Envir	United States Onmental Protectio Washington, DC 204	-	ıcy	<u>Porm Appr</u>		Registra Amend Other	ation	MAR on in 2014
	Applicatio	n for P	estici	de - Sec	tion	l		
1. Company/Product Number 7401-452		х — ¹	George LaRocca			roposed Classification		
. Company/Product (Name) Hi-Yield Kill-A-Bug II Dust Containing Deltamethrin			PM#					None Restricted
Name and Address of Applicant (/ Voluntary Purchasing Groups, Ir 230 FM 87 Bonham, TX. 75418	nc.	۵	(b)(i), n to: EPA F		is sim			FIFRA Section 3(c)(3) emposition and labeling
		Sect	ion -					
X Notification - Explain below. Explanation: Use additional page abel Notification per PR Notice 98-1 PA regulations at 40 CFR 152.46. No nat it is a violation of 18 U.S.C. Sec. with the requirements of 40 CFR 156. Inforcement action and penalties under	0, amended labeling with cop o other changes have been ma 1001 to willfully make any fal 10, 156.140, 156.144, 156.146	y as highli de to the la se stateme 5 and 156.	ghted. T abeling c ent to the 156, this	or the Confide EPA. I furth product may	on is co ential S er unde	onsistent wit tatement of erstand that	Formula for if the amen	or this product. I understand ded label is not consistent
		Sect	ion - I	11				
Yes" X No If "Yes" No. per If ")		If "Yes"				Metal Plastic Glass Paper	Metal Plastic Glass	
3. Location of Net Contents Informat Label Container	1 lb	ail Contain	er		5. Lo	Cation of La On Labe	al an	ons npanying product
6. Manner in Which Label is Affixed	to Product Lithogr Paper (Stencil	aph glued		Othe	r			
	Stenci		on - l'	v				
. Contact Point <i>(Complete items di</i>	rectly below for identification				if nec	essary, to p	recese chis	application.)
lama Tit		Title Regulatory Specialist			(ໂelephene No. (Include Area Co ູ(ອຸດຼຊ) <i>ເ5</i> 93-5501 \ ຼໍ			
I certify that the statements I I acknowledge that any knowi both under applicable law.	ngly false or misleading state	all attachr ement may	y be puni 1	ereto are truc ishable by fir	e, accu Ne or in	arate and co nprisonment	ັຼວ ເຕັ tor (, , ^ເ	6. Dété Application Received ((Stamped)
2. Signature Mallour		3. Title Regulato		ialist				
4. Typed Name Tina Mallory		5. Date, 2/7/201	4					

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

.

.

•



February 21, 2014

U.S. Environmental Protection Agency Registration Division (7504P) Office of Pesticide Programs 1200 Pennsylvania Ave., NW Washington, DC 20460-0001

Attention: Mike Walsh, PM 13

Subject: Hi-Yield® Kill-A-Bug II Dust Containing Deltamethrin, EPA Reg. No. 7401-452 Notification Per PR Notice 98-10

Dear Mr. Walsh,

This notification is to change the application instructions to fit a spout top applicator on a 1 lb. plastic container. As well as revise the following areas as highlighted per PR Notice 98-10:

- Added claim "Non-Staining & Odorless"
- Revised 'Inert' to 'Other' Ingredients
- Added Spout Top Applicator instructions
- Revised 'Released for Shipment By' to 'Manufactured By'
- Removed PO Box 460 from our address

Enclosed with this submission, please find the following:

- 1. Application for Pesticide Registration Notification
- 2. Two revised labels with changes clearly marked
- 3. One revised label with clean copy

Sincerely,

Swo Malley

Tina Mallory Regulatory Specialist



3 211

230 FM 87, Bonham, Texas 75418-8629 * Phone (903) 583-5501 * Fax: (903) 583-7124 Visit Us At: www.fertilome.com

[FRONT LABEL PANEL]

Hi-Yield® _Kill-A-Bug® IL Dust Containing Deltamethrin

NOTIFICATION

MAR 1 1 2014

- For Indoor/Outdoor Residential Use Only
- [For Household Use]
- [Household Ornamental Garden Insect Control]
- [Controls Fire Ants, Fleas, Ticks *Termites and More]
- [Non-Staining & Odorless]
- [Long-Lasting Residual Action]
- [Long-Lasting]
- [Kills Insects for up to 8 Months]
- [Does not Clump or Absorb Moisture]
- [For Use on Ornamentals]
- [Use on Roses, Flowers & Ornamentals]
- [Controls Many Different Insect Pests]
- [To Control Imported Fire Ants on Lawns and Other Residential Areas]
- [8 oz. Treats 15 Fire Ant Mounds]
- [1 lb. Treats 30 Fire Ant Mounds]
- [2 lbs. Treats 60 Fire Ant Mounds]
- [Fast, Effective Kill of Fire Ants]
- [Fast, Effective Kill of Stinging Ants]
- [Easy To Use]
- [Convenient]
- [Kills Fire Ants on Contact]
- [Non-Staining & Odorless]

[]-Denotes Optional Statements

*For localized area control only

ACTIVE INGREDIENT:

*Deltamethrin [(s)-alpha-cyano-3-phenoxybenzyl-(1R,3	3R)-3-(2-2
Dibromovinyl)-2,2-dimethyl cyclopropanecarboxylate].	
OTHER INGREDIENTS:	<u>چ9.95%</u> د <u>ي</u> د
TOTAL:	· ····································

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back/Side Panel for Additional Precautionary Statements

Net Weight

F

[Back/Side Label Panel]

FIRST AID Have the product container or label with you when calling a poison control center or doctor, or going for treatment. • Call poison control center or doctor immediately for treatment advice. If swallowed • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person. • Hold eye open and rinse slowly and gently with water for 15-20 minutes. If in eyes • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. • Call a poison control center or doctor for treatment advice. If on skin or Take off contaminated clothing. clothing • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. If inhaled • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. • Call a poison control center or doctor for treatment advice.

5 211

PRECAUTIONARY STATEMENTS

Hazards to Humans And Domestic Animals

CAUTION: May be harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read the entire Directions for Use, Precautions and Disclaimer of Warranties before using this product. Hi-Yield® Kill-A-Bug[®] II Dust Containing Deltamedurin is a first ready-to use insecticide dust which exhibits effective knockdown and long-lasting control against gests listed when used according to label directions. Hi-Yield[®] Kill-A-Bug[®] II Dust Containing

Deltamethrin can be used for long-lasting pest control in and around homes and their immediate surroundings. Permitted areas of use include:

*animal quarters

*apartments

*mobile homes and *recreational vehicles

*ornamentals

2 11

This product is intended for applications with a hand duster, from the shaker can, or by other suitable means, to hiding and runway areas and other places where insects are found. Food utensils such as a teaspoon or measuring cup should not be used for food after use with pesticides.

[Option B: Spout Top Applicator---This product is intended for application to hiding and runway areas and other places where insects are found. Remove cap from top of spout. Clip the end of spout off to apply the product. Point directly to treatment area and squeeze bottle to apply product. Replace the cap on end of spout when finished applying.]

INDOOR USE

In living areas, make applications in such a manner to avoid deposits-on exposed surfaces or introducing the material into the air.

To apply insecticide directly into cracks and crevices, use a bulbous duster, or other suitable equipment. Apply lightly and uniformly to infested areas. Pay particular attention to cracks and crevices; service ducts, false floors and ceilings; wall void; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets; refrigerators and sinks; around windows and door frames; along baseboards; in attics and crawl spaces. Apply at the rate of 1 oz. of product per 125 square feet (or $\frac{1}{2}$ lb. per 1000 square feet). Repeat after 10 days only if needed to maintain control. Do not apply more than 2 times per year.

Ants, boxelder bugs, cockroaches (including both resistant and non-resistant strains), crickets, fleas, firebrats and silverfish: Apply Hi-Yield[®] Kill-A-Bug[®] II Dust Containing Deltamethrin thoroughly to all areas where these pests crawl and hide, especially in those areas described above. For Ants, apply to ant trails, around doors and windows and other places where ants enter premises.

Termites, Carpenter Ants and Carpenter Bees: For Localized Treatment of Wood Infesting Termites, Carpenter Ants, and Carpenter Bees; apply to voids to channels in damaged wooden members of a structure, to cracks, spaces or bearing joints between wooden members of a structure; or between such members and the foundation; and in locations vulnerable to termite attack. Drilling may be necessary prior to applying dust in these locations, but it must be recognized that such drilling and treating of timber in a particular location may not result in complete coverage of infested and vulnerable voids or galleries. When drilling, care should be taken to avoid drilling into electrical wire, plumbing, gas lines or other utilities. Re-seal holes following treatment. This dust can be applied in attics and crawl spaces to prevent entry of drywood and formosan termites at a rate of 1/2 lb. per 1000 square feet of floor area. In these treatments, all vents and blowers should be closed. Inspect at 6 months and one year to ensure that colony has been killed. Repeat after 10 days only if needed to maintain control. Oc not apply more than 2 times per year.

The purpose of such applications of Hi-Yield[®] Kill-A-Bug[®] II Dust Containing Deltamethrin is to kill workers or winged forms which may be present in the treated channels at the time of treatment. Such applications are not a substitute for mechanical alteration, soil treatment or

foundation treatment but merely a supplement. For active termite infestation, get a professional inspection.

Centipedes, ground beetles, millipedes, scorpions, spiders and sowbugs: Apply dust along and behind baseboards, to window and door frames, corners, pipes, storage locations, attics, crawl spaces, and other areas where these pests may enter or crawl.

Wasps and Bees: It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster (actisol or similar equipment) or other suitable means, with extension tubes if necessary, thoroughly dust nets, entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in and reseal. For ground wasps, dust entrance and surrounding areas. For best results check nests carefully one or two days after treatment to ensure complete kill then remove and destroy nest to prevent emergence of newly -hatched insects. If removal is not feasible, retreat nest if necessary. Do not use this product to treat overhead nests.

Webbing Clothes Moths: Use Hi-Yield[®] Kill-A-Bug ® II Dust Containing Deltamethrin as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on the clothes. DO NOT apply this product directly to clothing.

Carpet Beetles (Black, Furniture, Common and Varied): Dust where these insects are found, for example: on and under edges of floor coverings, around baseboards, under rugs and furniture, and in closets.

Bedbugs: Apply dust thoroughly to all areas where these pests are typically found including folds and tufts of mattresses, coils or springs, cracks and hollow posts of bedsteads, upholstery of chairs and sofas, picture frame moldings and _{all} cracks and crevices in room should be treated. Allow powder to remain in contact with surface for 4-6 hours. Thoroughly vacuum treated areas, dispose of vacuum bag and place clean linens on bed.

Stored Product Pests: To aid in control of exposed stages of:

cadelles cheese mites cigarette beetles confused flour beetles dark meal worms drugstore beetles grain mites granary weevils lesser grain borers merchant grain beetles red flour beetles rice weevils rusty grain beetles saw-toothed grain beetles spider beetles tobacco moths yellow meal worms

In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Clean up wastes materials, dust, dirt, and other debris. Thoroughly treat floors, walks and other surfaces in storage and handling areas. Apply dust in cracks and crevices, behind and under cupboards, and other difficult to reach areas where insects may hide. DO NOT apply directly on food, utensils or other areas where food is prepared, processed, served, or stored.

aphids	leafrollers	
beet armyworms	orange tortrix	
blister beetles	periodical cicada	
boxelder bugs	plant bugs	•
certain leafminers	rose chafer	4
(Boxwood, Holly	rose midges	٠
Oak, Spruce Needle	rose slugs	٠
elm leaf beetle	tent caterpillars	· •
flea beetles	thrips	٠
Japanese beetles	weevils Leafhoppers	•
		•

ORNAMENTAL PLANT PESTS For the control of:

Shrubs and Ornamentals: Apply when insects or their damage first appear. Repeat after 10 days only if needed to maintain control. Do not apply more than 2 times per year. Apply 8 ounces per 10000 square feet; or thoroughly apply to place a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

Roses, Petunias, Chrysanthemums, Geraniums, Carnations and other related flowers: TO control many leaf and flower chewing insects, apply as soon as the insect appears. Repeat after 10 days only if needed to maintain control. Do not apply more than 2 times per year. Apply a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

OUTDOOR USE

Perimeter Treatment: Use Hi-Yield[®] Kill-A-Bug[®] II Dust Containing Deltamethrin as a residual treatment for control of ants, bees, centipedes, cockroaches, crickets, firebrats, fleas, ground beetles, millipedes, scorpions, silverfish, slugs, sowbugs, spiders, ticks and wasps. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways, in crawl spaces where pests are active and may find entrance. **Fleas and Ticks in Rodent Burrows:** To control fleas and ticks in and around rodent burrows

around homes and other buildings, apply dust with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge). Be sure to treat abandoned rodent burrows which are suspected of containing fleas and ticks. Treat for a minimum of 5 days for light rodent populations, 10 days when populations are dense. Retreatment should only be made as necessary to maintain insect control.

HOME VEGETABLE GARDENS: Use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate available duster. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest comer of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering.

REMARKS Active [Packages/100ft^{2]} VEGETABLE TARGET PESTS Application Max Ingredient/Acre] Rate: Oz. Application/ (This column is (This column is alternate text) Growing of alternate text) Dust/100ft_ Season X Packages/100 ft² Do not apply more 2.13 5 0.028 lb. Artichoke, Globe Aphids, armyworm, cabbage looper, cribrate than recommended amount [0.14 lb ai/A weevil, leafminers, lygus bug (plant bug), pale (active ingredient/acre)] in striped flea beetles, plume moth, probas bug one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest. 2.13 4 0.028 lb. X Packages/100 ft² Bulb vegetables-Cutworms, stink bugs, Do not apply more garlic, leeks, onions, thrips than recommended amount [0.112 lb shallots ai/A (active ingredient/acre)] in one growing season. Allow 5 days between applications. Do not apply within one days of harvest. 2.13 16 0.028 lb X Packages/100 ft² Corn, Sweet Aphids, armyworms, Do not apply more chinch bugs, click beetle, than recommended amount [0.45 lb ai/A] corn earworm, corn rootworm (adult), in one growing season. Do not apply cutworms, European corn borer, flea beetles, within 24 hours of grasshoppers, Japanese harvest. beetle (adult), June beetle (adult), Masked chafer (adult), Southern corn borer, Southwestern corn borer, stalk borer, stink bugs, webworms 1.68 0.022 lb X Packages/100 ft² Corn, Pop Aphids, armyworms, Do not apply more 4 chinch bugs, click beetle, than recommended amount [0.095 lb corn earworm, corn rootworm (adult), ai/A] in one growing cutworms, European corn season. Do not apply borer, flea beetles, within 21 hours of grasshoppers, Japanese harvest. beetle (adult), June beetle (adult), Masked chafer (adult), Southern corn borer, Southwestern corn borer, stalk borer, stink bugs, webworms Curcurbit Do not apply more 2.13 0.028 lb X Packages/100 ft² Armyworm, cabbage 6 than recommended Vegetableslooper, Colorado potato Cantaloupes, beetle, corn earworm, amount [0.168 lb ai/A] in one growing Chayote, Chinese cucumber beetle, Wax Gourd, Citron cutworms, diamondback season. Allow 3 days Melon, Cucumber, moth (larvae), Flea beetle, between applications. Gherkin, gourds, grasshoppers, green peach Do not apply within Momordica species aphid, leafhopper, 3 days of harvest. (balsom apple, leafminer, melonworm, balsom pear, bitter pickleworm, stinkbugs, tarnished plant bug, tomato melon, Chinese cucumber) pinworm, vegetable weevil muskmelon, pumpkin (adult), western plant bug, squash, watermelon whitefly (adult).

Fruiting Vegetables- Eggplant, groundcherry, pepinos, peppers, tomatillo, tomato	Aphids, armyworms, cabbage looper, Colorado Potato Beetle, cucumber beetle, cutworms, diamondback moth, European corn borer, flea beetles, imported cabbageworm, leafminers, pepper weevil, stink bugs, tarnished plant bug, thrips, tomato fruitworms, (corn earworm), tomato pinworm, variegated	Do not apply more than recommended amount [0.168 lb ai/A] in one growing season. Allow 5 days between applications. Do not apply within 1 days of harvest.	2.13	6	0.028 lb.	X Packages/100 ft ²
Root Vegetables- Carrot, celeriac, Chervil (turnip Rooted), Chicory	cutworm, whitefly Armyworms, cabbage looper, Colorado Potato Beetle, cutworms, European corn borer, flea beetles, green peach aphid, leafhoppers, lygus bug, (plant bug), pea aphid, tarnished plant bug,	Do not apply more than recommended amount [0.14 lb ai/A] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest. Other than radishes, applications may not be made to root vegetables whose tops or leaves are to be harvested for human consumption.	2.13	5	0.028 lb	X Packages/100 ft ²
Tuberous & Corm Vegetables-Potato, sweet potato, arracacha, arrowroot, Chinese artichoke, Jerusalem artichoke, edible canna, bitter and sweet cassava, chayote, (root), chufa, dasheen, ginger, leren tanier, tumeric, yarn bean, true yam	Armyworm, cabbage looper, Colorado potato beetle, cutworms, European corn borer, flea beetle, green peach aphid, leafhoppers, lygus bug (plant bug), pea aphid, Tarnished plant bug.	Do not apply more than recommended amount [0.14 lb ai/A] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest. Applications may not be made to tuberous or corm vegetables whose tops or leaves are to be harvested for human consumption.	2.13	5	0.028 lb	X Packages/100 ft ²

10 211

USE DIRECTIONS FOR FIRE ANT TREATMENT

Imported Fire Ant Mound Treatment: Apply Hi-Yield® Kill-A-Bug® II Dust Containing Deltamethrin with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge of the mound). A second treatment may be necessary if complete control is not obtained. DO NOT DISTURB

(Alternate directions - Evenly sprinkle one tablespoon (approximately 1/2.6z.) of Ri-Yield® Kill-A-Bug® II Dust Containing Deltamethrin over the top of cachemound. Do not water in or disturb the mound. Apply when temperatures are betweer 65 and 80°F. Allow 3 to 4 days for maximum control, then repeat at 7 days if needed to maintain to control.)

......

STORAGE AND DISPOSAL

11211

PESTICIDE STORAGE: Keep out of reach of children and pets. Store in original containers only. Store in cool, dry place and avoid excess heat.

PESTICIDE DISPOSAL: If empty: Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. - The limit of any liability incurred shall be the purchase price paid by the user or buyer.

Manufactured By:

VOLUNTARY PURCHASING GROUPS, INC. 230 FM 87 BONHAM, TX 75418 EPA Reg. No.7401-452 EPA Est. No. 7401-TX-1

www.hiyield.com