

7401-458

05-15-12009

1/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Leslie Oliver
Agent for Voluntary Purchasing
Groups, Inc.
MANDAVA Associates, LLC
6860 N. Dallas Parkway, Suite 200
Plano, TX 75034

MAY 15 2009

Subject: Notification(s) for Label Revisions under PRN 2008-1 and 2007-4

Dear Ms. Oliver:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2008-1 and 2007-4 dated April 30, 2009 for:

EPA Registration 7401-458

**Hi-Yield Kill-A-Bug II Indoor Outdoor
Spray**

The Registration Division (RD) has conducted a review of the request(s) for applicability under PRN 2008-1 and 2007-4 and finds that the label changes requested fall within the scope of PRN 2008-1 and 2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identify the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0080

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration	OPP Identifier Number
		<input type="checkbox"/> Amendment	
		<input checked="" type="checkbox"/> Other	

Application for Pesticide - Section I

1. Company/Product Number 7401-458	2. EPA Product Manager George LaRocca	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Hi-Yield Kill-A-Bug II Indoor Outdoor Spray	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Voluntary Purchasing Groups, Inc. 230 N. FM 87 Bonham, Texas 75418 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ MAY 15 2009 Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 Notification of label change relative to PR Notices 2008-1 and 2007-4. This notification is consistent with the guidance in PR Notices 2008-1 and 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146 and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146 and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper Other (Specify) _____
* Certification must be submitted	If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container 24 oz.-RTU & 1 Gallon	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Leslie Oliver	Title Agent for Voluntary Purchasing Groups, Inc.	Telephone No. (Include Area Code) 972-265-7924
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Agent for Voluntary Purchasing Groups, Inc.	
4. Typed Name Leslie Oliver	5. Date April 30, 2009	

3/10

MANDAVA ASSOCIATES, LLC

CONSULTANTS IN SCIENCE, TECHNOLOGY AND REGULATORY AFFAIRS

6860 N Dallas Parkway, Suite 200, Plano, TX 75034

Telephone: (972) 265-7924 / Fax: (972)-265-7942 / E-MAIL: Madhu@Mandava.com / www.Mandava.com

January 13, 2009

Mr. George LaRocca
US EPA
Office of Pesticide Programs
Registration Division (7504P)
Ariel Rios Building
1200 Pennsylvania Avenue, N.W.
Washington, D.C. 20460

SUBJECT: EPA Registration Number: 7401-458; Hi-Yield Kill-A-Bug II Indoor Outdoor Spray
Notification Per PR Notices 2008-1 and 2007-4

Dear Mr. LaRocca:

On behalf of Voluntary Purchasing Groups, Inc. (VPG), we are submitting notification for change in Storage and Disposal Statements per PR Notice 2007-4 and Environmental Hazards Statements per PR Notice 2008-1 for Hi-Yield Kill-A-Bug II Indoor Outdoor Spray (EPA Registration Number: 7401-458).


Enclosed with this submission, please find the following:

- 1) Application for Pesticide Registration Notification
- 2) Two amended labels clearly marked
- 3) One original label

Please update the agency records in consideration of this notification.

If you have any questions regarding this submission, please contact me at (972) 265-7925.

Sincerely,



Leslie Oliver
Agent for Voluntary Purchasing Groups, Inc.

4/10

[FRONT LABEL PANEL]

Hi-Yield®

Kill-A-Bug® II

Indoor-Outdoor Spray

NOTIFICATION

MAY 15 2009

- [• For Indoor and Outdoor Use] [Ready-To-Use][Easy-To-Use]
- [• Water-Based][Water-Based Formulation] [Kills On Contact]
- [• Kills Fast] [Long-Lasting] [Long-Lasting Residual Activity] [Long-Lasting Formulation]
- [Long-Lasting Water-Based Formulation][Long-Lasting Action]
- [• Kills for up to [4][8][12][16] Weeks][Kills for up to [1] [2][3][4] Months]
- [• Kills for up to [30][60][90][120] Days][No Drips - No Runs]
- [• Stays Where You Put It][Odorless][Non-Staining]
- [• Does Not Stain Surfaces] [Does Not Stain Fabrics] [No Oily [Greasy] Residue]
- [• Contains Deltamethrin - the third generation pyrethroid] [Contains Deltamethrin]
- [• No Shaking Required][No Shake Formula][Novel - No Drip Formula]
- [• Use In and Around Horse Stables][Use On House Plants][Use On Ornamental Plants][Use on Ornamentals]
- [• Kills Fleas & Ticks][Kills Home Invading Pests][Kills Spiders, Centipedes & Scorpions] [Kills Roaches, Ants & Fleas on Contact][Kills Pantry Pests]
- [• Kills Plant Pests][Kills Aphids, Mealy Bugs, Lace Bugs, Thrips, Leafminers & Mites][Kills Spider Mites][Kills Japanese Beetles]
- [• Kills Cockroaches, Ants, Silverfish, Crickets, Flies, Spiders, Fleas, Ticks & Other Insects][Kills Roaches, Ants, Spiders, Flies, Gnats, Mosquitoes, Crickets & Other Insects][Kills Termites* & Carpenter Ants][Kills Flying & Crawling Insects]
- [• For Use in Homes, On House Plants & Outdoor Ornamentals]

[] Indicates Optional Statements on This Label

ACTIVE INGREDIENT:

Deltamethrin.....0.02%

INERT INGREDIENTS:.....99.98%

TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back/Side Panel For Additional Precautionary Statements

Net Contents _____

[BACK/SIDE LABEL PANEL]

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 or 1-800-900-4044 for emergency medical treatment information.	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed, inhaled or absorbed by skin. Causes moderate eye irritation. Avoid contact with eye, skin or clothing. Wash thoroughly with soap and water after handling. Keep children and pets away from treated areas until spray has dried. Avoid contamination of food or water supplies. Contact with product may result in transient tingling and reddening of the skin. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product in or on electrical equipment due to possibility of shock hazard.

[BACK/SIDE LABEL PANEL CONT'D]

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for Use on Plants Grown for Sale or other Commercial Use.

General Information: Hold container upright. Turn sprayer nozzle to "on" position. Hold approximately 12 inches from surface to be sprayed. Squeeze trigger and spray until surface is slightly moist. Do not spray up into air. Apply to surfaces only as a spot and crack & crevice treatment. Thoroughly cover aquariums before application and for at least 1 hour after application. Make applications when pests are present or suspected. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed.

Hi-Yield Kill-A-Bug II Indoor-Outdoor Spray long-lasting action continues killing insects for up to [30] [60][90] [120] days; [or][4][8] [12] [16] weeks; [or] [1] [2][3] [4] months] after you spray. Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects when they return to treated areas. Hi-Yield Kill-A-Bug II Indoor-Outdoor Spray will not stain surfaces or fabrics.

Hi-Yield Kill-A-Bug II Indoor-Outdoor Spray is for use in and around residences and their immediate surroundings such as (but not limited to): apartments, attics, automobiles, basements, bathrooms, boats, cabins, carports, clothes storage, decks, driveways, garages, homes, kitchens, patios, pet sleeping areas, porches, recreational vehicles, storage areas, and utility rooms. Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared, processed or served.

INDOORS:

Cockroaches (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), Ants, Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Ground Beetles, Palmetto Bugs, Pillbugs, Scorpions, Silverfish, Spiders, Sowbugs, Ticks and Waterbugs: Apply as a spot and crack & crevice treatment to areas infested or where these pests crawl, hide or may find entry, especially in hidden areas around sinks and storage areas, along and behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. **For Ants:** Also spray ant trails, ants directly and other areas where ants may find entry. **For Spiders:** Apply along and behind baseboards, to window and door frames, in corners, around water pipes, storage localities, in attics, crawl spaces and other areas over which these pests may crawl, hide or nest. **For Ticks:** spray surfaces until moist. (approximately 6 squirts per square foot of surface area). Treat baseboards, storage areas and other locations where these pests are found. Repeat treatments every 7 days only as needed to control insect infestation. Do not apply more than 3 times per year.

[BACK/SIDE LABEL PANEL CONT'D]

Carpenter Ants: For effective control, locate and treat their nests and surrounding areas. Apply around doors and windows and other places where carpenter ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

Ticks (Including Ticks that may carry Lyme Disease) & Fleas on surfaces: Remove pet bedding, destroy or clean thoroughly. Spray pet resting quarters until moist. (approximately 6 squirts per square foot of surface area). Treat baseboards, storage areas and other locations where these pests are found. Adult fleas and larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. **DO NOT** spray animals directly. **DO NOT** allow pets onto treated areas until spray has dried. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

Flying Insects: Houseflies, Gnats, Mosquitoes and Small Flying Moths: Spray localized resting areas such as under eaves, porches, inside surfaces or window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed.

Domestic/Residentially Located Horse Stables: To control *stable flies, horn flies, house flies, face flies, horse flies, deer flies, mosquitoes and gnats* in small stable areas. Apply thoroughly to surfaces until wet. Avoid runoff of spray. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatments every 7 days only as necessary to control infestations. Do not apply more than 3 times per year. **DO NOT** spray animals or humans directly, or apply to animal feed or watering equipment.

Pantry Pests - Grain Beetles (Rusty, Merchant and Saw-toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry completely prior to replacement of shelf paper, food and utensils. Wash thoroughly any exposed food handling surfaces and utensils before use.

Carpet Beetles (Black, Furniture & Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. **DO NOT** apply to clothing.

[BACK/SIDE LABEL PANEL CONT'D]

Bedbugs: Remove linens and wash thoroughly before use. Lightly spray (until slightly wet) mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed or occupying. After mattress is dry, cover with mattress cover and sheet. Do not use mattress without cover.

Ornamental House Plants: To control *aphids, Japanese beetles, lace bugs, leafminers, mealybugs, mites and spider mites* on house plants. Prior to spraying, remove plants from living and eating areas - preferably outdoors. Put in an area where they will not be in contact with pets, children or food. Spray upper and lower foliage surfaces until wet. Avoid wetting blossoms, blooms or flowers if possible. Avoid spraying to the point of runoff. Plants can be returned to original locations when all surfaces are dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas. Keep children and pets away from treated plants until all surfaces have dried completely. Repeat applications every 7 days only as necessary to control insect infestations. Do not apply more than 3 times per year.

OUTDOORS:

Point sprayer away from face. Turn sprayer to "on" position. Hold sprayer on a slight downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing. DO NOT contaminate fish ponds or apply directly to water.

Pests on Outside Surfaces of Buildings: For control of building infestation to *ants, clover mites, crickets and sowbugs (pillbugs)*. Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatments every 7 days only when necessary to control infestations. Do not apply more than 3 times per year.

Crawling Insects: *ants, cockroaches (including Asian cockroaches), centipedes, crickets, mole crickets, water bugs and silverfish*. Spray infested surfaces of outside areas (See "General Information"). Spray legs of outside tables and chairs. For Ants: Spray around ant trails, and hills and nests until wet. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray on and around debris. Repeat every 7 days only as necessary to control infestations. Do not apply more than 3 times per year.

Lone Star Ticks, Dog Ticks, Crickets & Fleas: Apply thoroughly to control infestations in bushes, grass or weeds.

Wasps, Hornets, Yellow Jackets & Bees: Spray nests and other surfaces where these insects nest or may rest. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest. Do not reapply unless these pests reoccupy treated nests.

9/10

[BACK/SIDE LABEL PANEL CONT'D]

Flying Insects: *Houseflies, Gnats, Mosquitoes and Small Flying Moths.* Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

Termites*, Carpenter Ants & Carpenter Bees: (for localized control only). Apply Hi-Yield Kill-A-Bug II Indoor-Outdoor Spray to voids or channels in damaged wood of a structure, or to cracks, crevices and spaces in and between wooden portions of a structure or between wood and the foundation in locations vulnerable to attack such as crawl spaces. Retreat every 7 days only as necessary to control infestations. Do not apply more than 3 times per year.

*For termites, the purpose of such applications is to kill workers or winged forms which may be present in the treated areas at the time of application. This product is not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment, but merely a supplement.

For Control of Ornamental Garden Insects: For use on roses, dahlias, asters and other ornamentals to kill Japanese beetles hit by spray, as well as whiteflies, aphids, army worms, lace bugs, mealy bugs, exposed thrips, pavement ants, spiders, spider and red mites, clover mites and leafminers.

May be used on plants, as well as multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, flocks, wandering Jews and zinnias.

When spraying plants, do not operate closer than 18 inches. Use a sweeping motion. Be cautious about over-wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. DO NOT apply to vegetable plants or other plants used for food or feed purposes. Spray insects directly whenever possible. Repeat treatment every 7 days only as necessary to control insect infestations. Do not apply more than 3 times per year.

10/10

[BACK/SIDE LABEL PANEL CONT'D]

STORAGE AND DISPOSAL

Pesticide Storage: Store in cool, dry area away from children & pets. Protect from freezing. [Store above 32°F.] [Do not store below 32°F.] If freezing occurs, allow product to thaw and shake well before using [use]. [Some product separation may occur on freezing which is reversible on shaking]. Freezing does not adversely affect [this product] [performance]. **Pesticide Disposal:** If empty: Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste for disposal instructions. Unless otherwise instructed, place in trash. Never place unused product down any indoor or outdoor drain.

NOTICE: BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS PRODUCT NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HERewith. VOLUNTARY PURCHASING GROUPS, INC. WARRANTS THIS PRODUCT TO CONFORM TO THE CHEMICAL DESCRIPTION ON THE LABEL AND FOR THE PURPOSES STATED ON THE LABEL. THE LIMIT OF ANY LIABILITY INCURRED SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER,

Released For Shipment By:

VOLUNTARY PURCHASING GROUPS, INC:

P . O . B O X 4 6 0
BONHAM, TX 75418
EPA Reg. No. 7401-458
EPA Est. No. 7401-TX-1

www.hi-yield.com

NOTIFICATION
MAY 15 2009