"ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS."

EPA Est. 7405-FL-1

FOR OUTDOOR USE: Can also be used in attics, warehouses and other storage areas where toods and feedstuffs are not exposed.

SHAKE WELL JEFORE USING

DIRECTIONS FOR OUTDOOR USE: Hold can upright. Point nozzie away from face and in direction of the space to be treated. With wind at back, aim at nests in trees, bushes, under eaves, chinneys, cracks or crevices, etc. Spray white moving away from treated areas. Allow spray to dissipate before occupying treated areas. Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained it nest is sprayed in late evening when most insects are at nest. If reinfestation occurs, repeat treatment.

DIRECTIONS FOR INDOOR USE: Same as for outdoor use but do not spray in areas where food and feed-stuffs are exposed or handled.


PHYSICAL AND CHEMICAL HAZARDS
Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

KEEP OUT OF REACH OF CHILDREN.

Avoid breathing spray mist, Avoid contact with skin. Harmful it swallowed. Avoid smoking while spraying. Avoid contamination of tood or teedstuits. Otrect spray away from people or animals. Allow spray to disperse for several minutes before entering the treated area.

EPA Reg. No. 7405-44-SQL0 BY





WASPand HORNET SPRAY

ACTIVE INGREDIENTS:

*+(5-Benzyl-3-furyl)methyl 2,2-dimethyl-3
{2-methylpropenyl} cyclopropanecarboxylate 0.150% w/w
Related compounds 0.020%

*Cis/trans isomers ratio: mex. 30% (±) cis and min, 70% (±) trans. +U.S. Patent No. 3.465.007

100.000%

NON-CONDUCTING
HIGH DISCHARGE VALVE
SPRAYS UP TO 20 FEET

KEEP OUT OF REACH OF CHILDRENA

CAUTION

CONTENTS UNDER PRESSURE.
READ CAUTIONS ON BACK PANEL

OCT: 7 1985

NET WT. 17 OZ. (1 LB. 1 OZ.)(481 Grants)