

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

MAR 2 1 1991

Terry M. Colker Chemical Packaging Corporation 2700 SW 14'th Street Pompano Beach, FL 33069

Subject: Resmethrin Registration Standard

Chemi-Cap Was & Hornet Spray

EPA Reg. No. 7465-44

Submission: April 27, 1989

Dear Mr. Colker:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

- 1) You must submit a corrected CSF. This submission showed a lower limit for product 432-433 of 5.82%. The percentage of Resmethrin in this product is 28.4%, so the correct lower limit would be 0.582% and the percentage by weight is 0.6%. Apparently, you shifted the decimal point inadvertently.
- Change the ingredient statement to read as follows:

- * Contains Petroleum distillate
- 3) Add signal word "CAUTION" to back label immediately before precautionary statement paragraph.
- 4) Add ' & following precautionary statement:


ENVIRONMENTAL HAZARD

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands. Drift and runoff from treated sites may be hazardous to fish in adjacent waters.

-5) The statement of practical treatment should be moved away from the middle of the precautionary statements.

Sincerely,

Richard F. Mountfort
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)



FOR OFITDOOR USE: Can also be used in attics, warehouses and other storage areas where foods and feedstuffs are not exposed

SHAKE WELL BEFORE USING

It is a violation of Federal Law to use this product in a manner in consistant with its labeling

DIRECTIONS FOR OUTDOOR USE Hold can upright. Using JET SBREAMOR FOGGER NOZZLE, point nozzle away from face and In direction of the space to be treated (when interchanging from an ap topper nozzle, be threful not to spray into face or eyest evidence and at next in trees, busines, under eaves, chimnels. cracks or crevices, etc. Spray while moving away from treated area. Allow spray to dissipate before occupying treated area. Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be Obtained if nest is sprayed in late evening when most insects are at nest, if reinfestation occurs, repeat treatment.

DIRECTIONS FOR INDOOR USE, Same as for outdoor use but do not spray in areas where food or feedstuffs are exposed or handled

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Direct spray away from people or animals. May cause eye irrita tion. Avoid breathing spray mist. Allow spray to disperse for Several minutes before entering the freated area. Harmful or fatar if swallowed avoid confact with skin. Avoid smoking while

Spraying Avoid contamination of feed or loodstuffs
STATEMENT OF PRACTICAL TREATMENT

EXCESSIVE INHALATION. Remove to fresh air and call a

physician if in EYES Flush with pienty of water if irritation persists ge.

IF SWALLOWED Do not induce vomiting. Get medical attention PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open

STORAGE Store in a cool dry area away from heat or open

DISPOSAL. Do not reuse empty container. Wrap container and put in trash correction. Do not inc. Frate or puncture
EPA REG. NO. 7405.44 EPA EST. NO. 7405.FL 1

501 D BY