

An effective surface disinfectant and deodorant for most gram-positive and gram-negative environmental bacteria. Destroys odor-causing bacteria on environmental surfaces.

**FEATURES, CLAIMS AND USES**

**VIROCIDAL:** Kills Human Immunodeficiency Virus Type 1, (HIV-1); a retrovirus that causes "AIDS" (Acquired Immune Deficiency Syndrome), Herpes Simplex, Type 1 and 2 and Influenza A2 Virus (Hong Kong). **BACTERICIDAL:** Kills *Escherichia coli*, *Pseudomonas aeruginosa*, *Salmonella Choleraesuis*, *Staphylococcus aureus*. **TUBERCULOCIDAL:** Kills *Mycobacterium bovis* (BCG). **FUNGICIDAL:** Kills *Trichophyton mentagrophytes* (Formerly *Trichophyton interdigitale*, "Athlete's Foot Fungi")

For HOSPITAL use on such surfaces as: Dressing Carts, Hampers, Linen Carts, Wheel Chairs, Metal Beds and Springs, Toilet Seats, Telephones, Light Switches, Wash Basins, Urinals, Door Knobs and other similar germ laden surfaces. Also is useful on: Pre-cleaned, hard, nonporous surfaces around gyms and athletic equipment.

**USEFUL AROUND**

Hospitals, Doctors' and Dentists' Offices, Nursing Homes, Ambulances, Veterinary Offices and Animal Hospitals, Restaurants, Restrooms, Industrial and Institutional Facilities, Plants and Offices, Zoos and Other Commercial Facilities.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**GENERAL:** Please read entire label before use of this product. Shake container well before each use and hold can upright while spraying. For use on pre-cleaned, hard, nonporous surfaces, not for use on humans or animals. Not recommended for use on waxed/polished surfaces, water-based "latex" paint, shellac, cellulose (such as rayon) or other alcohol sensitive materials.

**GENERAL PRECAUTIONS AND RESTRICTIONS**

This product is not to be sold as a terminal sterilant / high level disinfectant on any surface or instrument that: (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise normally enter sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

**TO KILL HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY BOILED WITH BLOOD / BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING AGAINST HIV-1 ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.**

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, barrier protection items such as: disposable latex gloves, gowns, masks, or eye coverings should be worn. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product as a disinfectant.

After cleaning is complete, follow disinfecting instructions below. **CONTACT TIME:** Same as disinfecting. Allow surface to remain wet for 10 minutes. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**TO DISINFECT AND DEODORIZE ENVIRONMENTAL SURFACES:** Heavily soiled surfaces must be cleaned prior to application of this product. Hold spray about 6 to 8 inches from surface. Spray until the mist covers surface. Allow to dry for at least 10 minutes before disturbing surface.

**TO ELIMINATE ODORS IN THE AIR:** Spray upward into room for 2 to 3 seconds.



**HOSP-I-SEPTIC G**  
**SURFACE DISINFECTANT DEODORANT**

**Kills HIV-1 (AIDS Virus), Herpes Simplex Virus Type 1 & 2 and Influenza A2 Virus (Hong Kong) on Hard, Non-Porous, Inanimate Environmental Surfaces**

**DRAFT**

**ACTIVE INGREDIENTS:**

|                               |                |
|-------------------------------|----------------|
| ortho-Phenylphenol.....       | 0.100%         |
| para-tertiary-Amylphenol..... | 0.030%         |
| Ethyl Alcohol.....            | 53.720%        |
| <b>INERT INGREDIENTS.....</b> | <b>46.150%</b> |
|                               | <b>100.00%</b> |

**HOSPITAL USE & BROAD SPECTRUM DISINFECTANT AND ANTIMICROBIAL AGENT**  
**VIROCIDAL • BACTERICIDAL • TUBERCULOCIDAL PSEUDOMONICIDAL • STAPHYLOCIDAL • FUNGICIDAL**  
(Specific species/agents listed on side panel)

**NET WT. 15 OZ. (425 Grams)**  
**KEEP OUT OF REACH OF CHILDREN**

**WARNING:**  
**SEE ADDITIONAL PRECAUTIONARY AND PRACTICAL TREATMENT STATEMENTS ON SIDE PANEL**

**PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Warning: Do not spray toward eyes or face; may cause temporary eye irritation. Avoid excessive inhalation of vapors. Avoid skin contact. Do not contaminate foodfeed or utensils.

**FIRST AID**

**If inhaled:**  
• Move person to fresh air.  
• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth if possible.  
• Call a poison control center or doctor for further treatment advice.

**If on skin or clothing:**  
• Take off contaminated clothing.  
• Rinse immediately with plenty of water for 15-20 minutes.  
• Call a poison control center or doctor for treatment advice.

**If in eyes:**  
• Hold eye open and rinse slowly and gently with water for 15-20 minutes.  
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
• Call a poison control center or doctor for further treatment advice.

**If swallowed:**  
• Call a poison control center or doctor immediately for treatment advice. Move person to fresh air.  
• Have person sip a glass of water if able to swallow.  
• Do not induce vomiting unless told to do so by the poison control center or doctor.  
• Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measure against circulatory shock, respiratory depression and convulsion may be needed.

**PHYSICAL AND CHEMICAL HAZARDS**  
Flammable. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.  
**DO NOT USE ON POLISHED WOOD FURNITURE OR RAYON FABRICS**

**STORAGE AND DISPOSAL**

**STORAGE:** Store in a cool, dry area away from heat or open flame.  
**DISPOSAL:** Do not reuse container. Wrap container and put in trash collection. Do not incinerate or puncture.

EPA EST. NO. 7405-FL-1  
EPA REG. NO. 7406-61

**SOLD BY**

**CHEMICAL Packaging CORPORATION**

P.O. Box 667770  
Pompano Beach, FL 33066

ACCEPTED  
with COMMENTS  
EPA Letter Dated:

OCT -3 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 7405-51

**DRAFT**