

Chemi-cap

**HI-PRESSURE
INSECT BOMB**
LOCK VALVE FOR CONTINUOUS SPRAYING

For Bakeries, Hotels, Food Plants, Motels, Restaurants, Office Buildings
One Spraying Kills Exposed Stages of Flies, Mosquitoes, Gnats,
Moths (Millers), Wasps, Roaches, Earwigs, Grain Mites, Sawbugs, Spiders

ACTIVE INGREDIENTS:
+ 15-Benzyloxy-3-turp methyl 2,2-dimethyl-3
(2-methylpropoxy)cyclopropanecarboxylate
Related compounds
Aromatic petroleum hydrocarbons
Petroleum distillate

INERT INGREDIENTS:
+ Cis/trans isomers ratio max 30% (+/-) and min 70% (+/-) trans
+ U.S. Patent No. 3,665,007

0.500 wt%
0.068%
0.662%
13.662%
85.108%
100.000%

NET WT. 14 OZ. (396 Grams)
KEEP OUT OF REACH OF CHILDREN.
**WARNING: CONTENTS UNDER
PRESSURE. SEE OTHER CAUTIONS
ON BACK PANEL.**

SAMPLE — NOT FOR RESALE

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one bomb for each 10,000 cu. ft. of unobstructed area.

TO OPERATE VALVE: Can be used manually or valve can be locked in open position. To lock valve in open position for automatic discharge, press arrow on valve button all the way forward, hooking the catch over the lip of metal rim.

FLIES, MOSQUITOES, GNATS AND MOTHS (MILLERS): For best results first spray distant rooms manually spraying toward ceiling filling room with mist. Place bomb on stand or table in center of unobstructed area. Then lock valve open. Leave building at once and keep building closed for 2 hours before airing out. Open all doors and windows and allow to air thoroughly. Repeat when necessary.

FOR CRAWLING INSECTS: Roaches, Earwigs, Grain Mites, Sawbugs, Spiders and centipedes. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

WARNING: Use as a space spray in food processing plants only when plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. Avoid contamination of foodstuff or feedstuff.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Remove pets, birds and fish bowls from area before spraying. Avoid contamination of food or feedstuff. Avoid excessive inhalation of vapors.

PHYSICAL/CHEMICAL HAZARDS

Do not use or store near heat, sparks, or open flame. Do not use in the vicinity of pilot lights. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting. Do not use on polished wood furniture or on rayon fabrics.

STORAGE AND DISPOSAL

STORAGE: Keep in cool, dry, locked area away from flames, sparks, and other sources of heat or ignition. Containers heated above 130°F (54°C) may burst.

DISPOSAL: Refasten cap on container and discard in trash. Do not incinerate or puncture.

EPA REG. NO. 7405-52 SOLD BY EPA EST. 740-FL-1

CHEMICAL Packaging CORPORATION
FT. LAUDERDALE, FL 33310 SOUTH EL MONTE, CA 91733

ACCEPTED

NOV 13 1987

EPA Reg. No. 7405-52